

Lisätään uusi kohta POST-metodilla

POST ▼ `{{base_url}}/borrower`

Params Authorization Headers (8) **Body** ● Pre-request Script Tests Settings

☐ none ☐ form-data ☒ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 1
Key	Value

Body Cookies Headers (21) Test Results

Pretty Raw Preview Visualize JSON ▼

```
1 {
2   "id_borrower": "NULL",
3   "fname": "Matti",
4   "lname": "Meikalainen",
5   "streetAddress": "Osoite 1"
6 }
```

Varmistetaan tulos GET-metodilla

GET ▼ `{{base_url}}/borrower`

Params Authorization Headers (8) **Body** ● Pre-request Script Tests Settings

☐ none ☐ form-data ☒ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 1
Key	Value

Body Cookies Headers (21) Test Results

Pretty Raw Preview Visualize JSON ▼

```
1 {
2   "id_borrower": 1,
3   "fname": "Matti",
4   "lname": "Meikalainen",
5   "streetAddress": "Osoite 1"
6 }
7
8 }
```

Muokataan osoitetta PUT-metodilla

PUT

{{base_url}}/borrower/1

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 2
Key	Value

Body

Cookies

Headers (21)

Test Results

Pretty

Raw

Preview

Visualize

JSON

```
1  {
2    "fieldCount": 0,
3    "affectedRows": 1,
4    "insertId": 0,
5    "serverStatus": 2,
6    "warningCount": 0,
7    "message": "(Rows matched: 1 Changed: 1 Warnings: 0",
8    "protocol41": true,
9    "changedRows": 1
10 }
```

Varmistetaan tulos taas GET:illä

GET

{{base_url}}/borrower/1

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 2
Key	Value

Body

Cookies

Headers (21)

Test Results

Pretty

Raw

Preview

Visualize

JSON

```
1  {
2    "id_borrower": 1,
3    "fname": "Matti",
4    "lname": "Meikalainen",
5    "streetAddress": "Osoite 2"
6  }
```

Testataan DELETE:ä

DELETE

{{base_url}}/borrower/1

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 2
Key	Value

Body

Cookies

Headers (21)

Test Results

Pretty

Raw

Preview

Visualize

JSON

```
1  {
2    "fieldCount": 0,
3    "affectedRows": 1,
4    "insertId": 0,
5    "serverStatus": 2,
6    "warningCount": 0,
7    "message": "",
8    "protocol41": true,
9    "changedRows": 0
10 }
```

Varmistetaan onnistuminen:

GET

{{base_url}}/borrower/1

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 2
Key	Value

Body

Cookies

Headers (21)

Test Results

Pretty

Raw

Preview

Visualize

JSON

```
1  {}
```

Tarkistetaan vielä /book ja /user

GET

{{base_url}}/book

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 2
Key	Value

Body

Cookies

Headers (21)

Test Results

Pretty

Raw

Preview

Visualize

JSON

```
1  []
2  {
3    "id_book": 1,
4    "name": "PHP Basic",
5    "author": "Bob Jones",
6    "isbn": "123-456-789-111-x"
7  },
8  {
9    "id_book": 2,
10   "name": "Statistics",
11   "author": "Lisa Smith",
12   "isbn": "222-333-444-555-y"
13  }
14  }
```

GET

{{base_url}}/user

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> user_id	NULL
<input checked="" type="checkbox"/> username	username1
<input checked="" type="checkbox"/> password	password1
<input type="checkbox"/> streetAddress	Osoite 2
<input type="checkbox"/> fname	Matti

Body

Cookies

Headers (21)

Test Results

Pretty

Raw

Preview

Visualize

JSON

```
1  []
2  {
3    "id_user": 1,
4    "username": "username1",
5    "password": "password1"
6  }
7  }
```