

Lisätään uusi kohta POST-metodilla

POST ▼ {{base_url}}/borrower

Params Authorization Headers (8) **Body** ● Pre-request Script Tests Settings

☐ none ☐ form-data ☒ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 1
Key	Value

Body Cookies Headers (21) Test Results

Pretty Raw Preview Visualize JSON ▼ ≡

```

1  {
2    "id_borrower": "NULL",
3    "fname": "Matti",
4    "lname": "Meikalainen",
5    "streetAddress": "Osoite 1"
6  }

```

Varmistetaan tulos GET-metodilla

GET ▼ {{base_url}}/borrower

Params Authorization Headers (8) **Body** ● Pre-request Script Tests Settings

☐ none ☐ form-data ☒ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 1
Key	Value

Body Cookies Headers (21) Test Results

Pretty Raw Preview Visualize JSON ▼ ≡

```

1  {
2    "id_borrower": 1,
3    "fname": "Matti",
4    "lname": "Meikalainen",
5    "streetAddress": "Osoite 1"
6  }
7
8

```

Muokataan osoitetta PUT-metodilla

PUT

{{base_url}}/borrower/1

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 2
Key	Value

Body

Cookies

Headers (21)

Test Results

Pretty

Raw

Preview

Visualize

JSON

```
1  {
2    "fieldCount": 0,
3    "affectedRows": 1,
4    "insertId": 0,
5    "serverStatus": 2,
6    "warningCount": 0,
7    "message": "(Rows matched: 1 Changed: 1 Warnings: 0",
8    "protocol41": true,
9    "changedRows": 1
10 }
```

Varmistetaan tulos taas GET:illä

GET

{{base_url}}/borrower/1

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 2
Key	Value

Body

Cookies

Headers (21)

Test Results

Pretty

Raw

Preview

Visualize

JSON

```
1  {
2    "id_borrower": 1,
3    "fname": "Matti",
4    "lname": "Meikalainen",
5    "streetAddress": "Osoite 2"
6  }
```

Testataan DELETE:ä

DELETE

{{base_url}}/borrower/1

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 2
Key	Value

Body

Cookies

Headers (21)

Test Results

Pretty

Raw

Preview

Visualize

JSON

1

2

3

4

5

6

7

8

9

10

1

2

3

4

5

6

7

8

9

10

```
"fieldCount": 0,  
"affectedRows": 1,  
"insertId": 0,  
"serverStatus": 2,  
"warningCount": 0,  
"message": "",  
"protocol41": true,  
"changedRows": 0
```

Varmistetaan onnistuminen:

GET

{{base_url}}/borrower/1

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 2
Key	Value

Body

Cookies

Headers (21)

Test Results

Pretty

Raw

Preview

Visualize

JSON

1

1

Tarkistetaan vielä /book ja /user

GET ▼ `{{base_url}}/book`

Params Authorization Headers (8) **Body** ● Pre-request Script Tests Settings

☐ none ☐ form-data ☒ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> id_borrower	NULL
<input checked="" type="checkbox"/> fname	Matti
<input checked="" type="checkbox"/> lname	Meikalainen
<input checked="" type="checkbox"/> streetAddress	Osoite 2
Key	Value

Body Cookies Headers (21) Test Results

Pretty Raw Preview Visualize JSON ▼

```
1 [
2   {
3     "id_book": 1,
4     "name": "PHP Basic",
5     "author": "Bob Jones",
6     "isbn": "123-456-789-111-x"
7   },
8   {
9     "id_book": 2,
10    "name": "Statistics",
11    "author": "Lisa Smith",
12    "isbn": "222-333-444-555-y"
13  }
14 ]
```

Ylempi käyttäjä luotu ennen kryptausta, alempi kryptauksen jälkeen

GET ▼ `{{base_url}}/user/`

Params Authorization ● Headers (9) **Body** ● Pre-request Script Tests Settings

☐ none ☐ form-data ☒ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

KEY	VALUE
<input checked="" type="checkbox"/> user_id	NULL
<input checked="" type="checkbox"/> username	username3
<input checked="" type="checkbox"/> password	password1
<input type="checkbox"/> streetAddress	Osoite 2
<input type="checkbox"/> fname	Matti
<input type="checkbox"/> lname	Meikalainen

Body Cookies Headers (21) Test Results

Pretty Raw Preview Visualize JSON ▼

```
1 [
2   {
3     "id_user": 1,
4     "username": "username2",
5     "password": "password1"
6   },
7   {
8     "id_user": 2,
9     "username": "username3",
10    "password": "$2a$10$0z0Wjjju2iechz6xj8LNgQ.3M4hvmZa0FMdw4Sa9eJhw10V4QAmP7i"
11  }
12 ]
```