

Feature			Scenario			Step			
Name	Duration	T	P	F	S	T	P	F	S
Bilgisayar arat ve sepete ekle	10.856 s	1	1	0	0	12	12	0	0

TAG		Scer	nario			Fea	ture	,	
Name	T	P	F	S	Т	P	F	S	
@AII	1	1	0	0	1	1	0	0	

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Bilgisayar arat ve sepete ekle	1	1	0	0	10.856 s

SCENARIOS SUMMARY -- 5 --




# Feature Name	Scenario Name	T	P	F	S	Duration
Bilgisayar arat ve sepete ekle	Bilgisayar arat ve en pahalı olanı sepete ekle	12	12	0	0	10.852 s

DETAILED SECTION -- 6 --

Bilgisayar arat ve sepete ekle

PASSED	DURATION - 10.856 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 12:08:05.895 ÖS //	12:08:16.751 ÖS /	Pass - 1	1	Pass - 12	12
		Fail - 0	.	Fail - 0	12
		Skip - 0		Skip - 0	

Bilgisayar arat ve en pahalı olanı sepete ekle



#	Step / Hook Details	Status	Duration
1	Given Google sitesine gidilir	PASSED	1.144 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	image		
	Section 1 Control 1 Contro		
	The second secon	DACCED	1 222 -
2	When "Trendyol" aratilir	PASSED	1.332 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	1.050 s
	image		
	The state of the s		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
3	And Trendyol websitesi acilir	PASSED	1.888 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	image		
	Trendyck O A O O		
4	Then Trendyol reklam kapat	PASSED	0.000 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	image		
	THOUGHT STATE OF THE PARTY OF T		
5	Then "Bilgisayar" trendyolda aratilir	PASSED	0.000 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.000 s
6	When Liste acilir	PASSED	0.000 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.000 s
7	Then En yuksek fiyat secilir	PASSED	0.000 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.000 s
8	And Bilgisayar sayfasi acilir	PASSED	0.000 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.000 s
9	When Bildirim kapat	PASSED	0.000 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.000 s
10	Then Urunu sepete ekler	PASSED	0.000 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.000 s
11	When Sepeti acar	PASSED	0.000 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.000 s
12	Then Sepet kontrol	PASSED	0.000 s
	AFTER_STEP - stepdef.Bilgisayar_sepete_ekle.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.000 s