


HTML Basics  
Elements vs. Tags  
Intro to MDN  
HTML Boilerplate  
Common HTML Elements



# Unit Goals

Things We'll Cover

THE  
PURPLE CSS – adjectives  
DINO HTML – nouns  
DANCED JS – verbs



# HTML IS A MARKUP LANGUAGE

*Colt, please see me after  
class. This is plagiarized.*

To see a World in a Grain of  
Sand. And a Heaven in a Wild  
Flower Hold Infinity in the  
palm of your hand - And  
Eternity in an hour - A Robin  
Red breast in a Cage - Puts  
all Heaven in a Rage A Dove  
house filld with Doves &  
*Spelling* Pigeons

# MARKUP LANGUAGE

How would you describe  
this paper's structure  
to someone over the  
phone so that they  
could reproduce it?

What about morse code?



## The Anatomy of a Large-Scale Hypertextual Web Search Engine

Sergey Brin and Lawrence Page

*Computer Science Department,  
Stanford University, Stanford, CA 94305, USA*  
sergey@cs.stanford.edu and page@cs.stanford.edu

### Abstract

In this paper, we present Google, a prototype of a large-scale search engine which makes heavy use of the structure present in hypertext. Google is designed to crawl and index the Web efficiently and produce much more satisfying search results than existing systems. The prototype with a full text and hyperlink database of at least 24 million pages is available at <http://google.stanford.edu/>. To engineer a search engine is a challenging task. Search engines index tens to hundreds of millions of web pages involving a comparable number of distinct terms. They answer tens of millions of queries every day. Despite the importance of large-scale search engines on the web, very little academic research has been done on them. Furthermore, due to rapid advance in technology and web proliferation, creating a web search engine today is very different from three years ago. This paper provides an in-depth description of our large-scale web search engine -- the first such detailed public description we know of to date. Apart from the problems of scaling traditional search techniques to data of this magnitude, there are new technical challenges involved with using the additional information present in hypertext to produce better search results. This paper addresses this question of how to build a practical large-scale system which can exploit the additional information present in hypertext. Also we look at the problem of how to effectively deal with uncontrolled hypertext collections where anyone can publish anything they want.

### Keywords

World Wide Web, Search Engines, Information Retrieval, PageRank, Google

### 1. Introduction

*(Note: There are two versions of this paper -- a longer full version and a shorter printed version. The full version is available on the web and the conference CD-ROM.)*

The web creates new challenges for information retrieval. The amount of information on the web is growing rapidly, as well as the number of new users inexperienced in the art of web research. People are likely to surf the web using its link graph, often starting with high quality human maintained indices such as Yahoo! or with search engines. Human maintained lists cover popular topics effectively but are subjective, expensive to build and maintain, slow to improve, and cannot cover all esoteric topics. Automated search engines that rely on keyword matching usually return too many low quality matches. To make matters worse, some advertisers attempt to gain people's attention by taking measures meant to mislead automated search engines. We have built a large-scale search engine which addresses many of the problems of existing systems. It makes especially heavy use of the additional structure present in hypertext to provide much higher quality search results. We chose our system name, Google, because it is a common spelling of googol, or  $10^{100}$  and fits well with our goal of building very large-scale search



# MARKUP LANGUAGE

"Make this part bold"

"Make this part a link"

"Make this a paragraph"



## The Anatomy of a Large-Scale Hypertextual Web Search Engine

Sergey Brin and Lawrence Page

*Computer Science Department,  
Stanford University, Stanford, CA 94305, USA*  
sergey@cs.stanford.edu and page@cs.stanford.edu

### Abstract

In this paper, we present Google, a prototype of a large-scale search engine which makes heavy use of the structure present in hypertext. Google is designed to crawl and index the Web efficiently and produce much more satisfying search results than existing systems. The prototype with a full text and hyperlink database of at least 24 million pages is available at <http://google.stanford.edu/>. To engineer a search engine is a challenging task. Search engines index tens to hundreds of millions of web pages involving a comparable number of distinct terms. They answer tens of millions of queries every day. Despite the importance of large-scale search engines on the web, very little academic research has been done on them. Furthermore, due to rapid advance in technology and web proliferation, creating a web search engine today is very different from three years ago. This paper provides an in-depth description of our large-scale web search engine -- the first such detailed public description we know of to date. Apart from the problems of scaling traditional search techniques to data of this magnitude, there are new technical challenges involved with using the additional information present in hypertext to produce better search results. This paper addresses this question of how to build a practical large-scale system which can exploit the additional information present in hypertext. Also we look at the problem of how to effectively deal with uncontrolled hypertext collections where anyone can publish anything they want.

### Keywords

World Wide Web, Search Engines, Information Retrieval, PageRank, Google

### 1. Introduction

*(Note: There are two versions of this paper -- a longer full version and a shorter printed version. The full version is available on the web and the conference CD-ROM.)*

The web creates new challenges for information retrieval. The amount of information on the web is growing rapidly, as well as the number of new users inexperienced in the art of web research. People are likely to surf the web using its link graph, often starting with high quality human maintained indices such as Yahoo! or with search engines. Human maintained lists cover popular topics effectively but are subjective, expensive to build and maintain, slow to improve, and cannot cover all esoteric topics. Automated search engines that rely on keyword matching usually return too many low quality matches. To make matters worse, some advertisers attempt to gain people's attention by taking measures meant to mislead automated search engines. We have built a large-scale search engine which addresses many of the problems of existing systems. It makes especially heavy use of the additional structure present in hypertext to provide much higher quality search results. We chose our system name, Google, because it is a common spelling of googol, or  $10^{100}$  and fits well with our goal of building very large-scale search



# HTML ELEMENTS

To write HTML, we pick from a set of standard Elements that all browsers recognize

Common Elements include:

- `<p>` *element* - represents a paragraph of text
- `<h1>` *element* - represents the main header on a page
- `<img>` *element* - embeds an image
- `<form>` *element* - represents a form



# HTML TAGS

We create elements by writing *tags*.  
Most (but not all) elements consist of an opening and closing tag.

Opening Tag

```
<p>I am a paragraph</p>
```

Closing Tag



# moz://a

## DEVELOPER NETWORK



# HTML SKELETON

We write our HTML in a standard "skeleton"

```
<!DOCTYPE html>
<html>
<head>
  <title>My First Page</title>
</head>
<body>
  <!-- Content Goes Here -->
</body>
</html>
```

