























Affichage synthèse du festival				
Affichage synthèse du festival				
Pièce	Nb de représentations	Nb spectateurs total	CA réalisé	CA moyen
Revenir en arrière				

MEA




Schéma relationnel

USER (user_id, username, password) Clé primaire : user id THEME (theme_id, theme_name) Clé primaire: theme id AUTHOR (auth id, auth name) Clé primaire : auth id PLAY (play_id, play_name, play_description, play_duration, play_price, theme_id, auth_id) Clé primaire: play id Clé étrangère : theme_id référence THEME (theme_id), auth id référence AUTHOR (auth id) REPRESENTATION (rep id, rep date, rep time, rep max seats, play id) Clé primaire : rep_id Clé étrangère : play id référence PLAY(play id) CUSTOMER (cus_id, cus_firstname, cus_lastname, cus_email, cus_phone_number) Clé primaire : cus id RESERVER (cus_id, rep_id, res_num_seats) Clé primaire : cus id, rep id Clé étrangère : cus_id référence CUSTOMER (cus id), rep id référence REPRESENTATION (rep id) AUDIENCE (aud_id, aud_categ) Clé primaire: aud id COMPANIES (comp id, comp name, comp region, comp artistic director) Clé primaire : comp_id ACTOR (actor id, actor firstname, actor lastname, actor age, actor nationality, comp id) Clé primaire : actor id Clé étrangère : comp id référence COMPANIES (comp id) RATE (rate_id, rate_period, rate_value, rep_id) Clé primaire: rate id Clé étrangère : rep_id référence REPRESENTATION (rep_id)

SCRIPT SQL

CREATE TABLE CUSTOMER (cus_id INT AUTO_INCREMENT NOT NULL, cus_firstname VARCHAR(50), cus_lastname VARCHAR(100), cus_email VARCHAR(100), cus_phone_number VARCHAR(10), PRIMARY KEY (cus_id))

CREATE TABLE USER (user_id INT AUTO_INCREMENT NOT NULL, username VARCHAR(50), password VARCHAR(255), PRIMARY KEY (user_id))

CREATE TABLE Reserver (cus_id INT NOT NULL, rep_id INT NOT NULL, res_num_seats INT, PRIMARY KEY (cus_id, rep_id));

CREATE TABLE AUTHOR (auth_id INT AUTO_INCREMENT NOT NULL, auth_name VARCHAR(100), PRIMARY KEY (auth_id));

CREATE TABLE THEME (theme_id INT AUTO_INCREMENT NOT NULL, theme_name INT, PRIMARY KEY (theme_id));

CREATE TABLE AUDIENCE (aud_id INT AUTO_INCREMENT NOT NULL, aud_categ VARCHAR(50), PRIMARY KEY (aud_id));

CREATE TABLE COMPANIES (comp_id INT AUTO_INCREMENT NOT NULL, comp_name VARCHAR(100), comp_region VARCHAR(100), comp_artistic_director VARCHAR(100), PRIMARY KEY (comp_id));

CREATE TABLE RATE (rate_id INT AUTO_INCREMENT NOT NULL, rate_period VARCHAR(50), rate_value INT, PRIMARY KEY (rate_id));

CREATE TABLE ACTOR (actor_id INT AUTO_INCREMENT NOT NULL, actor_firstname VARCHAR(50), actor_lastname VARCHAR, actor_age INT, actor_nationality VARCHAR(50), comp_id INT, PRIMARY KEY (actor_id));

CREATE TABLE PLAY (play_id INT AUTO_INCREMENT NOT NULL, play_name VARCHAR(100), play_description TEXT, play_duration INT, play_price FLOAT, auth_id INT, theme_id INT, aud_id INT, comp_id INT, PRIMARY KEY (play_id))

CREATE TABLE REPRESENTATION (rep_id INT AUTO_INCREMENT NOT NULL, rep_date DATE, rep_time TIME, rep_max_seats INT, play_id INT, rate_id INT, PRIMARY KEY (rep_id_REPRESENTATION));

Théo/Adrien/ Myriam

SCRIPT SQL

ALTER TABLE PLAY ADD CONSTRAINT FK_PLAY_auth_id FOREIGN KEY (auth_id) REFERENCES AUTHOR (auth_id);

ALTER TABLE PLAY ADD CONSTRAINT FK_PLAY_theme_id FOREIGN KEY (theme_id) REFERENCES THEME (theme_id);

ALTER TABLE PLAY ADD CONSTRAINT FK_PLAY_aud_id FOREIGN KEY (aud_id) REFERENCES AUDIENCE (aud_id);

ALTER TABLE PLAY ADD CONSTRAINT FK_PLAY_comp_id FOREIGN KEY (comp_id) REFERENCES COMPANIES (comp_id);

ALTER TABLE REPRESENTATION ADD CONSTRAINT FK_REPRESENTATION_play_id FOREIGN KEY (play_id) REFERENCES PLAY (play_id);

ALTER TABLE REPRESENTATION ADD CONSTRAINT FK_REPRESENTATION_rate_id FOREIGN KEY (rate_id) REFERENCES RATE (rate_id);

ALTER TABLE ACTOR ADD CONSTRAINT FK_ACTOR_comp_id FOREIGN KEY (comp_id) REFERENCES COMPANIES (comp_id);

ALTER TABLE Reserver ADD CONSTRAINT FK_Reserver_cus_id FOREIGN KEY (cus_id) REFERENCES CUSTOMER (cus_id);

ALTER TABLE Reserver ADD CONSTRAINT FK_Reserver_rep_id FOREIGN KEY (rep_id) REFERENCES REPRESENTATION (rep_id);

Jeu d'essai

CREATE DATABASE

INSERT INTO USER (user_id, username, password) VALUES (1, 'admin1', 'adminPass1');

INSERT INTO THEME (theme_id, theme_name) VALUES (1, 'Dramatique'),(2, 'Comédie'), (3, 'Historique'),(4, 'Tragédie'),(5, 'Musical');

INSERT INTO AUTHOR (auth_id, auth_name) VALUES (1, 'Molière'),(2, 'William Shakespeare'),(3, 'Anton Tchekhov'),(4, 'Jean Racine'),(5, 'Sophocle');

INSERT INTO RATE (rate_id, rate_period, rate_value, rep_id) VALUES (1, 'Semaine AM', 5, 1),(2, 'Semaine PM', 10, 2),(3, 'Week-end AM', -5, 3),(4, 'Week-end PM', 15, 5);

INSERT INTO RESERVER (cus_id, rep_id, res_num_seats) VALUES (1, 1, 4),(2, 2, 2), (3, 3, 3),(4, 4, 5),(5, 5, 2);

INSERT INTO AUDIENCE (aud_id, aud_categ) VALUES (1, 'Adulte'),(2, 'Enfant'), (3, 'Tous publics'),(4, 'Étudiants'),(5, 'Séniors');

Jeu d'essai

```
INSERT INTO REPRESENTATION (rep_id, rep_date, rep_time, rep_max_seats, play_id) VALUES
(1, '2024-11-10', '19:30', 200, 1),
(2, '2024-11-12', '14:00', 150, 2),
(3, '2024-11-14', '20:00', 220, 3),
(4, '2024-11-15', '18:00', 250, 4),
(5, '2024-11-17', '21:00', 180, 5);
INSERT INTO CUSTOMER (cus_id, cus_firstname, cus_lastname, cus_email, cus_phone_number) VALUES
(1, 'Pierre', 'Dupont', 'pierre.dupont@email.com', '0612345678'),
(2, 'Marie', 'Martin', 'marie.martin@email.com', '0698765432'),
(3, 'Jean', 'Durand', 'jean.durand@email.com', '0611223344'),
(4, 'Sophie', 'Lefevre', 'sophie.lefevre@email.com', '0622334455'),
(5, 'Thomas', 'Bernard', 'thomas.bernard@email.com', '0633445566');
```

Jeu d'essai

```
INSERT INTO COMPANIES (comp_id, comp_name, comp_region, comp_artistic_director) VALUES
(1, 'Compagnie des Arlequins', 'Île-de-France', 'Philippe Garnier'),
(2, 'Théâtre de la Lune', 'Provence-Alpes', 'Claire Delattre'),
(3, 'Les Tréteaux Modernes', 'Normandie', 'Jean-Marc Lemoine'),
(4, 'Compagnie du Phénix', 'Occitanie', 'Sylvie Martel'),
(5, 'Les Étoiles du Théâtre', 'Bretagne', 'Bernard Lucas');
INSERT INTO ACTOR (actor_id, actor_firstname, actor_lastname, actor_age, actor_nationality, comp_id) VALUES
(1, 'Camille', 'Lefort', 32, 'Française', 1),
(2, 'Marc', 'Dupuis', 40, 'Française', 1),
(3, 'Sarah', 'Boulanger', 29, 'Française', 2),
(4, 'Maxime', 'Vidal', 35, 'Française', 5);
```

Jeu d'essai

```
INSERT INTO PLAY (play_id, play_name, play_description, play_duration, play_price, theme_id, auth_id) VALUES

(1, 'Le Malade Imaginaire', 'Comédie classique de Molière', 120, 25.00, 2, 1),

(2, 'Hamlet', 'Tragédie célèbre de Shakespeare', 150, 30.00, 4, 2),

(3, 'La Cerisaie', 'Drame familial d\'Anton Tchekhov', 130, 22.00, 1, 3),

(4, 'Phèdre', 'Tragédie de Jean Racine', 110, 28.00, 4, 4),

(5, 'Antigone', 'Tragédie grecque classique de Sophocle', 100, 26.00, 4, 5);
```