

GOOGLE ADS API ACCESS SUPPORTING MATERIAL

Google Ads Research MCP

A private developer tool for keyword ideas, historical search metrics, competition, bid ranges, and forecasts across advertising accounts owned or managed by the operator.

DEVELOPER / COMPANY Okohedeki (individual developer)	PUBLIC WEBSITE okohedeki.github.io
TOOL CATEGORY Internal read-only keyword research	PROTOCOL Private Model Context Protocol (MCP) server
EXTERNAL TOOL ACCESS None - operator-only	CURRENT STATE Interface mockup; API integration in development

01 Business model

Okohedeki is an individual developer building a private research utility for advertising accounts the developer owns or is authorized to manage. The tool is not sold as a service, does not provide Google Ads access to customers or third parties, and is not used to manage advertising on behalf of unrelated businesses.

The public GitHub Pages site documents the intended use and displays a mockup for review. It does not expose the MCP server, OAuth credentials, a developer token, or live Google Ads account data.

02 Tool access and use

The private MCP will be used only by the operator through an authorized MCP client. A tool request must name a supported research operation and an eligible Google Ads customer ID. The server will validate the requested account against the OAuth-accessible accounts and an internal allowlist before calling the Google Ads API.

INCLUDED USE

Generate keyword ideas; retrieve historical search metrics, competition, and top-of-page bid ranges; generate keyword forecast metrics; list directly accessible customer resource names.

EXCLUDED USE

No campaign, ad, ad group, keyword, budget, bid, targeting, conversion, or user-access creation, modification, or deletion. No third-party MCP endpoint and no credential passthrough.

Scope statement

This application requests Google Ads API access for keyword research and recommendations only. Every planned API method is read-only. Any future material expansion in use would be documented and reviewed separately.

03

Tool design and data flow

The tool separates the operator interface from the Google Ads authentication boundary. The externally accessible website is documentation and a visual mockup; the MCP endpoint itself remains private.

1 AUTHORIZED CLIENT	2 PRIVATE MCP SERVER	3 ACCOUNT BOUNDARY	4 GOOGLE ADS API
Operator submits a named research-tool request with explicit seed, language, location, and customer parameters.	Server validates tool schema, parameters, account scope, and read-only policy before execution.	OAuth credentials and developer token remain server-side; eligible customer IDs are allowlisted.	Keyword Planning services return structured research data to the authorized client.

04

Google Ads API services called

SERVICE / METHOD	PURPOSE	MUTATION
KeywordPlanIdeaService. GenerateKeywordIdeas	Generate related keyword suggestions from seed keywords or an eligible URL and return available planning metrics.	None
KeywordPlanIdeaService. GenerateKeywordHistoricalMetrics	Retrieve average monthly searches, monthly search-volume history, competition, competition index, and bid-range estimates.	None
KeywordPlanIdeaService. GenerateKeywordForecastMetrics	Return forecast estimates such as impressions, clicks, average CPC, CTR, and cost for a temporary campaign-to-forecast input. No campaign is created.	None
CustomerService. ListAccessibleCustomers	List customer resource names directly accessible with the authenticating OAuth credentials before applying the internal account allowlist.	None

05

Security and data handling

Authentication uses OAuth 2.0 plus a Google Ads API developer token. These credentials remain within the private server environment. Tool responses contain research fields and request metadata only; secrets are never returned to the MCP client or rendered in the public mockup.

The server is designed to reject unknown methods, malformed parameters, and customer IDs outside the permitted scope. Keyword Planning responses may be cached to reduce repeat calls and respect the service-specific rate limits described by Google.

06 Tool mockup

The screenshot below shows the planned developer-console interface for `generate_keyword_ideas`. It displays query inputs, keyword-planning results, an MCP request inspector, account authorization status, and an explicit read-only boundary.




Figure 1. Externally accessible interface mockup at okohedeki.github.io. All customer IDs, request IDs, keyword metrics, bid ranges, timings, and status values shown are illustrative demo data. No live Google Ads API call is made by the public page.

07 Public links and policy references

Public tool mockup https://okohedeki.github.io/	Generate historical metrics https://developers.google.com/google-ads/api/docs/keyword-planning/generate-historical-metrics
Public source repository https://github.com/Okohedeki/Okohedeki.github.io	Generate forecast metrics https://developers.google.com/google-ads/api/docs/keyword-planning/generate-forecast-metrics
Privacy policy https://okohedeki.github.io/privacy.html	List accessible accounts https://developers.google.com/google-ads/api/docs/account-management/listing-accounts
Terms of use https://okohedeki.github.io/terms.html	OAuth 2.0 overview https://developers.google.com/google-ads/api/docs/oauth/overview
Google Ads API - Keyword Planning overview https://developers.google.com/google-ads/api/docs/keyword-planning/overview	Access levels and permissible use https://developers.google.com/google-ads/api/docs/api-policy/access-levels
Generate keyword ideas https://developers.google.com/google-ads/api/docs/keyword-planning/generate-keyword-ideas	

Disclosure

Google Ads is a trademark of Google LLC. This tool and supporting material are not endorsed by or affiliated with Google. Service names and intended behavior are based on Google Ads API documentation reviewed on August 29, 2026.