

Tugas Mata Kuliah Pemrograman Website
Laporan Hasil Pengerjaan Aktivitas Mandiri




Oleh :


Oktavia Eka Rahmadini (242410101043)

PROGRAM STUDI SISTEM INFORMASI
FAKULTAS ILMU KOMPUTER
UNIVERSITAS JEMBER


2026



3. Membuat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app')



```
1 @extends('layouts.app')
2 @section('title', 'Beranda')
3 @section('nav-home', 'active')
4 @section('content')
5
6 <section class="hero">
7   <div class="hero-inner">
8     <p class="hero-eyebrow">Studio Desain Profesional</p>
9     <h1 class="hero-title">Wujudkan Brand Anda<br>dengan Visual Terbaik</h1>
10    <p class="hero-desc">Kami hadir untuk membantu bisnis dan UMKM tampil lebih profesional melalui desain</p>
11    <div class="hero-actions">
12      <a href="{{ route('order') }}" class="btn-primary">Pesan Sekarang</a>
13      <a href="{{ route('portfolio') }}" class="btn-outline">Lihat Portfolio</a>
14    </div>
15  </div>
16  <div class="hero-graphic" aria-hidden="true">
17    <div class="hero-orb hero-orb-1"></div>
18    <div class="hero-orb hero-orb-2"></div>
19    <div class="hero-grid"></div>
20  </div>
21 </section>
22
23 {{-- LAYANAN --}}
24 <section class="section services-section">
25   <div class="container">
26     <div class="section-header">
27       <h2 class="section-title">Layanan Kami</h2>
28       <p class="section-sub">Kami menyediakan berbagai layanan desain berkualitas tinggi untuk bisnis Anda</p>
29     </div>
30   </div>
31 </section>
```



```
63 <section class="stats-section" aria-label="Statistik PixelStudio">
64   <div class="container">
65     <div class="stats-grid">
66       <div class="stats-item">
67         <p class="stats-label">Rating Klien</p>
68       </div>
69     </div>
70   </div>
71 </section>
72
73 <section class="cta-section">
74   <div class="container">
75     <div class="cta-inner">
76       <h2 class="cta-title">Siap Memulai Proyek Anda?</h2>
77       <p class="cta-desc">Konsultasi gratis dan penawaran terbaik menunggu Anda.</p>
78       <a href="{{ route('order') }}" class="btn-primary">Mulai Pesan</a>
79     </div>
80   </div>
81 </section>
82
83 @endsection
84
85 @push('scripts')
86 <script>
87   document.querySelectorAll('.stats-number').forEach(el => {
88     const target = parseFloat(el.textContent);
89     if (isNaN(target)) return;
90     let start = 0;
91     const duration = 1800;
92   });
93 </script>
94 </push>
```

4. Tampilkan flash session message di layout: @if(session('success')) ... @endif

```

14 <body class="@yield('body-class')">
15
16 @include('partials.navbar')
17
18 <main id="main-content">
19
20 @if(session('success'))
21 <div class="alert alert-success" role="alert" aria-live="polite">
22 <span class="alert-icon">
23 <svg width="18" height="18" fill="none" stroke="currentColor" stroke-width="2" viewBox="0 0 24 24">
24 </span>
25 <span>{{ session('success') }}</span>
26 <button class="alert-close" onclick="this.parentElement.remove()" aria-label="Tutup">&times;</button>
27 </div>
28 @endif
29
30 @if(session('error'))
31 <div class="alert alert-error" role="alert" aria-live="polite">
32 <span class="alert-icon">
33 <svg width="18" height="18" fill="none" stroke="currentColor" stroke-width="2" viewBox="0 0 24 24">
34 </span>
35 <span>{{ session('error') }}</span>
36 <button class="alert-close" onclick="this.parentElement.remove()" aria-label="Tutup">&times;</button>
37 </div>
38 @endif
39
40 @if(session('info'))
41 <div class="alert alert-info" role="alert" aria-live="polite">

```


5. Membuat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna)

```

1 @props([
2 'judul' => 'Statistik',
3 'nilai' => '0',
4 'ikon' => 'chart',
5 'warna' => 'purple',
6 'prefix' => '',
7 'suffix' => ''
8 ])
9
10 <article class="stat-card stat-card-{{ $warna }}">
11 <div class="stat-card__icon">
12 @if($ikon === 'orders')
13 <svg width="22" height="22" fill="none" stroke="currentColor" stroke-width="1.8" viewBox="0 0 24 24">
14 @elseif($ikon === 'revenue')
15 <svg width="22" height="22" fill="none" stroke="currentColor" stroke-width="1.8" viewBox="0 0 24 24">
16 @elseif($ikon === 'process')
17 <svg width="22" height="22" fill="none" stroke="currentColor" stroke-width="1.8" viewBox="0 0 24 24">
18 @elseif($ikon === 'done')
19 <svg width="22" height="22" fill="none" stroke="currentColor" stroke-width="1.8" viewBox="0 0 24 24">
20 @else
21 <svg width="22" height="22" fill="none" stroke="currentColor" stroke-width="1.8" viewBox="0 0 24 24">
22 @endif
23 </div>
24 <div class="stat-card__body">
25 <p class="stat-card__label">{{ $judul }}</p>
26 <p class="stat-card__value">{{ $prefix }}{{ $nilai }}{{ $suffix }}</p>
27 </div>
28 </article>


```



6. Gunakan `@forelse` di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll)




```
6 <section class="hero">
21 </section>
22
23 <section class="section services-section">
24 <div class="container">
25 <div class="section-header">
26 <h2 class="section-title">Layanan Kami</h2>
27 <p class="section-sub">Kami menyediakan berbagai layanan desain berkualitas tinggi untuk k
28 </div>
29
30 @forelse($layanan as $item)
31 <div class="services-grid">
32 <article class="service-card">
33 <div class="service-card_icon">
34 
36 <h3 class="service-card_title">{{ $item['nama'] }}</h3>
37 <p class="service-card_desc">{{ $item['deskripsi'] }}</p>
38 </article>
39 </div>
40 @empty
41
42 <div class="services-grid">
43 @foreach([
44 ['icon' => 'logo.svg', 'nama' => 'Desain Logo', 'deskripsi' => 'Logo profesional yang mencerminkan
45 ['icon' => 'poster.svg', 'nama' => 'Poster & Banner', 'deskripsi' => 'Poster promosi menarik untuk
46 ['icon' => 'social.svg', 'nama' => 'Konten Sosial Media', 'deskripsi' => 'Template Instagram dan
47 ['icon' => 'brand.svg', 'nama' => 'Branding Lengkap', 'deskripsi' => 'Paket identitas visual ma
48 ] as $item)
49 <article class="service-card">
```

7. Membuat halaman 'Tentang' dan 'Kontak' yang `@extends` layout yang sama









```
1 @extends('layouts.app')
2 @section('title', 'Kontak')
3 @section('nav-contact', 'active')
4 @section('content')
5 <section class="page-hero">
6 <h1>Hubungi Kami</h1>
7 <p>Ada pertanyaan atau ingin konsultasi? Kami siap membantu!</p>
8 </section>
9
10 <section class="contact-layout">
11 <section class="contact-info">
12 <h2>Informasi Kontak</h2>
13 <address>
14 <article class="contact-item">
15 <h3>✉ Email</h3>
16 <p><a href="mailto:support@pixelstudio.com">support@pixelstudio.com</a></p>
17 </article>
18 <article class="contact-item">
19 <h3>📞 WhatsApp</h3>
20 <p><a href="tel:+6281234567890">0812-3456-7890</a></p>
21 </article>
22 <article class="contact-item">
23 <h3>📷 Instagram</h3>
24 <p><a href="https://instagram.com/pixelstudio" target="_blank">@pixelstudio</a></p>
25 </article>
26 <article class="contact-item">
27 <h3>🕒 Jam Operasional</h3>
28 <p>Senin - Jumat: 08.00 - 17.00 WITA</p>
29 </article>
30 </section>
31 </section>
32 </section>
```

8. Menggunakan @push('scripts') dan @stack('scripts') untuk menambahkan JavaScript spesifik per halaman




```
84 <section class="cta-section">
85 <div>
86 </div>
87 </section>
88
89 @endsection
90
91 @push('scripts')
92 <script>
93 document.querySelectorAll('.stats-number').forEach(el => {
94   const target = parseFloat(el.textContent);
95   if (isNaN(target)) return;
96   let start = 0;
97   const duration = 1800;
98   const suffix = el.textContent.replace(/[\d.]/g, '');
99   const step = (timestamp) => {
100     if (!start) start = timestamp;
101     const progress = Math.min((timestamp - start) / duration, 1);
102     const val = target * Math.pow(progress, 0.5);
103     el.textContent = (Number.isInteger(target) ? Math.floor(val) : val.toFixed(1)) + suffix;
104     if (progress < 1) requestAnimationFrame(step);
105   };
106   const observer = new IntersectionObserver(entries => {
107     if (entries[0].isIntersecting) {
108       requestAnimationFrame(step);
109       observer.disconnect();
110     }
111   });
112   observer.observe(el);
113 });
114 </script>
115
```





AKTIVITAS MANDIRI 4 MIGRATION, MODEL, & SEEDER


1. Buat Model dan Migration sekaligus: php artisan make:model Mahasiswa -m




2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable)




3. Jalankan migration: php artisan migrate — cek di phpMyAdmin bahwa tabel sudah terbuat





4. Edit Model Mahasiswa: isi \$fillable, tambahkan \$casts, dan buat local scope scopeAktif()



5. Buat seeder: php artisan make:seeder MahasiswaSeeder — isi dengan 5-10 data dummy



6. Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed



Showing rows 0 - 5 (6 total, Query took 0.0015 seconds.)

`SELECT * FROM `packages``

Number of rows: 25 | Filter rows: Search this table | Sort by key: None

	id	nama_paket	layanan	tier	harga	deskripsi	fitur	created_at	updated_at
☐ Edit ☐ Copy ☐ Delete	1	Logo Startup Quick	Logo	Basic	500000	Cocok untuk identitas awal bisnis baru.	["2 Konsep Desain", "Revisi 2x", "File PNG & JPG"]	2026-05-05 17:51:40	2026-05-05 17:51:40
☐ Edit ☐ Copy ☐ Delete	2	Logo Corporate Identity	Logo	Premium	2500000	Paket lengkap dengan filosofi mendalam.	["5 Konsep Desain", "Revisi Unlimited", "Master Fi..."]	2026-05-05 17:51:41	2026-05-05 17:51:41
☐ Edit ☐ Copy ☐ Delete	3	Social Media Boost	Social Media	Standard	1200000	Konten estetik untuk Instagram Anda.	["15 Desain Feed", "5 Desain Story", "Copywriting ..."]	2026-05-05 17:51:41	2026-05-05 17:51:41
☐ Edit ☐ Copy ☐ Delete	4	Poster Event Kritis	Poster	Basic	300000	Desain poster promosi cepat	["1 Desain Poster", "Revisi 1x", "Resolusi ..."]	2026-05-05 17:51:41	2026-05-05 17:51:41

7. Buka php artisan tinker dan coba query:
a. `php artisan tinker` lalu `\App\Models\Packages::all();`

```

Psy Shell v0.12.22 (PHP 8.3.30 - cli) by Justin Hileman
New PHP manual is available (latest: 3.0.5). Update with `doc --update-manual`

> App\Models\Packages::all();

= Illuminate\Database\Eloquent\Collection {#8084
  all: [
    App\Models\Packages {#8078
      id: 1,
      nama_paket: "Logo Startup Quick",
      layanan: "Logo",
      tier: "Basic",
      harga: 500000,
      deskripsi: "Cocok untuk identitas awal bisnis baru.",
      fitur: ["2 Konsep Desain", "Revisi 2x", "File PNG & JPG"],
      created_at: "2026-05-05 17:51:40",
      updated_at: "2026-05-05 17:51:40",
    },
    App\Models\Packages {#8077
      id: 2,
      nama_paket: "Logo Corporate Identity",
      layanan: "Logo",
      tier: "Premium",
      harga: 2500000,
      deskripsi: "Paket lengkap dengan filosofi mendalam.",
      fitur: ["5 Konsep Desain", "Revisi Unlimited", "Master Fi..."],
      created_at: "2026-05-05 17:51:41",
      updated_at: "2026-05-05 17:51:41",
    },
    App\Models\Packages {#8080

```

b. `\App\Models\Packages::where('layanan', 'Logo')->get();`

```
> App\Models\Packages::where('layanan', 'Logo')->get();

= Illuminate\Database\Eloquent\Collection {#7381
  all: [
    App\Models\Packages {#8113
      id: 1,
      nama_paket: "Logo Startup Quick",
      layanan: "Logo",
      tier: "Basic",
      harga: 500000,
      deskripsi: "Cocok untuk identitas awal bisnis baru.",
      fitur: "[ 2 Konsep Desain , Revisi 2x , File PNG & JPG",
      created_at: "2026-05-05 17:51:40",
      updated_at: "2026-05-05 17:51:40"
    }
  ]
}

App\Models\Packages
id 2
nama_paket "Logo Corporate Identity"
layanan "Logo"
tier "Premium"
harga 250000
deskripsi "Paket lengkap dengan filosofi mendalam."
fitur "[ 5 Konsep Desain , Revisi Unlimited , Master Fi
le (AI/EPS) , Brand Guideline ]"
created_at "2026-05-05 17:51:41"
updated_at "2026-05-05 17:51:41"
```

c. `App\Models\Packages::avg('harga');`

```
all
App\Models\Packages
id 1
nama_paket "Logo Startup Quick"
layanan "Logo"
tier "Basic"
harga 500000
deskripsi "Cocok untuk identitas awal bisnis baru."
fitur "[ 2 Konsep Desain , Revisi 2x , File PNG & JPG",
created_at "2026-05-05 17:51:40",
updated_at "2026-05-05 17:51:40"


App\Models\Packages
id 2
nama_paket "Logo Corporate Identity"
layanan "Logo"
tier "Premium"
harga 250000
deskripsi "Paket lengkap dengan filosofi mendalam."
fitur "[ 5 Konsep Desain , Revisi Unlimited , Master Fi
le (AI/EPS) , Brand Guideline ]"
created_at "2026-05-05 17:51:41"
updated_at "2026-05-05 17:51:41"

},
}

> App\Models\Packages::avg('harga');


= "172500.0000"
```

8. Coba buat relasi: buat tabel Package Selection dan tabel order item, lalu definisikan relasi belongsToMany di Model



```
8 class Order extends Model
9 {
10     protected $fillable = [
11         'nama_pelanggan',
12         'total_harga'
13     ];
14
15     public function packages()
16     {
17         return $this->belongsToMany(Packages::class, 'order_package', 'order_id', 'package_id');
18     }
19 }
```

The screenshot shows the PixelStudio IDE interface. The Explorer panel on the left shows the project structure with folders like app, database, and bootstrap. The main editor displays the Order.php file in the app/Models directory. The code defines the Order class, which extends the Model class. It includes a protected \$fillable array with 'nama_pelanggan' and 'total_harga'. The packages() method is defined to return a belongsToMany relationship with the Packages class, using 'order_package' as the intermediate table, 'order_id' as the foreign key for Order, and 'package_id' as the foreign key for Packages. The bottom panel shows the terminal output, which is currently empty.



```
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 class Order extends Model
9 {
10     use HasFactory;
11     protected $fillable = [
12         'nomor_invoice',
13         'nama_pelanggan',
14         'total_harga'
15     ];
16
17     public function packages()
18     {
19         return $this->belongsToMany(Packages::class, 'order_package', 'order_id', 'package_id');
20     }
21 }
```

The screenshot shows the PixelStudio IDE interface. The Explorer panel on the left shows the project structure with folders like app, database, and bootstrap. The main editor displays the Order.php file in the app/Models directory. The code defines the Order class, which extends the Model class. It includes a protected \$fillable array with 'nomor_invoice', 'nama_pelanggan', and 'total_harga'. The packages() method is defined to return a belongsToMany relationship with the Packages class, using 'order_package' as the intermediate table, 'order_id' as the foreign key for Order, and 'package_id' as the foreign key for Packages. The bottom panel shows the terminal output, which is currently empty.

