# S18D3 - SQL QUERY

Sisteme bağlı olan veritabanı aşağıdaki yapıdadır. Bu veritabanına sorgu atmak için aşağıdaki form kutucuğunu kullanabilirsiniz.

Kütüphane Bilgi Sistemi Veritabanı SQL alıştırması

SQL sorgu;

```
select * from kitap k, tur t where k.turno =
```

Çalıştır

ograd	ogrsoyad	sinif

1.

SELECT o.ograd, o.ogrsoyad, o.sinif, i.atarih from ogrenci o, is

2.

SELECT kitapadi, turadi from kitap k, tur t WHERE k.turno = t.tu

3.

SELECT o.ograd, o.ogrsoyad, o.sinif, i.tarih, k.kitapadi from og

4.

SELECT o.ograd, o.ogrsoyad, i.atarih from ogrenci o left join is

5.

```
SELECT o.ograd, o.ogrsoyad, i.atarih from ogrenci o left join is
```

6.

```
SELECT o.ograd, o.ogrsoyad, i.atarih, from ogrenci o left join
```

7.

```
SELECT k.kitapno, k.kitapadi, count(i.kitapno) AS "OKUNMA SAYISI
```

8.

```
SELECT k.kitapno, k.kitapadi, count(i.kitapno) AS "OKUNMA SAYISI
```

9.

```
SELECT * FROM ogrenci o INNER JOIN islem i on o.ogrno = i.ogrno
```

10.

```
SELECT o.ograd, k.kitapadi, t.turadi,y.yazarad  FROM ogrenci o
```

11.

```
SELECT o.ograd, o.ogrsoyad, count(i.kitapno) AS "OKUNAN KİTAP SA
```

12.

```
SELECT AVG(sayfasayisi) FROM kitap;
```

13.

```
SELECT * FROM kitap WHERE sayfasayisi > (SELECT AVG(sayfasayisi
```

14.

```
SELECT COUNT(*) AS "ogrenci_sayisi" FROM ogrenci;
```

15.

```
SELECT COUNT(*) AS "ogrenci_sayisi" FROM ogrenci;
```

16.

```
SELECT COUNT(DISTINCT(ograd)) FROM ogrenci; --DİĞER YOLU ---> --
```

17.

```
SELECT k.kitapadi, k.sayfasayisi FROM kitap k ORDER BY k.sayfasa
```

18.

```
SELECT k.kitapadi, k.sayfasayisi FROM kitap k ORDER BY k.sayfasa
```

19.

```
SELECT k.kitapadi, k.sayfasayisi FROM kitap k, tur t WHERE k.tur
-- SELECT k.kitapadi, k.sayfasayisi  FROM kitap k  JOIN tur t ON
```

20.

```
SELECT * FROM ogrenci o INNER JOIN islem i on o.ogrno = i.ogrno
```

21.

```
SELECT o.ograd, count(o.ograd) FROM ogrenci o GROUP BY o.ograd;
```

22.

```
SELECT o.cinsiyet, count(o.ograd) FROM ogrenci o GROUP BY o.cins
```

23.

SELECT o.ograd, o.ogrsoyad, sum(k.sayfasayisi) as total_read fr

24.

SELECT o.ograd, o.ogrsoyad, count(i.islemno) as kitap_sayisi FR