

Button Drivers

Nti Team

Software Requirement Specification Document

Table of Contents

1. Scope of Document	3
1.1 Constraints	3
2. Requirements Structure.....	3
3. Acronyms and Abbreviations	Error! Bookmark not defined.
4. Functional Overview	4
5. Requirement Specification.....	4
5.1 Functional Requirements	4
5.2 Non-functional requirements.....	4
6. State Machine.....	5
7. Sequence diagram	6
8. Acceptance Criteria.....	6
9. References.....	7

Version: 1st

Date: 26/10/2023

1. Scope of Document

This document specifies requirements on the module Interrupt Driver.

1.1 Constraints

First scope for specification of requirements on basic software modules is systems which are not safety relevant. For this reason safety requirements are assigned to medium priority.

2. Requirements Structure

Each module specific chapter contains a short functional description of the Basic Software Module. Requirements of the same kind within each chapter are grouped under the following headlines (where applicable):

Functional Requirements: -

- Configuration (which elements of the module need to be configurable).
- Initialization.
- Normal Operation.
- Shutdown Operation.
- Fault Operation.
-

Non-Functional Requirements:-

- Timing Requirements.
- Resource Usage.
- Usability.
- Output for other WPs (e.g. Description Templates, Tooling,...).
-

3. Functional Overview

The purpose of this document is to specify the requirements for a software driver for controlling buttons on microcontrollers. The driver shall provide a simple and easy-to-use interface for controlling buttons, including functions for initializing buttons, reading the state of buttons, and detecting button presses.

Requirement Specification

5.1 Functional Requirements

- the driver shall be compatible with all microcontrollers. [Button001]
- The Button driver shall not buffer data when providing any services. [Button002]
- The Button driver shall provide synchronous Pressed services. [Button003]




Figure 1: Button Services

5.2 Non-functional requirements

- The driver shall be easy to use and understand.
- The driver shall be well-documented.
- The driver shall be efficient and use minimal resources.
- The driver shall be reliable and robust.
- In addition to the above requirements, the Interrupt driver should also meet the following non-technical requirements.
- The driver should be open source and freely available to use.

- The driver should be actively maintained and supported by the community.
- The driver should be well-tested and documented.
- The driver should be compatible with a variety of development tools and environments.

4. State Machine




Figure 2: Button State Machine

5. Sequence diagram




Figure 3: Button Sequences

6. Acceptance Criteria

The ADC driver shall be accepted when it meets the following criteria:

- The driver shall compile and run without errors on all AVR microcontrollers.
- The driver shall pass all unit tests.
- The driver shall pass all integration tests.
- The driver shall pass all system tests.

7. References

1. Developers of NTI team.
2. AVR Microcontroller Datasheets.