LS1

VTP Version capa... VTP version running Desain Name VTP Version capable : 1 to 3 : 3 : SEXTON1 : Disabled : Disabled : aabb.cc80.0b00 VTP Pruning Mode VIP Pruning Mode
VTP Traps Generation Device ID Feature VLAN: -----------VTP Operating Mode : Server Number of existing VLANs : 16 Number of existing extended VLANs : 3 Maximum VLANs supported locally : 4096 Configuration Revision : 1 Primary ID : aabb.cc80.0c00 Primary Description : LS1 : 0xA2 0x5F 0xFF 0xCF 0xA0 0xBA 0xCA 0x06 MD5 digest 0x53 0x19 0x26 0x6C 0xBE 0x97 0xF0 0x97

LS2

VTP Version capable : 1 to 3 VTP version running
VTP Domain Name
VTP Pruning Mode
VTP Traps Generation
Device ID : 3 : SEXTON1 : Disabled : Disabled : aabb.cc80.0c00 Device ID Feature VLAN: Number of existing VLANs : 16
Number of existing = : 16 Number of existing extended VLANs : 3 Maximum VLANs supported locally : 4096 Configuration Revision : 1
Primary ID : aabb.cc80.0c00 Primary Description : LS1 MD5 digest : 0xA2 0x5F 0xFF 0xCF 0xA0 0xBA 0xCA 0x06 0x53 0x19 0x26 0x6C 0xBE 0x97 0xF0 0x97

* LS1 VTP devices in domain; both L3 switches active, LS1 is HSRP active*

```
Retrieving information from the VTP domain. Waiting for 5 seconds.
VTP Feature Conf Revision Primary Server Device ID
                                                       Device Description
VLAN
                 1
                          aabb.cc80.0c00 aabb.cc80.0100 S1
            No
VLAN
            No 1
                          aabb.cc80.0c00 aabb.cc80.0200 S2
VLAN
            No 1
                          aabb.cc80.0c00 aabb.cc80.0300 S3
VLAN
            No 1
                          aabb.cc80.0c00 aabb.cc80.0400 S4
VLAN
            No 1
                          aabb.cc80.0c00 aabb.cc80.0500 S5
VLAN
            No
               1
                          aabb.cc80.0c00 aabb.cc80.0600 S6
VLAN
            No
                1
                          aabb.cc80.0c00 aabb.cc80.0700 S7
                          aabb.cc80.0c00=aabb.cc80.0c00 LS2
VLAN
            No
                 1
```

* LS2 VTP devices in domain; both L3 switches active, LS2 is HSRP standby*

```
Retrieving information from the VTP domain. Waiting for 5 seconds.
VTP Feature Conf Revision Primary Server Device ID
                                                        Device Description
VLAN
            No
                 1
                          aabb.cc80.0c00 aabb.cc80.0100 S1
VLAN
            No
                          aabb.cc80.0c00 aabb.cc80.0200 S2
               1
VLAN
            No
                 1
                          aabb.cc80.0c00 aabb.cc80.0300 S3
VLAN
            No 1
                          aabb.cc80.0c00 aabb.cc80.0400 S4
VLAN
            No 1
                          aabb.cc80.0c00 aabb.cc80.0500 S5
VLAN
            No 1
                          aabb.cc80.0c00 aabb.cc80.0600 S6
VLAN
            No 1
                          aabb.cc80.0c00 aabb.cc80.0700 S7
VLAN
                1
                          aabb.cc80.0c00 aabb.cc80.0b00 LS1
            No
```