## \*LS1\*

VTP Version capa... VTP version running Desain Name VTP Version capable : 1 to 3 : 3 : SEXTON1 : Disabled : Disabled : aabb.cc80.0b00 VTP Pruning Mode VIP Pruning Mode
VTP Traps Generation Device ID Feature VLAN: -----------VTP Operating Mode : Server Number of existing VLANs : 16 Number of existing extended VLANs : 3 Maximum VLANs supported locally : 4096 Configuration Revision : 1 Primary ID : aabb.cc80.0c00 Primary Description : LS1 : 0xA2 0x5F 0xFF 0xCF 0xA0 0xBA 0xCA 0x06 MD5 digest 0x53 0x19 0x26 0x6C 0xBE 0x97 0xF0 0x97

## \*LS2\*

VTP Version capable : 1 to 3 VTP version running
VTP Domain Name
VTP Pruning Mode
VTP Traps Generation
Device ID : 3 : SEXTON1 : Disabled : Disabled : aabb.cc80.0c00 Device ID Feature VLAN: Number of existing VLANs : 16 Number of existing values Number of existing extended VLANs : 3 Maximum VLANs supported locally : 4096 Configuration Revision : 1
Primary ID : aabb.cc80.0c00 Primary Description : LS1 MD5 digest : 0xA2 0x5F 0xFF 0xCF 0xA0 0xBA 0xCA 0x06 0x53 0x19 0x26 0x6C 0xBE 0x97 0xF0 0x97

## \*LS1 VTP devices in it domain when both layer 3 switches are HSRP active (LS1 & LS2)\*

```
Retrieving information from the VTP domain. Waiting for 5 seconds.
VTP Feature Conf Revision Primary Server Device ID
                                                        Device Description
VLAN
            No
                 1
                          aabb.cc80.0c00 aabb.cc80.0100 S1
VLAN
            No
                          aabb.cc80.0c00 aabb.cc80.0200 S2
VLAN
            No 1
                          aabb.cc80.0c00 aabb.cc80.0300 S3
VLAN
            No
                          aabb.cc80.0c00 aabb.cc80.0400 S4
                1
                          aabb.cc80.0c00 aabb.cc80.0500 S5
VLAN
            No
VLAN
            No
                1
                          aabb.cc80.0c00 aabb.cc80.0600 S6
VLAN
                          aabb.cc80.0c00 aabb.cc80.0700 S7
            No
                 1
VLAN
                          aabb.cc80.0c00=aabb.cc80.0c00 LS2
            No
```

## \*LS2 VTP devices in it domain when both layer 3 switches are HSRP active (LS1 & LS2)\*

Retrieving information from the VTP domain. Waiting for 5 seconds.					
VTP Feature	Conf	Revision	Primary Server	Device ID	Device Description
VLAN	No	1	aabb.cc80.0c00	aabb.cc80.0100	S1
VLAN	No	1	aabb.cc80.0c00	aabb.cc80.0200	S2
VLAN	No	1	aabb.cc80.0c00	aabb.cc80.0300	S3
VLAN	No	1	aabb.cc80.0c00	aabb.cc80.0400	S4
VLAN	No	1	aabb.cc80.0c00	aabb.cc80.0500	S5
VLAN	No	1	aabb.cc80.0c00	aabb.cc80.0600	S6
VLAN	No	1	aabb.cc80.0c00	aabb.cc80.0700	S7
VLAN	No	1	aabb.cc80.0c00	aabb.cc80.0b00	LS1