



Topic : Install Linux Desktop OS





Installing The Virtual Box

Oracle VM VirtualBox is cross-platform virtualization software that allows users to extend their existing computer to run **multiple operating systems** including Microsoft Windows, Mac OS X, Linux, and Oracle Solaris, at the same time.

Here Click on **Next** and proceed.

Virtual Box Download Link:


<https://www.virtualbox.org/wiki/Downloads>





Installing The Virtual Box

Once VirtualBox is installed, we can create, add or import new VMs using toolbar buttons.




Installing Linux (Ubuntu) Desktop OS

Step 1:

Click New on Virtual Machine toolbar and add details about the new VM and required OS.

Ubuntu Download Link:

<https://ubuntu.com/download/desktop>



Create Virtual Machine

Virtual machine Name and Operating System

Please choose a descriptive name and destination folder for the new virtual machine. The name you choose will be used throughout VirtualBox to identify this machine. Additionally, you can select an ISO image which may be used to install the guest operating system.

Name: Ubuntu 22.04.02 ✓

Folder: C:\Users\user\VirtualBox VMs

ISO Image: G:\MCS Study Materials\1s...rce Technology\Softwares\ubuntu-22.04.2-desktop-amd64.iso

Edition:

Type: Linux 64

Version: Ubuntu (64-bit)

☐ Skip Unattended Installation

Detected OS type: Ubuntu (64-bit). This OS type can be installed unattendedly. The install will start after this wizard is closed.


Help Expert Mode Back Next Cancel



Installing Linux (Ubuntu) Desktop OS

Step 2:

Select the Base Memory and Processors to be allocated to the Virtual Machine.






Installing Linux (Ubuntu) Desktop OS

Step 3:

Select the size of memory to be allocated for Virtual Hard Disk.




Installing Linux (Ubuntu) Desktop OS

Step 4:

This is the interface for the newly created Virtual Machine for Ubuntu Desktop OS.

Select Server and Press on **Start** to run the Virtual Machine.






Installing Linux (Ubuntu) Desktop OS

Step 5:

Press **Enter** to install Ubuntu Server.






Installing Linux (Ubuntu) Desktop OS

Step 6:

Select the preferred language and click on **Install Ubuntu**.






Installing Linux (Ubuntu) Desktop OS

Step 7:

Select the preferred keyboard layout and its variant, click on **Continue** once finished.






Installing Linux (Ubuntu) Desktop OS

Step 8:

It will prompt us to choose updates and other software to install alongside Ubuntu.

We choose the options and click on **Continue**.




Installing Linux (Ubuntu) Desktop OS

Step 9:

We will be asked to choose the Installation type. Once selected we can press **Enter**.

We will be informed about the partitions being formatted or changed. If it's okay we press on **Continue** and proceed.






Installing Linux (Ubuntu) Desktop OS

Step 10:

Select the location and press
Continue.





Installing Linux (Ubuntu) Desktop OS

Step 11:

Setup the **profile** for the user that includes username, password, computer's name etc, once finished press **Enter**.






Installing Linux (Ubuntu) Desktop OS

Step 12:

Upon the completion of the installation process, the window on the right will prompt, **Restart Now**.






Installing Linux (Ubuntu) Desktop OS

Step 13:

Now enter the Login details on the screen and press **Enter** to login into the system.






Installing Linux (Ubuntu) Desktop OS

Step 14:

Now our system is ready and Ubuntu is installed completely.





ThankYou!!!





Removing LibreOffice

Step 15:

Before installing **OpenOffice4** on our system we first need to remove the **LibreOffice** and its libraries(as both run on the same libraries and raise conflict).

To completely remove **LibreOffice**:

```
$ sudo apt remove libreoffice-base-core libreoffice-  
libreoffice-impress libreoffice-calc libreoffice-math  
libreoffice-common libreoffice-ogltrans  
libreoffice-core libreoffice-pdfimport libreoffice-draw libreoffice-style-b  
reeze libreoffice-gnome libreoffice-style-colibre libreoffice-gtk3 libreoffice-  
style-elementary libreoffice-help-common libreoffice-style-tango libreoffice-h  
elp-en-us libreoffice-writer
```

The screenshot shows a terminal window titled "shishir@shishir-VirtualBox: ~". The terminal output includes a message about running commands as administrator, followed by the execution of the command to remove LibreOffice packages. The command is: `sudo apt remove libreoffice-base-core libreoffice-impress libreoffice-calc libreoffice-math libreoffice-common libreoffice-ogltrans libreoffice-core libreoffice-pdfimport libreoffice-draw libreoffice-style-breeze libreoffice-gnome libreoffice-style-colibre libreoffice-gtk3 libreoffice-style-elementary libreoffice-help-common libreoffice-style-tango libreoffice-help-en-us libreoffice-writer`. The terminal prompts for a password for the user shishir.

```
Ubuntu 22.04.02 [Running] - Oracle VM VirtualBox
File Machine View Input Devices Help
Activities Terminal 26 22:20
shishir@shishir-VirtualBox: ~
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.
shishir@shishir-VirtualBox:~$ sudo apt remove libreoffice-base-core libreoffice-  
impress libreoffice-calc libreoffice-math libreoffice-common libreoffice-ogltr  
ans libreoffice-core libreoffice-pdfimport libreoffice-draw libreoffice-style-b  
reeze libreoffice-gnome libreoffice-style-colibre libreoffice-gtk3 libreoffice-  
style-elementary libreoffice-help-common libreoffice-style-tango libreoffice-h  
elp-en-us libreoffice-writer  
[sudo] password for shishir:
```


Removing LibreOffice

Step 16:

Now we will remove all the **LibreOffice** libraries from our system by the following command:

\$ sudo apt autoremove

Now our system is ready for OpenOffice Installation.



```
Ubuntu 22.04.02 [Running] - Oracle VM VirtualBox
File Machine View Input Devices Help
Activities Terminal 26 22:24
shishir@shishir-VirtualBox: ~
rmdir: failed to remove '/var/lib/libreoffice': No such file or directory
rmdir: failed to remove '/var/lib/libreoffice': No such file or directory
Removing libreoffice-style-colibre (1:7.3.7-0ubuntu0.22.04.1) ...
Processing triggers for hicolor-icon-theme (0.17-2) ...
Processing triggers for gnome-menus (3.36.0-1ubuntu3) ...
Processing triggers for man-db (2.10.2-1) ...
Processing triggers for shared-mime-info (2.1-2) ...
Processing triggers for mailcap (3.70+nmu1ubuntu1) ...
Processing triggers for desktop-file-utils (0.26-1ubuntu3) ...
shishir@shishir-VirtualBox:~$ sudo apt autoremove
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following packages will be REMOVED:
libabw-0.1-1 libboost-filesystem1.74.0 libboost-iostreams1.74.0
libboost-locale1.74.0 libboost-thread1.74.0 libcdr-0.1-1
libclucene-contribs1v5 libclucene-core1v5 libcolamd2 libe-book-0.1-1
libeot0 libepubgen-0.1-1 libetonyek-0.1-1 libexttextcat-2.0-0
libexttextcat-data libfreehand-0.1-1 libgpgmepp6 liblangtag-common
liblangtag1 libmhash2 libmispub-0.1-1 libmwaw-0.3-3 libmythes-1.2-0
libodfgen-0.1-1 liborcus-0.17-0 liborcus-parser-0.17-0 libpagemaker-0.0-0
libraptor2-0 librasqal3 librdf0 libreoffice-style-yaru librevenge-0.0-0
libsuitesparseconfig5 libuno-cppu3 libuno-cppuhelpergcc3-3
libuno-purpenvhelpergcc3-3 libuno-sal3 libuno-salhelpergcc3-3
libvisio-0.1-1 libwpd-0.10-10 libwpg-0.3-3 libwps-0.4-4 libxmlsec1-nss
libyajl2 lp-solve uno-libs-private ure
0 upgraded, 0 newly installed, 47 to remove and 150 not upgraded.
After this operation, 53.4 MB disk space will be freed.
Do you want to continue? [Y/n]
```

Installing APACHE OpenOffice


Step 17:

We need to download OpenOffice as it is not available in Ubuntu repository.

We can download from OpenOffice website as follows :

<https://www.openoffice.org/download/index.html>

Once downloaded we will proceed to further steps.





Installing APACHE OpenOffice


Step 18:

Once the download is complete, we will navigate into Downloads directory and list files using the following command:

```
$ cd Downloads
```

```
$ ls
```

We can see that the downloaded .tar file is listed in downloads folder.





Step 19:

The downloaded file is a tar file, so we need to extract it. Therefore, using the tar command-line utility we will extract the downloaded file as follows:


```
$ tar -xvf Apache_OpenOffice_4.1.14_Linux_x86-64_install-deb_en-US.tar.gz
```

This will create a directory named '**en-US**' in the Downloads.

Extracting the tar file

```
shishir@shishir-VirtualBox: ~/Downloads$ ls
shishir@shishir-VirtualBox: ~/Downloads$ tar -xvf Apache_OpenOffice_4.1.14_Linux_x86-64_install-deb_en-US.tar.gz
```

The screenshot shows a terminal window titled 'Ubuntu 22.04.02 [Running] - Oracle VM VirtualBox'. The terminal is running the 'ls' command, showing the file 'Apache_OpenOffice_4.1.14_Linux_x86-64_install-deb_en-US.tar.gz'. Then, the 'tar -xvf' command is executed to extract the file. The terminal window is part of a desktop environment with a sidebar on the left containing icons for Activities, Terminal, and other applications. The bottom of the window shows a system tray with various icons and a 'Right Ctrl' button.





Installing DEB Packages

Step 20:

We will navigate into DEBS using the following command:

```
$ cd en-US/DEBS/
```


We will install the deb packages using the following command:

```
$ sudo dpkg -i *.deb
```

```
Ubuntu 22.04.02 [Running] - Oracle VM VirtualBox
File Machine View Input Devices Help
Activities Terminal  ॐ 26 23:32

shishir@shishir-VirtualBox: ~/Downloads/en-US/DEBS

shishir@shishir-VirtualBox: ~/Downloads/en-US/DEBS$ cd en-US/DEBS/
shishir@shishir-VirtualBox: ~/Downloads/en-US/DEBS$ sudo dpkg -i *.deb
[sudo] password for shishir:
Thunderbird Mail ously unselected package openoffice.
(Reading database ... 186325 files and directories currently installed.)
Preparing to unpack openoffice_4.1.14-1_amd64.deb ...
Unpacking openoffice (4.1.14-1) ...
Selecting previously unselected package openoffice-base.
Preparing to unpack openoffice-base_4.1.14-1_amd64.deb ...
Unpacking openoffice-base (4.1.14-1) ...
Selecting previously unselected package openoffice-brand-base.
Preparing to unpack openoffice-brand-base_4.1.14-1_amd64.deb ...
Unpacking openoffice-brand-base (4.1.14-1) ...
Selecting previously unselected package openoffice-brand-calc.
Preparing to unpack openoffice-brand-calc_4.1.14-1_amd64.deb ...
Unpacking openoffice-brand-calc (4.1.14-1) ...
Selecting previously unselected package openoffice-brand-draw.
Preparing to unpack openoffice-brand-draw_4.1.14-1_amd64.deb ...
Unpacking openoffice-brand-draw (4.1.14-1) ...
Selecting previously unselected package openoffice-brand-en-us.
Preparing to unpack openoffice-brand-en-us_4.1.14-1_amd64.deb ...
Unpacking openoffice-brand-en-us (4.1.14-1) ...
Selecting previously unselected package openoffice-brand-impress.
Preparing to unpack openoffice-brand-impress_4.1.14-1_amd64.deb ...
Unpacking openoffice-brand-impress (4.1.14-1) ...
Selecting previously unselected package openoffice-brand-math.
Preparing to unpack openoffice-brand-math_4.1.14-1_amd64.deb ...
Unpacking openoffice-brand-math (4.1.14-1) ...
Selecting previously unselected package openoffice-brand-writer.
```





Installing DEB Packages


Step 21:

Once the deb package is installed we will integrate all packages on our desktop using the following command:

```
$ cd desktop-integration/
```

We will again install the previously uninstalled DEB packages after integrating all packages using :

```
$sudo dpkg -i *.deb
```



```
shishir@shishir-VirtualBox: ~/Downloads/en-US/DEBS/desk...
Setting up openoffice-pyuno (4.1.14-1) ...
Setting up openoffice-writer (4.1.14-1) ...
Setting up openoffice-xsltfilter (4.1.14-1) ...
Setting up openoffice (4.1.14-1) ...
Setting up openoffice-base (4.1.14-1) ...
Setting up openoffice-brand-base (4.1.14-1) ...
Setting up openoffice-brand-draw (4.1.14-1) ...
Setting up openoffice-brand-en-us (4.1.14-1) ...
Setting up openoffice-brand-impress (4.1.14-1) ...
Setting up openoffice-brand-math (4.1.14-1) ...
Setting up openoffice-brand-writer (4.1.14-1) ...
Setting up openoffice-calc (4.1.14-1) ...
Setting up openoffice-brand-calc (4.1.14-1) ...
shishir@shishir-VirtualBox: ~/Downloads/en-US/DEBS$ cd desktop-integration/
shishir@shishir-VirtualBox: ~/Downloads/en-US/DEBS/desktop-integration$ sudo dpkg
g -i *.deb
Selecting previously unselected package openoffice-debian-menus.
(Reading database ... 190640 files and directories currently installed.)
Preparing to unpack openoffice4.1-debian-menus_4.1.14-9811_all.deb ...
Unpacking openoffice-debian-menus (4.1.14-9811) ...
Setting up openoffice-debian-menus (4.1.14-9811) ...
/usr/bin/gtk-update-icon-cache
gtk-update-icon-cache: Cache file created successfully.
Processing triggers for shared-mime-info (2.1-2) ...
Processing triggers for hicolor-icon-theme (0.17-2) ...
Processing triggers for mailcap (3.70+nmu1ubuntu1) ...
Processing triggers for gnome-menus (3.36.0-1ubuntu3) ...
Processing triggers for desktop-file-utils (0.26-1ubuntu3) ...
shishir@shishir-VirtualBox: ~/Downloads/en-US/DEBS/desktop-integration$
```




Launch OpenOffice

Step 22:

OpenOffice 4.1.14 has been installed on our system now. We can verify it by launching OpenOffice4 on our system either by using the **terminal** or from the **desktop** as shown in the figure.

From Terminal:
\$ openoffice4

When we launch OpenOffice for the first time, we will see the window as in the figure on our system. Click on **Next** and enter the required details then Click **Finish**.







ThankYou!!!

