




Lab Number:

Date:

Title:



Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 14.pkt



DNS_Server0

IP Configuration

IP Configuration

☐ DHCP ☒ Static

IPv4 Address	130.30.30.3
Subnet Mask	255.255.0.0
Default Gateway	0.0.0.0
DNS Server	0.0.0.0



Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 14.pkt

WEB_Server1

Physical Config Services Desktop Programming Attributes

GLOBAL
Settings
Algorithm Settings
INTERFACE
FastEthernet0

Global Settings

Display Name WEB_Server1

Gateway/DNS IPv4

☐ DHCP

☒ Static

Default Gateway

DNS Server 130.30.30.3

Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 14.pkt

WEB_Server1

Physical Config Services Desktop Programming Attributes

IP Configuration

IP Configuration

☐ DHCP

☒ Static

IPv4 Address 130.30.30.1

Subnet Mask 255.255.0.0

Default Gateway 0.0.0.0

DNS Server 130.30.30.3

Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 14.pkt

Kishor_PC0

IP Configuration

Interface FastEthernet0

IP Configuration

☐ DHCP

☒ Static

IPv4 Address 130.30.30.30

Subnet Mask 255.255.0.0

Default Gateway 0.0.0.0

DNS Server 130.30.30.3

Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 14.pkt

Kishor_PC0

Web Browser

< > URL http://130.30.30.1

Cisco Packet Tracer

Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.

Quick Links:

[A small page](#)

[Copyrights](#)

[Image page](#)

[Image](#)

Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 14.pkt

DNS_Server0

Physical Config **Services** Desktop Programming **Attributes**

SERVICES

- HTTP
- DHCP
- DHCPv6
- TFTP
- DNS**
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT

DNS

DNS Service ☒ On ☐ Off

Resource Records

Name Type **A Record**

Address

Add **Save** **Remove**

No.	Name	Type	Detail
0	google.com	A Record	130.30.30.1

Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 14.pkt

Kishor_PC0

Web Browser

< > URL

Cisco Packet Tracer

Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.

Quick Links:

- [A small page](#)
- [Copyrights](#)
- [Image page](#)
- [Image](#)



Lab Number:

Date:


Title:




Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 15.pkt

File Edit Options View Tools Extensions Window Help



Logical Physical x: 853, y: 357





Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 15.pkt

Kishor_PC0

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\>dir

Volume in drive C has no label.
Volume Serial Number is 5E12-4AF3
Directory of C:\

1/1/1970    5:45 PM           92      FTP.txt
1/1/1970    5:45 PM           26      sampleFile.txt
               118 bytes          2 File(s)
```

Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 15.pkt

Kishor_PC0

```
C:\>ftp 196.96.96.2
Trying to connect...196.96.96.2
Connected to 196.96.96.2
220- Welcome to PT Ftp server
Username:Kishor
331- Username ok, need password
Password:*****
230- Logged in
(passive mode On)
ftp>
```

Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 15.pkt

Kishor_PC0




IP Configuration

Interface FastEthernet0

IP Configuration

☐ DHCP	☒ Static
IPv4 Address	144.44.44.2
Subnet Mask	255.255.0.0
Default Gateway	144.44.44.1
DNS Server	0.0.0.0

IPv6 Configuration



Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\CSIT\Computer Network\Lab 15.pkt

Kishor_PC1

```
ftp>get Kishor.txt

Reading file Kishor.txt from 196.96.96.2:
File transfer in progress...

[Transfer complete - 92 bytes]

92 bytes copied in 0.013 secs (7076 bytes/sec)
```

Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 15.pkt

Kishor_PC0

```
ftp>quit ftp

221- Service closing cool connection.
C:\>
```

Cisco Packet Tracer - A:\BSc. CSIT\Kishor\Fourth Semester\Computer Network\Lab 15.pkt

Kishor_PC1

```
C:\>dir

Volume in drive C has no label.
Volume Serial Number is 5E12-4AF3
Directory of C:\

1/1/1970    5:45 PM           92      Kishor.txt
1/1/1970    5:45 PM           26      sampleFile.txt
               118 bytes          2 File(s)



C:\>
```






Lab Number:



Date:


Title:













Lab Number:

Date:

Title:

Lab 17.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp

No.	Time	Source	Destination	Protocol	Length	Info
208	23.157390300	192.168.1.65	170.10.163.164	TCP	55	58912 → 443 [ACK] Seq=1 Ack=1 Win=1023 Len=1
209	23.193942800	2404:6800:4000:101d::5f	2400:74e0:0:11e3:60::1	TCP	86	443 → 62904 [ACK] Seq=1 Ack=2 Win=1044 Len=0 SLE=1 SRE=2
210	23.456475000	170.10.163.164	192.168.1.65	TCP	66	443 → 58912 [ACK] Seq=1 Ack=2 Win=300 Len=0 SLE=1 SRE=2
271	23.972502500	13.204.106.34	192.168.1.65	TCP	54	[TCP Keep-Alive] 443 → 49183 [ACK] Seq=0 Ack=2 Win=16 Len=0
272	23.972526700	192.168.1.65	13.204.106.34	TCP	54	[TCP Keep-Alive ACK] 49183 → 443 [ACK] Seq=2 Ack=1 Win=254 Len=0
273	24.038825800	192.168.1.65	54.205.6.143	TCP	55	62897 → 443 [ACK] Seq=1 Ack=1 Win=252 Len=1
274	24.070319000	192.168.1.65	54.205.6.143	TCP	55	56442 → 443 [ACK] Seq=1 Ack=1 Win=255 Len=1
287	24.179439200	2400:74e0:0:11e3:60::1	2600:1900:4110:86f::1	TCP	86	60926 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
289	24.225656800	2600:1900:4110:86f::1	2400:74e0:0:11e3:60::1	TCP	86	80 → 60926 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1380 SACK_PERM WS=256
290	24.225775900	2400:74e0:0:11e3:60::1	2600:1900:4110:86f::1	TCP	74	60926 → 80 [ACK] Seq=1 Ack=1 Win=65280 Len=0
291	24.226108500	2400:74e0:0:11e3:60::1	2600:1900:4110:86f::1	HTTP	334	HEAD /edgedl/diffgen-puffin/hfnkpihlhgieaddgfemjhofmfb1mnib/a8910ec0adcd2dff9812aa1586aae252c1d6151c9e888763
292	24.273872600	2600:1900:4110:86f::1	2400:74e0:0:11e3:60::1	TCP	74	80 → 60926 [ACK] Seq=1 Ack=261 Win=269056 Len=0
293	24.274119300	2600:1900:4110:86f::1	2400:74e0:0:11e3:60::1	HTTP	695	HTTP/1.1 200 OK
294	24.302531600	54.205.6.143	192.168.1.65	TCP	66	443 → 62897 [ACK] Seq=1 Ack=2 Win=371 Len=0 SLE=1 SRE=2
295	24.307803800	2400:74e0:0:11e3:60::1	2600:1900:4110:86f::1	HTTP	385	GET /edgedl/diffgen-puffin/hfnkpihlhgieaddgfemjhofmfb1mnib/a8910ec0adcd2dff9812aa1586aae252c1d6151c9e888763
296	24.340658200	54.205.6.143	192.168.1.65	TCP	66	443 → 56442 [ACK] Seq=1 Ack=2 Win=327 Len=0 SLE=1 SRE=2
297	24.359839900	2600:1900:4110:86f::1	2400:74e0:0:11e3:60::1	TCP	13494	80 → 60926 [PSH, ACK] Seq=622 Ack=572 Win=268800 Len=13420 [TCP PDU reassembled in 298]
298	24.359844800	2600:1900:4110:86f::1	2400:74e0:0:11e3:60::1	HTTP	855	HTTP/1.1 200 OK
299	24.359933000	2400:74e0:0:11e3:60::1	2600:1900:4110:86f::1	TCP	74	60926 → 80 [ACK] Seq=572 Ack=14823 Win=65280 Len=0

Frame 209: Packet, 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface \Device\NPF...
Ethernet II, Src: TaicangT&E1_eb:4c:90 (f8:0c:58:eb:4c:90), Dst: AzureWaveTec_29:fd:1a (50:2e:91:29:fd:1a)
Internet Protocol Version 6, Src: 2404:6800:4000:101d::5f, Dst: 2400:74e0:0:11e3:60a4:b8b3:955c:4188
Transmission Control Protocol, Src Port: 443, Dst Port: 62904, Seq: 1, Ack: 2, Len: 0

0000 50 2e 91 29 fd 1a f8 0c 58 eb 4c 90 86 dd 6b 8d P.) . . . X L . . . k .
0010 a6 30 00 20 06 79 24 04 68 00 40 00 10 1d 00 00 . 0 . y \$ h @
0020 00 00 00 00 00 5f 24 00 74 e0 00 00 11 e3 60 a4 \$ t
0030 b8 b3 95 5c 41 88 01 bb f5 b8 0f d8 88 73 22 ef . . . \A s
0040 0f 19 80 10 04 14 d8 51 00 00 01 01 05 0a 22 ef Q
0050 0f 18 22 ef 0f 19

Lab 17.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp

No.	Time	Source	Destination	Protocol	Length	Info
208	23.157390300	192.168.1.65	170.10.163.164	TCP	55	58912 → 443 [ACK] Seq=1 Ack=1 Win=1023 Len=1
209	23.193942800	2404:6800:4000:101d::	2400:74e0:0:11e3:60a4:b8b3:955c:4188	TCP	66	443 → 58912 [ACK] Seq=1 Ack=2 Win=1024 Len=0 SLE=1 SRE=2
210	23.456475900	170.10.163.164	192.168.1.65	TCP	66	443 → 58912 [ACK] Seq=1 Ack=2 Win=300 Len=0 SLE=1 SRE=2

Frame 209: Packet, 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface \Device\NPF_{40000000-0000-5F-2A-00-74-E0-00-00-11-E3-60-A4-B8-B3-95-5C} (eth0)

Ethernet II, Src: TaicangF&M_Eb4c:90 (f8:0c:58:eb:4c:90), Dst: AzureWaveTec_29:fd:1a (50:2e:91:29:fd:1a)

Internet Protocol Version 6, Src: 2404:6800:4000:101d::5f, Dst: 2400:74e0:0:11e3:60a4:b8b3:955c:4188

Transmission Control Protocol, Src Port: 443, Dst Port: 62904, Seq: 1, Ack: 2, Len: 0

Source Port: 443
Destination Port: 62904
[Stream index: 24]
[Stream Packet Number: 2]
[Conversation completeness: Incomplete (28)]
[TCP Segment Len: 0]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 265848947
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 2 (relative ack number)
Acknowledgment number (raw): 586092313
1000 ---, = Header Length: 32 bytes (0)
Flags: 0x010 (ACK)
Window: 1044
[Calculated window size: 1044]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xd851 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), SACK
[Timestamps]
[SEQ/ACK analysis]
[Client Contiguous Streams: 1]
[Server Contiguous Streams: 1]

0000 50 2e 91 29 fd 1a f8 0c 58 eb 4c 90 86 dd 6b 8d P.X.L...k
0010 a6 30 00 20 06 79 24 04 68 00 40 00 1d 00 00 0.y\$ h@....
0020 00 00 00 00 00 5f 2a 00 74 e0 00 00 11 e3 60 a4 \$ t
0030 b8 b3 95 5c 41 88 01 bb f5 b8 0f d8 88 73 22 ef ...A.....
0040 0f 19 80 10 04 14 d8 51 00 00 01 01 05 0a 22 efQ.....
0050 0f 18 22 ef 0f 19

Lab 17.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

udp

No.	Time	Source	Destination	Protocol	Length	Info
176	18.149976700	192.168.1.66	224.0.0.251	MDNS	103	Standard query 0x0001 PTR _googlecast._tcp.local, "QU" question PTR _674A0243._sub._googlecast._tcp.local, "
177	18.149978000	fe80::74ea:41ff:fe3...	ff02::fb	MDNS	123	Standard query 0x0001 PTR _googlecast._tcp.local, "QU" question PTR _674A0243._sub._googlecast._tcp.local, "
178	18.149978500	192.168.1.66	224.0.0.251	MDNS	119	Standard query 0x0001 PTR _googlecast._tcp.local, "QU" question PTR _674A0243._sub._googlecast._tcp.local, "
179	18.149979300	fe80::74ea:41ff:fe3...	ff02::fb	MDNS	139	Standard query 0x0001 PTR _googlecast._tcp.local, "QU" question PTR _674A0243._sub._googlecast._tcp.local, "

Frame 192: Packet, 95 bytes on wire (760 bits), 95 bytes captured (760 bits) on interface \Device\NPF_{40000000-0000-5F-2A-00-74-E0-00-00-11-E3-60-A4-B8-B3-95-5C} (eth0)

Ethernet II, Src: AzureWaveTec_29:fd:1a (50:2e:91:29:fd:1a), Dst: TaicangF&M_Eb4c:90 (f8:0c:58:eb:4c:90)

Internet Protocol Version 6, Src: 2400:74e0:0:11e3:60a4:b8b3:955c:4188, Dst: 2404:6800:4002:830:200a

User Datagram Protocol, Src Port: 49812, Dst Port: 443

Source Port: 49812
Destination Port: 443
Length: 41
Checksum: 0xd28f [unverified]
[Checksum Status: Unverified]
[Stream index: 0]
[Stream Packet Number: 6]
[Timestamps]
UDP payload (33 bytes)
Data (33 bytes)

0000 f8 0c 58 eb 4c 90 50 2e 91 29 fd 1a 86 dd 60 0d ...X.L.P.
0010 73 84 00 29 11 40 24 00 74 e0 00 00 11 e3 60 a4 s.@ \$ t
0020 b8 b3 95 5c 41 88 24 04 68 00 40 02 08 30 00 00 ...A \$ h @ 0 ..
0030 00 00 00 00 20 0a c2 94 01 b5 00 29 02 8f 4f fe) 0 ..
0040 66 bd c3 a7 14 2a 75 ea 0a 01 29 5c 4b bb cf ad f.....*)K...
0050 43 2c 8e 6b 8d cc 45 42 5a 5b 1e 25 d4 16 65 C, k EB Z[% e ..

Lab 17.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.addr == 170.10.163.164

No.	Time	Source	Destination	Protocol	Length	Info
9	2.000349800	170.10.163.164	192.168.1.65	TCP	54	80 → 55104 [FIN, ACK] Seq=1 Ack=1 Win=229 Len=0
10	2.000543700	192.168.1.65	170.10.163.164	TCP	54	55104 → 80 [ACK] Seq=1 Ack=2 Win=255 Len=0
35	6.333202600	170.10.163.164	192.168.1.65	UDP	63	443 → 51522 Len=21

4

Frame 210: Packet, 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{4...} Ethernet II, Src: TaiCangT&ME1_ob:4c:90 (f8:0c:58:0b:4c:90), Dst: AzureWaveTec_29:fd:1a (50:2e:91:29:fd:01) Internet Protocol Version 4, Src: 170.10.163.164, Dst: 192.168.1.65

0100 = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 52
Identification: 0x0229 (553)
010. = Flags: 0x2, Don't fragment
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 53
Protocol: TCP (6)
Header Checksum: 0x3403 [validation disabled]
[Header checksum status: Unverified]
Source Address: 170.10.163.164
Destination Address: 192.168.1.65
[Stream index: 0]

50 2e 91 29 fd 1a f8 0c 58 eb 4c 90 08 00 45 00 P. X L . E
00 34 02 29 40 00 35 06 34 03 aa 0a a3 a4 c0 a8 . 4) @ 5 4
01 41 01 bb e6 20 3f 3f 61 1a 5c 58 e4 14 80 10 A . . ?? a . \ X
01 2c 1f 7d 00 00 01 01 05 0a 5c 58 e4 13 5c 58 . , . } \ X . . \ X
e4 14 ..

Transmission Control Protocol, Src Port: 443, Dst Port: 58912, Seq: 1, Ack: 2, Len: 0