

OUTPUT :

```
• big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/10.c" -o 10 && ./10
Enter n: 5
Sum = 15
• big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/10.c" -o 10 && ./10
Enter n: 10
Sum = 55
❖ big@hell-na:~/DSA_lab/kishor$
```

OUTPUT :

```
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/Dsa_lab/kishor/9.c" -o 9 && ./9
Enter number of disks: 3
Move disk 1 from A to C
Move disk 2 from A to B
Move disk 1 from C to B
Move disk 3 from A to C
Move disk 1 from B to A
Move disk 2 from B to C
Move disk 1 from A to C
```

OUTPUT :

```
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/8.c" -o 8 && ./8
Enter n: 7
Fibonacci Series: 0 1 1 2 3 5 8
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/8.c" -o 8 && ./8
Enter n: 10
Fibonacci Series: 0 1 1 2 3 5 8 13 21 34
❖ big@hell-na:~/DSA_lab/kishor$
```

OUTPUT :

```
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/7.c" -o 7 && ./7
Enter number: 5
Factorial = 120
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/7.c" -o 7 && ./7
Enter number: 7
Factorial = 5040
❖ big@hell-na:~/DSA_lab/kishor$
```

OUTPUT :

```
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/6.c" -o 6 && ./6
Enter postfix: 23*54*+9-
Result = 17
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/6.c" -o 6 && ./6
Enter postfix: 53+82-*
Result = 48
❖ big@hell-na:~/DSA_lab/kishor$
```

OUTPUT

```
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/5.c" -o 5 && ./5
Enter infix: A+B*C
Postfix: ABC*+
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/5.c" -o 5 && ./5
Enter infix: (A+B)*C-D/E
Postfix: AB+C*DE/-
❖ big@hell-na:~/DSA_lab/kishor$
```

OUTPUT:

```
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/4.c" -o 4 && ./4
1.Insert 2.DeleteMin 3.Display 4.Exit
1
Enter value: 54

1.Insert 2.DeleteMin 3.Display 4.Exit
1
Enter value: 555

1.Insert 2.DeleteMin 3.Display 4.Exit
2
Deleted min: 555

1.Insert 2.DeleteMin 3.Display 4.Exit
3
Min Priority Queue: 54

1.Insert 2.DeleteMin 3.Display 4.Exit
```

OUTPUT:

```
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/3.c" -o 3 && ./3
1.Enqueue 2.Dequeue 3.Display 4.Exit
1
Enter value: 6

1.Enqueue 2.Dequeue 3.Display 4.Exit
1
Enter value: 7

1.Enqueue 2.Dequeue 3.Display 4.Exit
3
Circular Queue: 6 7

1.Enqueue 2.Dequeue 3.Display 4.Exit
2
Dequeued: 6

1.Enqueue 2.Dequeue 3.Display 4.Exit
```


OUTPUT:

```
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/2.c" -o 2 && ./2
1.Enqueue 2.Dequeue 3.Display 4.Exit
1
Enter value: 67

1.Enqueue 2.Dequeue 3.Display 4.Exit
1
Enter value: 55

1.Enqueue 2.Dequeue 3.Display 4.Exit
2
Dequeued: 67

1.Enqueue 2.Dequeue 3.Display 4.Exit
█
```

OUTPUT:

```
gcc -std=c11 "/home/big/DSA_lab/kishor/1.c" -o 1 && ./1
big@hell-na:~/DSA_lab/kishor$ gcc -std=c11 "/home/big/DSA_lab/kishor/1.c" -o 1 && ./1

1.Push 2.Pop 3.Peek 4.Display 5.Exit
1
Enter value: 4

1.Push 2.Pop 3.Peek 4.Display 5.Exit
6
Invalid
1.Push 2.Pop 3.Peek 4.Display 5.Exit
4
Stack:
4

1.Push 2.Pop 3.Peek 4.Display 5.Exit
█
```