

```
big@hell-na:~/Kishor$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: wlo1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP group default qlen 1000
    link/ether a4:97:b1:d6:35:f1 brd ff:ff:ff:ff:ff:ff
    altname wlp1s0
    inet 192.168.1.71/24 brd 192.168.1.255 scope global dynamic noprefixroute wlo1
        valid_lft 86344sec preferred_lft 86344sec
    inet6 2403:3800:3240:fcd8:80f1:ecf2:1bc8:a335/64 scope global temporary dynamic
        valid_lft 86345sec preferred_lft 85840sec
    inet6 2403:3800:3240:fcd8:9729:85a1:fb7a:ff4c/64 scope global dynamic mngtmpaddr noprefixroute
        valid_lft 86345sec preferred_lft 86345sec
    inet6 fe80::318c:eeef:d53c8:892a/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
3: lxcbr0: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc noqueue state DOWN group default qlen 1000
    link/ether 00:16:3e:00:00:00 brd ff:ff:ff:ff:ff:ff
    inet 10.0.3.1/24 brd 10.0.3.255 scope global lxcbr0
        valid_lft forever preferred_lft forever
big@hell-na:~/Kishor$
```

```
big@hell-na:~/Kishor$ ping -4 kishorneupane.com.np
PING kishorneupane.com.np (172.67.217.170) 56(84) bytes of data.
64 bytes from 172.67.217.170: icmp_seq=1 ttl=56 time=43.4 ms
64 bytes from 172.67.217.170: icmp_seq=2 ttl=56 time=42.5 ms
64 bytes from 172.67.217.170: icmp_seq=3 ttl=56 time=43.9 ms
64 bytes from 172.67.217.170: icmp_seq=4 ttl=56 time=42.8 ms
64 bytes from 172.67.217.170: icmp_seq=5 ttl=56 time=45.8 ms
64 bytes from 172.67.217.170: icmp_seq=6 ttl=56 time=42.8 ms
64 bytes from 172.67.217.170: icmp_seq=7 ttl=56 time=42.9 ms
64 bytes from 172.67.217.170: icmp_seq=8 ttl=56 time=45.0 ms
64 bytes from 172.67.217.170: icmp_seq=9 ttl=56 time=43.4 ms
64 bytes from 172.67.217.170: icmp_seq=10 ttl=56 time=42.5 ms
^C
--- kishorneupane.com.np ping statistics ---
10 packets transmitted, 10 received, 0% packet loss, time 9012ms
rtt min/avg/max/mdev = 42.512/43.517/45.801/1.048 ms
big@hell-na:~/Kishor$
```

```
big@hell-na: ~/Kishor
big@hell-na:~/Kishor$ hostname -I
192.168.1.71 10.0.3.1 2403:3800:3240:fcd8:352a:71b1:55e7:7569 2403:3800:3240:fcd8:9729:85a1:fb7a:ff4c
big@hell-na:~/Kishor$
```

```
big@hell-na: ~/Kishor
big@hell-na:~/Kishor$ ip route
default via 192.168.1.254 dev wlo1 proto dhcp src 192.168.1.71 metric 600
10.0.3.0/24 dev lxcbr0 proto kernel scope link src 10.0.3.1 linkdown
192.168.1.0/24 dev wlo1 proto kernel scope link src 192.168.1.71 metric 600
big@hell-na:~/Kishor$
```

```
big@hell-na: ~/Kishor
big@hell-na:~/Kishor$ resolvectl status
Global
    Protocols: -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
    resolv.conf mode: stub

Link 2 (wlo1)
    Current Scopes: DNS
    Protocols: +DefaultRoute -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
Current DNS Server: 192.168.1.254
    DNS Servers: 192.168.1.254 fe80::1

Link 3 (lxcbr0)
    Current Scopes: none
    Protocols: -DefaultRoute -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
big@hell-na:~/Kishor$
```

```
big@hell-na: ~/Kishor
big@hell-na:~/Kishor$ nmcli connection show
```

NAME	UUID	TYPE	DEVICE
Susmita 5G	7c735956-9c29-4465-9cf4-3c2c52e01105	wifi	wlo1
lo	2cd770ec-a58c-4c07-ae07-02c3945baf16	loopback	lo
lxcbr0	7d833e10-3d2a-425f-98f9-9ffb49215607	bridge	lxcbr0
ALHN	4af754ea-d09e-45f9-92e5-77ec933eccce	wifi	--
ALHN-AA04_5	9e74e81e-a7eb-4133-a669-7d062056d790	wifi	--
ALHN-AA04_5 1	c244ef92-ce9b-44a5-8739-d7861f826988	wifi	--
DIGICOM	8ad12dae-927a-4750-8824-30789204bd53	wifi	--
DIYA5121	43438ed0-4407-4702-8962-a90636eb803c	wifi	--
Galaxy Wide427_F8_0E	e173144c-3d36-4e01-8d52-255908bc27f6	wifi	--
Ghanashyam@WI-FI_5 1	64a9196f-9fde-47e7-b625-a96ebfa26eb1	wifi	--
Hehe	ca25e020-b9c1-4a60-a206-c9ec6e5e06bc	wifi	--
Hotspot	31bea2e8-7a50-4b8d-8ba8-6e0a59431942	wifi	--
Hotspot-1	27a3337e-0a01-498c-9da4-7ac0dd914e26	wifi	--
Kishor	c36b5675-d6a6-486c-b2ed-96ea8b4100fb	wifi	--

```
big@hell-na: ~/Kishor
big@hell-na:~/Kishor$ sudo nmcli connection modify "Susmita 5G" \
ip4.addresses 192.168.1.100/24 \
ip4.gateway 192.168.1.254 \
ip4.dns "8.8.8.8 1.1.1.1" \
ip4.method manual
big@hell-na:~/Kishor$
```

```

big@hell-na: ~
big@hell-na:~$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: wlo1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP group default qlen 1000
    link/ether a4:97:b1:d6:35:f1 brd ff:ff:ff:ff:ff:ff
    altname wlp1s0
    inet 192.168.1.100/24 brd 192.168.1.255 scope global noprefixroute wlo1
        valid_lft forever preferred_lft forever
    inet6 2403:3800:3240:fcd8:8fc6:2e32:c0d8:e46c/64 scope global temporary dynamic
        valid_lft 86386sec preferred_lft 85958sec
    inet6 2403:3800:3240:fcd8:9729:85a1:fb7a:ff4c/64 scope global dynamic mngtmpaddr noprefixroute
        valid_lft 86386sec preferred_lft 86386sec
    inet6 fe80::318c:eefd:53c8:892a/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
3: lxcbr0: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc noqueue state DOWN group default qlen 1000
    link/ether 00:16:3e:00:00:00 brd ff:ff:ff:ff:ff:ff
    inet 10.0.3.1/24 brd 10.0.3.255 scope global lxcbr0
        valid_lft forever preferred_lft forever

```

```

big@hell-na: ~
big@hell-na:~$ ping -4 google.com
PING google.com (142.250.71.110) 56(84) bytes of data.
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=1 ttl=117 time=39.9 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=2 ttl=117 time=37.9 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=3 ttl=117 time=38.3 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=4 ttl=117 time=38.6 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=5 ttl=117 time=38.3 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=6 ttl=117 time=38.9 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=7 ttl=117 time=38.5 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=8 ttl=117 time=39.2 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=9 ttl=117 time=40.0 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=10 ttl=117 time=39.1 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=11 ttl=117 time=37.4 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=12 ttl=117 time=39.2 ms
64 bytes from pnbomb-ad-in-f14.1e100.net (142.250.71.110): icmp_seq=13 ttl=117 time=38.3 ms
^C
--- google.com ping statistics ---
13 packets transmitted, 13 received, 0% packet loss, time 12022ms
rtt min/avg/max/mdev = 37.368/38.734/39.972/0.707 ms
big@hell-na:~$

```