

12345678

A

B

C

D

E

F

System

Two-pump station, system

Project EX-1, revision 1.1.


The station: the pump cabinet +C1 and, external to it (+EXT), the two pump motors, the network switch and the upstream distribution board's terminals, joined by their cables.

Revision	Date	Description	Created	Checked	Approved
1.1	2026-09-23	First issue	SK		
1.2	2026-10-06	The cabinet is a unit with no place of its own (owner ruling 2026-10-06)	SK		
1.3	2026-10-06	-W3-W1 prints as -W3 (Fransys 0.11.0, R129 lone cable)	SK		


Title Two-pump station			Number EX-1		Revision 1.3	Revision date 2026-10-06		F
Customer Example works	Author fransys-examples	Page title Cover		Scope		Sheet		

12345678

1	2	3	4	5	6	7	8
Notes The cable drawings show every core and both ends of each cable outside the cabinet.							
Title Two-pump station				Number EX-1	Revision 1.3	Revision date 2026-10-06	
Customer Example works	Author fransys-examples	Page title Notes		Scope	Sheet	Page 2 of 8	
1	2	3	4	5	6	7	8



	1	2	3	4	5	6	7	8
A	1119304, OELFLEX CLASSIC 110, 4G1.5, 4 x 1.5 mm² -U1-X3 U:1V:1W:1PE:1 -W11, 15000 mm 1 BK1 2 BK2 3 BK3 4 GNYE U1V1W1PE +EXT-M1 -U1-X3 U:2V:2W:2PE:2 -W21, 15000 mm 1 BK1 2 BK2 3 BK3 4 GNYE U1V1W1PE +EXT-M2							
B								
C								
D								
E								
F								
Title Two-pump station					Number EX-1	Revision 1.3	Revision date 2026-10-06	Example works fransys-examples Page title 1119304
Customer Example works					Scope	Sheet	Page 4 of 8	
	1	2	3	4	5	6	7	8



	1	2	3	4	5	6	7	8																																																
2170465, ETHERLINE Cat.6A P, industrial Ethernet cable, S/FTP, 8 x 0.33 mm²																																																								
+EXT-W3-J1 <table><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="8">-W3, shielded, 3000 mm</td></tr><tr><td>1 WHOG</td><td>2 OG</td><td>3 WHGN</td><td>4 BU</td><td>5 WHBU</td><td>6 GN</td><td>7 WHBN</td><td>8 BN</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td></tr></table> +EXT-W3-J2									1	2	3	4	5	6	7	8									-W3, shielded, 3000 mm								1 WHOG	2 OG	3 WHGN	4 BU	5 WHBU	6 GN	7 WHBN	8 BN									1	2	3	4	5	6	7	8
1	2	3	4	5	6	7	8																																																	
-W3, shielded, 3000 mm																																																								
1 WHOG	2 OG	3 WHGN	4 BU	5 WHBU	6 GN	7 WHBN	8 BN																																																	
1	2	3	4	5	6	7	8																																																	

1	2	3	4	5	6	7	8
Designation	Mpn	Description	Core count	Gauge mm2	Length mm	From label	To label
-W1	1119405	OELFLEX CLASSIC 110, 5G2.5	5	2.5	10000	-U1-X1	+EXT-X0
-W3	2170465	ETHERLINE Cat.6A P, industrial Ethernet cable, S/FTP	8	0.33	3000	+EXT-W3-J1	+EXT-W3-J2
-W11	1119304	OELFLEX CLASSIC 110, 4G1.5	4	1.5	15000	-U1-X3	+EXT-M1
-W21	1119304	OELFLEX CLASSIC 110, 4G1.5	4	1.5	15000	-U1-X3	+EXT-M2

1	2	3	4	5	6	7	8
Mpn	Revision	Manufacturer	Description	Count	Designations		
1119304		Lapp	OELFLEX CLASSIC 110, 4G1.5	2	-W11; -W21		
1119405		Lapp	OELFLEX CLASSIC 110, 5G2.5	1	-W1		
1LE1003-0EB42-2AA4		Innomotics	Induction motor, 4-pole, IE3, 400 V Y, frame 90, foot B3; 3.15 A; 1.5 kW	2	-M1; -M2		
21700601		Lapp	EPIC DATA RJ45, Cat.6A, T568B, field-installable plug	2	-W3-J1; -W3-J2		
2170465		Lapp	ETHERLINE Cat.6A P, industrial Ethernet cable, S/FTP	1	-W3		
SKX-PC-2	1.6		Pump cabinet	1	-U1		
</							