

Your pre-flight

Nine items block the team pilot, and none of them can be done by a teammate or an agent. Work down the list — the boxes remember themselves — then hit **Build my answer** at the bottom and paste the result back to me.

0 of 9 done

boxes save automatically

A · Things to do in GitHub

Repo: `0legKonyk/agnostic-development` · today it has exactly one collaborator (you, admin) and zero pending invitations, so all five seats need inviting.

☐ Invite the five seats as collaborators with `write`

Why: applying a label is how work starts and how QA is re-driven. `triage` can label but cannot merge, and your dev manager and both developers need merge — so `push` (GitHub's name for write) is the right level for all five. Replace the usernames, then send.

```
for u in PM_USER DM_USER DEVA_USER DEVB_USER INFRA_USER; do
  gh api -X PUT repos/0legKonyk/agnostic-development/collaborators/$u -f permission=push
done
```

copy

An invite is not access. Check acceptance with `gh api repos/0legKonyk/agnostic-development/invitations --jq 'length'` — it must read `0` with all five appearing in `gh api repos/0legKonyk/agnostic-development/collaborators --jq '[][.login]'`.

☐ Decide the break-glass path (the ledger's plan doesn't work as written)

Why: orchestrator PRs touching pipeline files carry no QA verdict, so someone must be able to merge past the ruleset. The ledger says "add the dev manager as a named bypass actor" — **but on a user-owned repo, ruleset bypass is granted by role or GitHub App, never to an individual**. Pick one of the two real options in section B; this box is just to confirm you've read the constraint.

Your live ruleset is `19701736` (`main-protection`), currently bypassed only by the repository-admin role — i.e. you.

☐ Confirm deploy secrets stay out of reach

Why: collaborators with write can read repository *variables* but not secrets; still, the round's rule is that the deploy path stays owner-only. Verify nothing new was added to the agent jobs.

```
gh secret list -R 0legKonyk/agnostic-development
gh variable list -R 0legKonyk/agnostic-development
```

copy

Expected: `CLAUDE_CODE_OAUTH_TOKEN` and `SDLC_APP_PRIVATE_KEY` as secrets; no Cloudflare deploy token unless you intend real deploys during the round.

☐ **Get each seat's spend acknowledgment in writing**

Why: this is the part people miss. Write access means **the ability to spend your Claude subscription by applying a label**. Nobody else can read the token, but every `stage:spec` bills you. One sentence per person, in the round-open thread, is enough.

Suggested wording: *"I understand that labelling a ticket starts paid agent work on Oleg's subscription, and I'll apply entry labels only for tickets on the Round 2 ledger."*

☐ **Each seat confirms they've read their playbook and the spec**

Why: the round measures whether the playbooks survive contact. If someone hasn't read theirs, you're measuring something else. Confirmation by name in the round-open comment.

Links: `docs/playbooks/` (one file per seat), `docs/sdlc.md` (the state machine), `docs/lab-charter.md` (the method).

B • Decisions only you can make

How should break-glass merges work?

Individual bypass isn't available on a user-owned repo, so these are the two honest options.

☐ **You keep break-glass**

Dev manager merges normal qa-passed PRs; pipeline-file PRs come to you. Simplest, and keeps the bypass count at one person — but you become a bottleneck for pipeline fixes.

☐ **Give the dev manager `maintain` and add that role to the ruleset bypass**

Closest to the ledger's intent. Grants bypass to the role rather than the person, so anyone later given `maintain` inherits it — acceptable at six people, worth revisiting beyond that.

When does the window run?

The charter freezes the ledger once it opens, so the dates go in before the first `stage:spec`. The ledger assumes 21–30 days.

Opens ☐ Closes ☐

What is the spend ceiling?

Bottom-up from the nine tickets is **\$51–100**; the plan figure is **\$65–85**. Round 1 taught that one ticket hitting an environment defect can cost double its band, and this excludes orchestrator-lane tokens.

☐ **\$110**

The ledger's figure — covers the pessimistic case plus one doubled ticket.

☐ **\$150**

Room for two surprises. Costs nothing if unused; avoids a mid-round decision under pressure.

☐ **Something else**

Name it in the box below.

If other

Who sits in which seat?

Role names only in the repo, but I need the mapping to address people correctly in round-open comments — and to check nobody is assigned two seats whose playbooks conflict.

PM

Dev manager

Dev A

Dev B

Infra

You hold QA — it's the seat the lab was built around.

Can you keep the subscription quiet during the window?

One OAuth token serves every phase. Heavy Claude Code use elsewhere competes with the pipeline and muddies the cost numbers — which is the operational reason the round runs tickets serially.

☐ **Yes, I'll keep it clear**

Cleanest measurement.

☐ **No — I'll be using it for other work**

Fine, but it gets declared as noise in the brief rather than discovered afterwards.

C · Hand it back

Fill in what you can, press the button, and paste the block into our chat. Anything you leave blank comes back as `TBD` — partial answers are useful, and I'll act on whatever is settled.

One thing I'd flag: the bypass constraint is a genuine defect in the ledger I wrote, found while building this page. Whichever option you pick, I'll correct the ledger to match reality before the window opens.

Build my answer

Clear saved state

Source of truth: `docs/case/round-2-ledger.md` in the repo — this page mirrors its pre-flight section, plus the bypass correction. Nothing in the ledger is frozen until you confirm these.