
MACOS MENU BAR APP

AI Hub Bar

Your AI and your Mac — one click away in the menu bar.

- % **See your Claude limits** — the 5-hour session and the week, with a forecast of when they run out.
- ✋ **Never miss a waiting agent** — Claude Code and Copilot CLI sessions, with Allow / Deny at the notch or in the notification.
- ▶ **Run AI on your projects** — ready-made commands for code, video, writing, research and marketing.
- ◠ **The notch, put to work** — a live island with limits, sessions and permission requests.
- ⌘ **Small Mac tools built in** — layout fix, Keep Awake, clipboard history, notes and more.



macOS 14+
Apple Silicon and Intel

Free and open source
MIT license

13 languages
including right-to-left Arabic

No account
your data stays on your Mac

AT A GLANCE

A control panel for working with AI

AI Hub Bar doesn't replace Claude, Codex or any other AI tool. It keeps an eye on them, starts them for you and shows the state of everything in one small panel under ✦ in the menu bar. It has no Dock icon and stays out of the way.

AI limits

Claude's 5-hour and weekly limits as rings, reset countdowns and a forecast. Codex, Copilot, Gemini CLI, Cursor, OpenRouter and API spend appear next to them.

Agent sessions

Claude Code sessions — Terminal, the Claude app, background runs — and Copilot CLI through its own hook: what each is doing right now and how full its context is.

Projects and commands

Your projects with their state. Expand one and run a command: next step, custom task, hooks for a video, proofreading, a source summary…

Profiles

Developer, Video, Writing, Research, Marketing or your own. Each profile picks its modules, their order and its own menu bar.

Notch island

The area around the MacBook notch shows limits and sessions at rest, opens for events and permission requests, and takes files dropped on it.

Mac tools

Optional modules: Layout fix, Mac Resources, Keep Awake, Quick Commands, Quick Toggles, Clipboard History, Notes and Calendar.

Works with the AI you already use

Agents found on the Mac and models you connect with your own API key:

Claude Code · OpenAI Codex CLI · Gemini CLI · Antigravity CLI · GitHub Copilot CLI · Cursor CLI · Anthropic API · OpenAI API · Google Gemini · xAI Grok · DeepSeek · Mistral · Ollama · LM Studio · OpenRouter

> The limits block and the session list are built for Claude Code with a Claude subscription; Copilot CLI sessions appear once its hook is installed. Everything else — projects, commands, calendar, Mac tools — also works with other agents or with a model by API.

LIMITS

Know how much is left — and for how long

No more guessing whether the session will last until the evening. The limits sit right in the menu bar and in the first card of the panel.

Claude subscription


- **5-hour session and week** as rings, coloured by level: green below 50 %, orange to 80 %, red above.
- **Reset countdown** and a **forecast** from the last 30 minutes: “enough until the reset” or “lasts until ~16:40”.
- **Week forecast** with a small bar for each day: “the week runs out Sat 04:56 at this pace”.
- **Usage by project**: each project's share and the heaviest session for the session, today and the week.
- Per-model weekly limits and extra usage, when your plan has them.

Alerts that don't nag

- One notification per window at 50 / 80 / 95 % (your choice) and when a limit is back.
- Near the limit, background runs pause and carry on after the reset by themselves.
- **Later → After the limit resets** queues a project's next step for the moment the session renews.
- Each kind of notification can be limited or turned off.

Other AI services

Under Claude's rings, other services show up by themselves once they are found on the Mac or their key is saved: Codex limits, GitHub Copilot premium requests, Gemini CLI quota, Cursor, OpenRouter credits, and OpenAI / Anthropic API spend. Commands run by API count their tokens, with a monthly budget and alerts at 80 % and 100 %.



The menu bar shows what you choose: a number, a ring or a bar, the countdown, waiting sessions, the next deadline, processor and memory.

AGENT SESSIONS

Every agent on your Mac, in one list

Run Claude in five terminals, the Claude app and the background, plus Copilot CLI — AI Hub Bar shows them all and tells you the moment one of them needs you.

See what each session is doing


- Project, worktree, task, duration and state: working, in background, **waiting for you**, done, error.
- **The current action** in words — “editing LimitsView.swift”, “running npm test”. Quiet for 10 minutes? The row turns orange.
- **Claude's task list** as it goes — step 3 of 7 — in the row, the card and the island.
- **What changed** since the session started: files and +/– lines from git; click for the file list.
- **Context fullness** from 70 %, and one heads-up at 90 % before Claude compacts the history.
- **Show** brings the right Terminal tab or Claude app window to the front.

Answer without switching windows

- When Claude asks for permission, the notch island, the notification and the session row get **Allow** / **Deny**.
- Away from the Mac? The same request comes to **Telegram** with buttons. Whichever answer comes first applies.

Background runs you can trust

- If Claude is already busy in a folder, a new task gets its own git worktree.
- Background runs follow an explicit permission list: no push to main, no force push, no deleting, no reading secrets.
- **At night** queues the next step for the night; in the morning, one summary of how it went.
- Journal, Stop, a time limit, and a Telegram message with the PR link when a run finishes.



Sessions come from a small hook in Claude Code's settings. It only writes status files on the Mac and never changes what Claude does.


NEW IN 1.0

The notch, put to work

On a MacBook with a notch, the black area around it becomes a live island: two small ears at rest, a short banner when something happens, a card when you hover — right where you are already looking.


Notch island

- **Ears at rest:** a limit on the left; sessions, background runs or Claude's progress — step 3 of 7 — on the right.
- **Events** as banners, one at a time: a session finished, Claude is waiting, a limit is near.
- **Permission requests** stay at the notch until you choose — with ^⌥Y / ^⌥N if you like.
- **Drop a file** on the island and pick a command — the result is a new file next to it.
- No notch? A pill on other screens. It steps aside for full-screen apps.



Layout fix

- A word typed in the wrong layout is retyped in the right one as you finish it, and the layout switches.
- **Double Shift** converts the last word or undoes a fix — and remembers the word.
- ⌥⇧ converts the selected text.
- English, Russian, Ukrainian, German, French, Portuguese and Spanish. Nothing typed is stored; password fields and terminals are left alone.



PROFILES, PROJECTS AND COMMANDS

Not only for developers

A profile is a set of modules for one kind of work. Start from a template, let the assistant ask a few questions, and change anything later.

TEMPLATE	A PROJECT IS	COMMANDS, FOR EXAMPLE
Developer	a git repository	Next step, Custom task, Finish — following the project's own CLAUDE.md / AGENTS.md; branch, open PRs and CI at a glance
Video	a folder per video	hooks, a Shorts version, description with timestamps, titles, fact check, translation
Writing	a folder per text	edit, proofread, another tone, shorten, SEO, split into posts
Research and study	a folder per topic	source summary, quotes with references, overview table, gaps, outline
Social media	a campaign or platform	posts per platform, ad variants, A/B titles, replies, a week's content plan
Mac Utilities	—	just the Mac tools: resources, keep awake, quick commands and toggles
Custom	any folder	your own commands with placeholders like {project}, {file}, {language}

Commands that never overwrite

- A result is always a **new file** in the project folder.
- **Models by API** get the project's main file; AI Hub Bar writes the answer.
- **Claude Code** runs with the profile's permissions: project files only, files + web search, or full code.
- **Other agents** open in Terminal with the task on the clipboard.

Compare and organise

- **Compare** runs one command with two or three services and shows the answers side by side.
- **Stages** (idea → script → editing → done) and metrics per project.
- A small **project card** in each folder with Stage, Deadline and Main file — readable and editable by hand.
- Several profiles at once, switched at the top of the panel; share one as a `.claudepult` file.

Extras for developers

- Each repository's health, branch, uncommitted files and open PRs coloured by CI.
- A notification when a PR's CI turns red or green again — a click opens the PR.
- The project's STATUS.md header (Stage / Now / Next) right in the expanded row.
- Worktrees listed per project, with a safe delete once they are clean and merged.
- Open the project in Terminal, Finder, GitHub or another installed agent.
- **Finish** asks Claude to run the checks, commit, push and open a PR.


CALENDAR AND MAC TOOLS

Deadlines in sight, the Mac at hand

Dates live in your project files, not in yet another app. And a few small Mac tools you would otherwise install separately.

Calendar

- **Upcoming** in the panel: the next 7 days of every profile, overdue in red.
- A **month or week** window with a colour per profile.
- **Drag** an entry to another day — the date is rewritten in its file. Double-click a day to add a deadline or a content-plan row.
- Content plans are plain Markdown tables: date, time, platform, topic, status, file.
- **Reminders** 2 hours, a day or 3 days before — optionally to Telegram.



Optional modules

Install from Settings → Modules. Each profile decides whether to show them and what is inside.

Mac Resources

Processor, memory, graphics, disk, network, battery and the busiest apps, with alerts when the Mac struggles. Processor and memory can go into the menu bar.

Keep Awake

The Mac stays awake while Claude works, for a set time, on power, with a display or while chosen apps run. Also in Control Center. System settings stay untouched.

Quick Commands

Your own buttons for scripts, Shortcuts, links and folders — from the panel, the ^⌥C search or a global shortcut of their own.

Quick Toggles



Clipboard History

Everything you copied, searchable, with pins for what you need again and again.

Notes

A quick note right in the panel, saved as a Markdown file you own.

EVERYWHERE ON THE MAC

Reach it from anywhere

The panel is the centre, but AI Hub Bar also lives in the menu bar, on the desktop, in Control Center, in Shortcuts and in Telegram.

Menu bar, your way

Presets or your own set: limits as a number, ring or bar, the reset countdown, sessions waiting for you, the next deadline, processor, memory, free disk. Drag to reorder, with a live preview. Hover for a summary of everything.

⌃⌥C search, ⌃⌥P prompt

From any app: find a session, project or command and press ↵ — or press ⌃⌥P, type a task, pick the project and agent, and send it.

Widgets and Control Center

“Claude limits” and “Sessions and projects” widgets for the desktop and Notification Center; a Keep Awake control on macOS 26+.

Shortcuts and Siri

Actions for Claude limits, a quick command by name and the search — combine them in your own automations.

Claude Code window

Every CLAUDE.md and AGENTS.md with search and editing, and MCP servers with an on/off switch. Saved prompts fill in {project}, {branch} and {file}.

Telegram bot

A menu in the chat and a Mini App: limits, sessions, Allow / Deny, a task for the background, reports, quiet hours. Alerts and a Sunday summary of the week.

Private by design

- **No account, no tracking.** AI Hub Bar talks only to the AI services you use; the optional shared Telegram bot goes through a relay that keeps no message text.
- **Your files** go only to the service you run a command with.
- **API keys** live in the macOS Keychain — never in logs or exported settings.
- **Claude's sign-in** is read from the Keychain on each refresh and never stored.
- Gemini and Cursor sign-ins are read only after you allow it, one by one.
- **Open source** under the MIT license — read every line on GitHub.

GET STARTED

Up and running in five minutes

You need a Mac with macOS 14 or later and at least one AI service: Claude Code with a subscription, another agent, or an API key.

Install

1. Download the `.dmg` from **GitHub Releases**.
2. Open it and drag **AI Hub Bar** to Applications.
3. Open the app. macOS says it can't check the developer — close the message.
4. System Settings → Privacy & Security → **Open Anyway**. Only once: after that the app updates itself.

First start

1. The welcome screen checks what the Mac still needs: an AI service, the session hook, notifications, open at login.
2. Import a `.claudepult` file — or pick a template.
3. Tick what the panel shows and point to the folder with your projects.
4. Skip anything: every choice can be changed later in Settings → Profiles.

Speaks your language

The interface and everything AI Hub Bar writes — templates, prompts, project cards, content plans — in 13 languages. It follows the system language, or pick one in Settings → General.

English · Русский · Українська · Español · Português (Brasil) · Français · Deutsch · Italiano · Polski · 日本語 · 한국어 · Bahasa Indonesia · العربية

Updates

The app checks for new versions daily and installs them in one click. Settings → General → Updates.

Clean uninstall

Remove the session hook in Settings → Claude Code, quit, then delete the app and its data folder — the guide lists every path.

Build it yourself

Xcode and XcodeGen, then `scripts/build-and-install.sh` in the repository folder.



github.com/OlehDemishev/AIHubBar

Download, guide, source code and issues. Free and open source under the MIT license.