

attente /
dotfiles

<> Code

Issues

Pull requests

Actions

Security

Insights

dotfiles / configuration.nix



attente fixup! install nerdfonts

70008e7 · last month



701 lines (610 loc) · 19.3 KB

```
1  # Edit this configuration file to define what should be installed on
2  # your system. Help is available in the configuration.nix(5) man page
3  # and in the NixOS manual (accessible by running 'nixos-help').
4
5  let secrets = import /etc/nixos/secrets.nix; in
6
7  { config, pkgs, ... }:
8
9  {
10     nix.settings = {
11         auto-optimize-store = true;
12         experimental-features = [ "nix-command" "flakes" ];
13     };
14
15     imports =
16     [ # Include the results of the hardware scan.
17       ./hardware-configuration.nix
18
19       <home-manager/nixos>
20     ];
21
22     # Bootloader.
23     boot.loader.systemd-boot.enable = true;
24     boot.loader.systemd-boot.editor = false;
25     boot.loader.efi.canTouchEfiVariables = true;
26
27     boot.kernelPackages = pkgs.linuxPackages_latest;
28
29     boot.initrd.kernelModules = [
30         "amdgpu"
31         "lm92"
32         "nct6775"
33     ];
34
35     boot.kernelParams = [
36         "video=DP-1:1920x1080@60"
37         "video=DP-2:1920x1080@60"
```

```
38 ];
39
40 boot.kernel.sysctl = {
41   "fs.inotify.max_user_watches" = 65536;
42 };
43
44 networking.hostName = "oxygen"; # Define your hostname.
45 # networking.wireless.enable = true; # Enables wireless support via wpa
46
47 # Configure network proxy if necessary
48 # networking.proxy.default = "http://user:password@proxy:port/";
49 # networking.proxy.noProxy = "127.0.0.1,localhost,internal.domain";
50
51 # Enable networking
52 networking.networkmanager.enable = true;
53
54 # The global useDHCP flag is deprecated, therefore explicitly set to false
55 # Per-interface useDHCP will be mandatory in the future, so this generat
56 # replicates the default behaviour.
57 networking.useDHCP = false;
58 networking.interfaces.wlp4s0.useDHCP = true;
59
60 hardware.bluetooth.enable = true;
61
62 # Set your time zone.
63 time.timeZone = "America/Toronto";
64
65 console = {
66   font = "Lat2-Terminus16";
67   keyMap = "us";
68 };
69
70 # Select internationalisation properties.
71 i18n.defaultLocale = "en_CA.UTF-8";
72
73 i18n.extraLocaleSettings = {
74   LC_ADDRESS = "en_CA.UTF-8";
75   LC_IDENTIFICATION = "en_CA.UTF-8";
76   LC_MEASUREMENT = "en_CA.UTF-8";
77   LC_MONETARY = "en_CA.UTF-8";
78   LC_NAME = "en_CA.UTF-8";
79   LC_NUMERIC = "en_CA.UTF-8";
80   LC_PAPER = "en_CA.UTF-8";
81   LC_TELEPHONE = "en_CA.UTF-8";
82   LC_TIME = "en_CA.UTF-8";
83 };
84
85 i18n.inputMethod = {
86   enabled = "fcitx5";
87
88   fcitx5.addons = with pkgs; [
89     fcitx5-gtk
```

```
90         fcitx5-mozc
91     ];
92 };
93
94 # Configure keymap in X11
95 services.xserver.xkb = {
96     layout = "us";
97     variant = "";
98 };
99
100 fonts = {
101     enableDefaultPackages = true;
102
103     packages = with pkgs; [
104         cantarell-fonts
105         nerd-fonts-noto
106         noto-fonts
107         noto-fonts-cjk-sans
108         noto-fonts-emoji
109         noto-fonts-extra
110         roboto
111     ];
112 };
113
114 users.mutableUsers = false;
115
116 users.defaultUserShell = pkgs.zsh;
117
118 users.users.root.hashedPassword = secrets.users.root.hashedPassword;
119
120 # Define a user account. Don't forget to set a password with 'passwd'.
121 users.users.william = {
122     uid = 1000;
123     isNormalUser = true;
124     description = "William Hua";
125     hashedPassword = secrets.users.william.hashedPassword;
126     extraGroups = [
127         "adbusers"
128         "docker"
129         "kvm"
130         "libvirt"
131         "networkmanager"
132         "sway"
133         "video"
134         "wheel"
135     ];
136     packages = with pkgs; [];
137 };
138
139 home-manager.users.william = let mozilla = import (builtins.fetchGit {
140     url = "https://github.com/mozilla/nixpkgs-mozilla.git";
141     ref = "master";
```

```
142     };
143     nixpkgs.overlays = [
144         mozilla
145         (self: super: {
146             latest.rustChannels.stable.rust = super.latest.rustChannels.stable;
147             targets = [
148                 "wasm32-unknown-unknown"
149             ];
150
151             extensions = [
152                 "clippy-preview"
153                 "rust-src"
154                 "rustfmt-preview"
155             ];
156         });
157     ];
158 ];
159
160 programs.home-manager.enable = true;
161
162 services.syncthing.enable = true;
163
164 programs.neovim.enable = true;
165 programs.neovim.vimAlias = true;
166 programs.neovim.vimAlias = true;
167 programs.neovim.plugins = with pkgs.vimPlugins; [
168     cmp-buffer
169     cmp-nvim-lsp
170     cmp-nvim-lsp-signature-help
171     cmp-path
172     cmp_luasnip
173     fzf-vim
174     gitgutter
175     luasnip
176     nvim-cmp
177     nvim-lspconfig
178     nvim-treesitter.withAllGrammars
179     rust-vim
180     telescope-nvim
181     tokyonight-nvim
182     typescript-vim
183     vimwiki
184 ];
185
186 programs.git.enable = true;
187 programs.git.userName = "William Hua";
188 programs.git.userEmail = "william@attente.ca";
189 programs.git.extraConfig = {
190     pull = {
191         rebase = true;
192     };
193
194     push = {
```

```
195         useForceIfIncludes = true;
196     };
197
198     merge = {
199         autoStash = true;
200         conflictStyle = "zdiff3";
201         tool = "nvimdiff";
202     };
203
204     rebase = {
205         autoSquash = true;
206         autoStash = true;
207     };
208
209     advice = {
210         skippedCherryPicks = false;
211     };
212
213     url = {
214         "ssh://git@github.com/0xsequence" = {
215             insteadOf = "https://github.com/0xsequence";
216         };
217         "ssh://git@github.com/horizon-games" = {
218             insteadOf = "https://github.com/horizon-games";
219         };
220     };
221 };
222
223 programs.git.delta.enable = true;
224 programs.git.lfs.enable = true;
225
226 programs.fzf.enable = true;
227 programs.fzf.enableZshIntegration = true;
228 programs.fzf.defaultCommand = "fd -L 2>/dev/null";
229 programs.fzf.changeDirWidgetCommand = "fd -L -t d 2>/dev/null";
230 programs.fzf.fileWidgetCommand = "fd -L -t f -t l 2>/dev/null";
231
232 home.packages = with pkgs; [
233     alacritty
234     ansifilter
235     bandwhich
236     baobab
237     bat
238     binaryen
239     bottom
240     bubblewrap
241     bun
242     corepack
243     d-spy
244     docker-compose
245     du-dust
246     dunst
```

```
247     eog
248     evince
249     eww
250     fd
251     fdupes
252     file
253     firefox
254     gitg
255     glib
256     gnumake
257     gnupg
258     go
259     (google-cloud-sdk.withExtraComponents [google-cloud-sdk.components.
260     gopls
261     imagemagick
262     inkscape
263     inotify-tools
264     jq
265     keepassxc
266     latest.rustChannels.stable.rust
267     lazydocker
268     ldns
269     libreoffice
270     lldb
271     lm_sensors
272     lsd
273     man-pages
274     mercurial
275     nautilus
276     nix-index
277     nodePackages_latest.typescript-language-server
278     nodejs_latest
279     openssl
280     pavucontrol
281     pkg-config
282     plasma5Packages.kdeconnect-kde
283     poppler_utils
284     postgresql
285     procs
286     pulseaudio
287     python3
288     rclone
289     ripgrep
290     sd
291     shellcheck
292     sqlite
293     swww
294     tealdeer
295     tmate
296     tree
297     tree-sitter
298     ungoogled-chromium
299     un7z
```

```
---
300     vlc
301     vscodium
302     wabt
303     weechat
304     wget
305     wireshark
306     xdg-utils
307     (yarn.override {
308       nodejs = nodejs_latest;
309     })
310     zip
311 ];
312
313 home.pointerCursor = {
314   package = pkgs.adwaita-icon-theme;
315   name = "Adwaita";
316   size = 64;
317   gtk.enable = true;
318 };
319
320 xdg.desktopEntries = {
321   youtube-music = {
322     name = "YouTube Music";
323     exec = "chromium --enable-features=UseOzonePlatform --ozone-platf";
324   };
325 };
326
327 home.stateVersion = "23.11";
328 };
329
330 # users.extraUsers.guest = {
331 #   isNormalUser = true;
332 #   uid = 1000;
333 # };
334
335 # List packages installed in system profile. To search, run:
336 # $ nix search wget
337 environment.systemPackages = with pkgs; [
338   # vim # Do not forget to add an editor to edit configuration.nix! The ↵
339   # wget
340   neovim
341 ];
342
343 environment.shellAliases = {
344   nix-shell = "nix-shell --command zsh";
345   vi = "nvim";
346 };
347
348 environment.shellInit = ''
349   export EDITOR=nvim
350   export VISUAL=nvim
351 '';
```

```

352
353     # Some programs need SUID wrappers, can be configured further or are
354     # started in user sessions.
355     # programs.bash.enableCompletion = true;
356     # programs.mtr.enable = true;
357     # programs.gnupg.agent = {
358     #   enable = true;
359     #   enableSSHSuport = true;
360     # };
361
362     programs.zsh = {
363       enable = true;
364       enableCompletion = true;
365       autosuggestions.enable = true;
366       syntaxHighlighting.enable = true;
367       shellInit = "DISABLE_MAGIC_FUNCTIONS=true";
368       ohMyZsh = {
369         enable = true;
370         theme = "robbyrussell";
371       };
372     };
373
374     programs.sway = {
375       enable = true;
376
377       extraPackages = with pkgs; [
378         grim
379         qt5.qtwayland
380         (redshift.overrideAttrs (oldAttrs: {
381           src = fetchFromGitHub {
382             owner = "minus7";
383             repo = "redshift";
384             rev = "7da875d34854a6a34612d5ce4bd8718c32bec804";
385             sha256 = "0nbkcw3avmzjg1jr1g9yfp80kzisy55idl09b6wvzv2sz27n957";
386             fetchSubmodules = true;
387           };
388         }))
389         slurp
390         swaybg
391         swayidle
392         swaylock
393         (waybar.override {
394           pulseSupport = true;
395         })
396         wf-recorder
397         wl-clipboard
398         wofi
399         xwayland
400       ];
401
402       extraSessionCommands = ''
403         export XDG_CURRENT_DESKTOP=sway
404         export XDG_SESSION_TYPE=wayland

```



```
404     export XDG_SESSION_TYPE=wayland
405     export GDK_BACKEND=wayland
406     export QT_QPA_PLATFORM=wayland
407     '';
408 };
409
410 programs.hyprland.enable = true;
411
412 programs.ssh.startAgent = true;
413
414 programs.light.enable = true;
415
416 programs.adb.enable = true;
417
418 programs.virt-manager.enable = true;
419
420 # List services that you want to enable:
421
422 services.tlp = {
423     enable = true;
424
425     settings = {
426         CPU_SCALING_GOVERNOR_ON_AC = "powersave";
427         CPU_SCALING_GOVERNOR_ON_BAT = "powersave";
428         START_CHARGE_THRESH_BAT0 = 40;
429         STOP_CHARGE_THRESH_BAT0 = 50;
430     };
431 };
432
433 services.fwupd.enable = true;
434
435 services.logind.extraConfig = ''
436     RuntimeDirectoryInodesMax=1000000000
437     RuntimeDirectorySize=25%
438 '';
439
440 services.avahi = {
441     enable = true;
442     nssmdns4 = true;
443     publish = {
444         enable = true;
445         userServices = true;
446         addresses = true;
447         domain = true;
448     };
449 };
450
451 # Enable the OpenSSH daemon.
452 services.openssh.enable = true;
453 services.openssh.settings = {
454     PasswordAuthentication = false;
455 };
456
```

```

457     # Open ports in the firewall.
458     # networking.firewall.allowedTCPPorts = [ ... ];
459     # networking.firewall.allowedUDPPorts = [ ... ];
460     # Or disable the firewall altogether.
461     # networking.firewall.enable = false;
462
463     # Enable CUPS to print documents.
464     # services.printing.enable = true;
465
466     # Enable sound.
467     # sound.enable = true;
468     # hardware.pulseaudio.enable = true;
469     services.pipewire = {
470         enable = true;
471         pulse.enable = true;
472     };
473
474     # Enable the X11 windowing system.
475     # services.xserver.enable = true;
476     # services.xserver.layout = "us";
477     # services.xserver.xkbOptions = "eurosign:e";
478
479     # Enable touchpad support.
480     # services.xserver.libinput.enable = true;
481
482     # Enable the KDE Desktop Environment.
483     # services.xserver.displayManager.sddm.enable = true;
484     # services.xserver.desktopManager.plasma5.enable = true;
485
486     services.gvfs.enable = true;
487
488     services.pcscd.enable = true;
489
490     services.openvpn.servers = {
491         canada = {
492             autoStart = false;
493             updateResolvConf = true;
494             config = ''
495                 # =====
496                 # Copyright (c) 2016-2020 Proton Technologies AG (Switzerland)
497                 # Email: contact@protonvpn.com
498                 #
499                 # The MIT License (MIT)
500                 #
501                 # Permission is hereby granted, free of charge, to any person obtaining
502                 # copies of this software and associated documentation files (the "Software"),
503                 # to use, copy, modify, merge, publish, distribute, sublicense, and/or
504                 # furnish copies of the Software without restriction, including without limitation
505                 # the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
506                 # furnish copies of the Software, and to permit persons to whom the Software
507                 # is furnished to do so, subject to the following conditions:
508                 #
509                 # The above copyright notice and this permission notice shall be included

```

```

509      # copies or substantial portions of the Software.
510      #
511      # THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
512      # IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANT
513      # FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT
514      # AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
515      # LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE
516      # FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR DIS
517      # IN THE SOFTWARE.
518      # =====
519
520      # If you are a paying user you can also enable the ProtonVPN ad block
521      # Use: "v4vp8JZKxL40XJMjcFISwwaj+f1" as username to enable anti-malw
522      # Use: "v4vp8JZKxL40XJMjcFISwwaj+f2" as username to additionally e
523      # Use: "v4vp8JZKxL40XJMjcFISwwaj+nr" as username to enable Moderat
524      # Note that you can combine the "+nr" suffix with other suffixes.
525
526      client
527      dev tun
528      proto udp
529
530      remote 169.150.204.44 5060
531      remote 178.249.214.65 80
532      remote 169.150.204.44 80
533      remote 169.150.204.44 1194
534      remote 37.120.237.178 51820
535      remote 37.120.205.82 51820
536      remote 172.83.40.66 80
537      remote 172.83.40.66 4569
538      remote 66.115.146.162 51820
539      remote 178.249.214.65 5060
540      remote 37.120.237.178 1194
541      remote 86.106.90.98 1194
542      remote 86.106.90.98 80
543      remote 178.249.214.65 51820
544      remote 37.120.205.82 1194
545      remote 66.115.146.162 80
546      remote 86.106.90.98 51820
547      remote 37.120.237.170 5060
548      remote 37.120.237.170 4569
549      remote 66.115.146.162 5060
550      remote 169.150.204.44 5060
551      remote 37.120.205.82 5060
552      remote 66.115.146.162 51820
553      remote 178.249.214.65 1194
554      remote 178.249.214.65 80
555      remote 172.83.40.66 1194
556      remote 169.150.204.44 51820
557      remote 178.249.214.65 4569
558      remote 178.249.214.65 4569
559      remote 37.120.205.82 4569
560      remote 66.115.146.162 1194
561      remote 37.120.237.170 80

```

```
562     remote 66.115.146.162 4569
563     remote 169.150.204.44 80
564     remote 169.150.204.44 4569
565     remote 169.150.204.44 1194
566     remote 178.249.214.65 51820
567     remote 66.115.146.162 4569
568     remote 178.249.214.65 5060
569     remote 86.106.90.98 5060
570     remote 66.115.146.162 80
571     remote 37.120.237.178 5060
572     remote 37.120.237.170 1194
573     remote 178.249.214.65 80
574     remote 66.115.146.162 1194
575     remote 178.249.214.65 4569
576     remote 172.83.40.66 51820
577     remote 37.120.237.178 4569
578     remote 178.249.214.65 5060
579     remote 178.249.214.65 1194
580     remote 37.120.205.82 80
581     remote 169.150.204.44 51820
582     remote 169.150.204.44 4569
583     remote 178.249.214.65 51820
584     remote 66.115.146.162 5060
585     remote 178.249.214.65 1194
586     remote 37.120.237.178 80
587     remote 172.83.40.66 5060
588     remote 86.106.90.98 4569
589     remote 37.120.237.170 51820
590     server-poll-timeout 20
591
592     remote-random
593     resolv-retry infinite
594     nobind
595
596     # The following setting is only needed for old OpenVPN clients con
597     # automatically negotiate the optimal cipher.
598     cipher AES-256-CBC
599
600     auth SHA512
601     verb 3
602
603     setenv CLIENT_CERT 0
604     tun-mtu 1500
605     tun-mtu-extra 32
606     mssfix 1450
607     persist-key
608     persist-tun
609
610     reneg-sec 0
611
612     remote-cert-tls server
613     auth-user-pass
```

```

614     pull
615     fast-io
616
617     script-security 2
618     # up /etc/openvpn/update-resolv-conf
619     # down /etc/openvpn/update-resolv-conf
620
621     <ca>
622     -----BEGIN CERTIFICATE-----
623     MIIFozCCA4ugAwIBAgIBATANBgkqhkiG9w0BAQ0FADBAMQswCQYDVQQGEwJDSDEV
624     MBMGA1UEChMMUHJvdG9uVlBOIEFHMR0wGAYDVQQDExFQcm90b25WUE4gUm9vdCBD
625     QTAEFw0xNzAyMTUxNDM4MDBaFw0yNzAyMTUxNDM4MEAxCzAJBgNVBAYTAkNI
626     MRUwEwYDVQQKEwxQcm90b25WUE4gQUcxGjAYBgNVBAMTEVByb3RvbLZQTiBSb290
627     IENBMIICIjANBgkqhkiG9w0BAQEFAAOCAg8AMIICGKCAgEAt+BsSsZg7+AuqTq7
628     vDbPzfytgl9f8fLJq04amsyOXLI7pquL5IsEZhpWyJIIvYybqS4s1/T7BbvHPLVE
629     wlrq8A5DBIXcfuXrBbKoYkmpICGc2u1KYVG0Z9A+PH9z4Tr60XFFXRnsbZToie8t
630     2Xjv/dZDdUDAQew89I/mXg3k5x08m2nfGCQDm4gCanN1r5MT7ge56z0MkY3FFGC0
631     qRwspIEUzu1ZqGSTkG1eQi0YIrd0F5cc7n2APyvBIcfvp/W3cpT0EmEBJ7/14RnX
632     nHo0fcx61Inx/6ZxzKkw8BMDGGQF3tF6u2M0FjVN0LLH9S0ul1Tgo0S56yEJ34hr
633     JSRTqHuar3t/xdCbKFZjyXFZFNsXVvgJu34CNLRHHTGJj9jiUfFnXWQYMo9UNUD4
634     a3PPG1HnbG7LAjlvj5JlJ5aq05gshdnqb9uIQeR2CdzcCJgklwRGCyDT1pm7eoiv
635     WV19YBd81vKulLzgPavu3kRRRe83yl29It2hwQ9FMs5w6ZV/X6ciTKo3etkX9nBD9
636     ZzJPsgQsBUy7Cz01jK4W01+u3ItmQS+1s4xtcFxdFY8o/q1zoqBlxpe5MQIWN6Qa
637     lryiET74gMHE/S5WrPlsq/gehxsdcg6GDUXG4dk8vn60UMa6wb5wR03VXGEC67IY
638     m4mDFTYiPvLaF0xtndLUWuCruKcCAwEAaOBpZCBpDAMBgnVHRMEBTADAQH/MB0G
639     A1UdDgQWBBSdkIaYhLVZTwyLNTetNB2qV0gkVDBoBgNVHSMEYTBfgBSDkIaYhLVZ
640     TwyLNTetNB2qV0gkVKFEpEiWQDELMakGA1UEBhMCQ0gxFTATBgNVBAoTDFByb3Rv
641     bLZQTiBBRzEaMBGGA1UEAxMRUHJvdG9uVlBOIFJvb3QgQ0GCAQEwCwYDVR0PBAQD
642     AgEGMA0GCSqGSIsb3DQEBDQUAA4ICAQCyr7LpvnfZXBCxVIvc2ea1fjxQ6vkTj0zM
643     htFs3qfeXpMRf+g1NAh4vv1UIwLscziLmt87SjpJ25pZPyS30+/VLI9ceZMvtGXd
644     MGfXhTdp//zRoL1cbzSHee9tQlEm1tKFxB0wfWd/inGRjZxpJCTQh8oc7CTziHZ
645     ufs+Jkfpc4Rasr31fl7mHhJahF1j/ka/00WmFbiHBNjzmNWPQInJm+0ygFqij5qs
646     510EvubR8yh5Mdq4TNuWhFuTxpqoJ87VKaSOx/Aefca44Etwcj4gHb7LThidw/ky
647     zysZiWjyrbfX/31RX7QanKiMk2RDtgZawi/LMfsl50+6E2LJ1vo4xv9pW8225B5X
648     eAeXHCfjV/vrrCFqeCprNF6a3Tn/LX6Vny3jbeC+167QagB0aoDA01XP0x70dhsb
649     Gd7cJ5VkggyycZgLnT9zrChgwjx59JQosFEG1DsaAgHfpEL/N3YPJh68N7fwN41Cj
650     zsk39v6iZdfuet/sp7oiP5/gLmA/CIPNhdIYxaojbLjFPkftVjVPn49RqwqzJJPR
651     N8BOyb94yhQ7K04F3IcLT/y/dswitY0ZH4lCnAVV/v2YjWAWS30Wyc8BFx/Jmc3W
652     DK/yPwECUCpGHIeXiRjHnJt0Zcm2302Q3RphPU+1S03XixsXp0V0YP6rJIXW9bMZ
653     A1gTTlpi7A==
654     -----END CERTIFICATE-----
655     </ca>
656
657     key-direction 1
658     <tls-auth>
659     # 2048 bit OpenVPN static key
660     -----BEGIN OpenVPN Static key V1-----
661     6acef03f62675b4b1bbd03e53b187727
662     423cea742242106cb2916a8a4c829756
663     3d22c7e5cef430b1103c6f66eb1fc5b3
664     75a672f158e2e2e936c3faa48b035a6d
665     e17beaac23b5f03b10b868d53d03521d
666     65445050d1777c004b5d758c0e57470

```

```
666      8ba1130590a777a00c010702c9c57472
667      78a15b8f6e68a3ef7fd583ec9f398c8b
668      d4735dab40cbd1e3c62a822e97489186
669      c30a0b48c7c38ea32ceb056d3fa5a710
670      e10ccc7a0ddb363b08c3d2777a3395e1
671      0c0b6080f56309192ab5aacd4b45f55d
672      a61fc77af39bd81a19218a79762c3386
673      2df55785075f37d8c71dc8a42097ee43
674      344739a0dd48d03025b0450cf1fb5e8c
675      aeb893d9a96d1f15519bb3c4dcb40ee3
676      16672ea16c012664f8a9f11255518deb
677      -----END OpenVPN Static key V1-----
678      </tls-auth>
679      '';
680      authUserPass = {
681          inherit (secrets.vpn) username password;
682      };
683  };
684  };
685
686  services.flatpak.enable = true;
687
688  virtualisation = {
689      docker.enable = true;
690      libvirtd.enable = true;
691  };
692
693  # This value determines the NixOS release from which the default
694  # settings for stateful data, like file locations and database versions
695  # on your system were taken. It's perfectly fine and recommended to lea
696  # this value at the release version of the first install of this system.
697  # Before changing this value read the documentation for this option
698  # (e.g. man configuration.nix or on https://nixos.org/nixos/options.html
699  system.stateVersion = "23.11"; # Did you read the comment?
700
701  }
```