[novafacing]() / **configuration.nix**   ···

Last active 2 years ago • Report abuse

<> **Code**   ◦ Revisions   7

<> **configuration.nix**

```nix
# sh <(curl -L https://nixos.org/nix/install)
# nix-build https://github.com/LnL7/nix-darwin/archive/master.tar.gz -A installer
# ./result/bin/darwin-installer
# Go through installer, put this file where you want it
# darwin-rebuild switch -I darwin-config=${HOME}/wherever/you/put/it/configuration.nix
# There will probably be errors :)

{ config, pkgs, lib, ... }:
let
  username = "novafacing";
  name = "chaos";
  fenix = import
    (fetchTarball "https://github.com/nix-community/fenix/archive/main.tar.gz")
    { };
  fisa-code = pkgs.callPackage ({ lib, stdenvNoCC, fetchFromGitHub }:
    stdenvNoCC.mkDerivation rec {
      pname = "fisa-code";
      version = "1.0";
      src = fetchFromGitHub {
        owner = "sainnhe";
        repo = "icursive-nerd-font";
        rev = "623feb6815753c5679ef4111fb137b8dae4fb983";
        hash = "sha256-NJjyOsDCQ+QmCMlP6ZwBOBdEcKqRQdevUIilWr21snU=";
      };

      installPhase = ''
        runHook preInstall
        install -m444 -Dt $out/share/fonts/truetype dist/*/*.ttf
        runHook postInstall
      '';

      meta = with lib; {
        homepage = "https://github.com/sainnhe/icursive-nerd-font";
        description = "Patched Nerd Fonts";
        longDescription = "Patched Nerd Fonts";
        platforms = platforms.all;
      };
    }) { };
  sold = pkgs.callPackage ({ lib, stdenv, fetchFromGitHub, cmake, mimalloc
    , ninja, openssl, zlib, testers }:

    stdenv.mkDerivation rec {
```

```nix
43          name = "mold";
44          pname = "mold";
45
46          src = fetchFromGitHub {
47            owner = "bluewhalesystems";
48            repo = "sold";
49            rev = "ab4245a0919c16775c9d497dfa3f03330bda733b";
50            hash = "sha256-hAxxnXy7OodIu5rSGlZImktd8ucNLauDeSgGsbaOIps=";
51          };
52
53          nativeBuildInputs = [ cmake ninja ];
54
55          buildInputs = [ openssl zlib ]
56            ++ lib.optionals (!stdenv.isDarwin) [ mimalloc ];
57
58          postPatch = ''
59            sed -i CMakeLists.txt -e '/.*set(DEST\ .*/d'
60          '';
61
62          cmakeFlags = [ "-DMOLD_USE_SYSTEM_MIMALLOC:BOOL=ON" ];
63
64          env.NIX_CFLAGS_COMPILE =
65            toString (lib.optionals stdenv.isDarwin [ "-faligned-allocation" ]);
66
67          meta = with lib; {
68            description = "A faster drop-in replacement for existing Unix linkers";
69            longDescription = ''
70              mold is a faster drop-in replacement for existing Unix linkers. It is
71              several times faster than the LLVM lld linker. mold is designed to
72              increase developer productivity by reducing build time, especially in
73              rapid debug-edit-rebuild cycles.
74            '';
75            homepage = "https://github.com/rui314/mold";
76            changelog = "https://github.com/rui314/mold/releases/tag/v${version}";
77            license = licenses.agpl3Plus;
78            maintainers = with maintainers; [ azahi nitsky ];
79            platforms = platforms.unix;
80          };
81        }) { };
82      stateVersion = 4;
83  in let
84    home-packages = [
85      fenix.default.toolchain
86      fenix.rust-analyzer-vscode-extension
87      fenix.rust-analyzer
88      sold
89      pkgs.vscode
90      pkgs.kitty
91      pkgs.python311Full
92      pkgs.llvmPackages_16.clang
93      pkgs.llvmPackages_16.compiler-rt
94      pkgs.llvmPackages_16.libclang
```

```nix
 95        pkgs.llvmPackages_16.libcxx
 96        pkgs.llvmPackages_16.libcxxabi
 97        pkgs.llvmPackages_16.libllvm
 98        pkgs.llvmPackages_16.libunwind
 99        pkgs.llvmPackages_16.lld
100        pkgs.llvmPackages_16.lldb
101        pkgs.llvmPackages_16.openmp
102        pkgs.fd
103        pkgs.silver-searcher
104        pkgs.nil
105        pkgs.nixfmt
106      ];
107   in {
108      imports = [ <home-manager/nix-darwin> ];
109      documentation = {
110        enable = false;
111        doc = { enable = false; };
112        info = { enable = false; };
113        man = { enable = false; };
114      };
115      environment = {
116        darwinConfig = "$HOME/config/configuration.nix";
117        systemPackages = [
118          pkgs.darwin.apple_sdk.frameworks.System
119          pkgs.darwin.apple_sdk.frameworks.CoreFoundation
120          pkgs.darwin.apple_sdk.frameworks.CoreServices
121        ];
122        systemPath = [ ];
123        shellAliases = { };
124        variables = { };
125      };
126      fonts = {
127        fontDir = { enable = true; };
128        fonts = [ pkgs.font-awesome fisa-code pkgs.nerdfonts ];
129      };
130      users = {
131        users = {
132          ${username} = {
133            name = "${username}";
134            home = "/Users/${username}";
135          };
136        };
137      };
138      home-manager = {
139        useGlobalPkgs = true;
140        users = {
141          ${username} = { lib, pkgs, ... }: {
142            manual = { manpages = { enable = false; }; };
143            programs = {
144              zsh = {
145                enable = true;
146                enableAutosuggestions = true;
```

```nix
147                 enableCompletion = true;
148                 enableSyntaxHighlighting = true;
149                 enableVteIntegration = true;
150                 envExtra = ''
151                                     [[ -o login ]] && export PATH='/usr/local/bin
152                                 if [ -e '/nix/var/nix/profiles/etc/profile.d/nix-da
153                                     . '/nix/var/nix/profiles/etc/profile.d/nix-daem
154                                 fi
155                                 [[ -f "$HOME/.cargo/env" ]] && source "$HOME/.cargo
156                                 export NIX_PATH="''${NIX_PATH}:darwin-config=/Users
157                                     export PATH="''${HOME}/install/bin/:''${PATH}
158                                     export PATH="''${HOME}/.nix-profile/bin/:''${
159                 '';
160                 history = {
161                     ignoreDups = true;
162                     extended = true;
163                     save = 1000000;
164                     share = true;
165                     size = 1000000;
166                 };
167                 initExtra = "";
168                 oh-my-zsh = {
169                     enable = true;
170                     extraConfig = "";
171                     plugins = [ "git" "python" "rust" "extract" "sudo" ];
172                 };
173                 plugins = [{
174                     name = "z";
175                     src = pkgs.fetchFromGitHub {
176                         owner = "rupa";
177                         repo = "z";
178                         rev = "master";
179                         sha256 = "sha256-4jMHh1GVRdFNjUjiPH94vewbfLcah7Agu153zjVNE14=";
180                     };
181                 }];
182             };
183         atuin = {
184             enable = true;
185             enableZshIntegration = true;
186             flags = [ ];
187             settings = {
188                 db_path = "~/.history.db";
189                 key_path = "~/.atuin-key";
190                 session_path = "~/.atuin-key";
191                 dialect = "us";
192                 auto_sync = false;
193                 sync_frequency = "5m";
194                 sync_address = "https://api.atuin.sh";
195                 search_mode = "fuzzy";
196                 inline_height = 20;
197                 style = "compact";
198                 show_preview = true;
```

```nix
199            exit_mode = "return-query";
200            history_filter = [ "chpasswd" ];
201          };
202        };
203        bat = { enable = true; };
204        bottom = { enable = true; };
205        command-not-found = {

206

207        };
208        feh = { enable = true; };
209        gh = {
210          enable = true;
211          settings = { git_protocol = "ssh"; };
212        };
213        git = {
214          enable = true;
215          aliases = {
216            status = "status --sort --branch";
217            grog =
218              "log --graph --abbrev-commit --decorate --all --format=format:'%C(bold

219

220          };
221          delta = {
222            enable = true;
223            options = { };
224          };
225          extraConfig = {
226            init = { defaultBranch = "main"; };

227

228            "filter \"lfs\"" = {
229              required = true;
230              clean = "git-lfs clean -- %f";
231              smudge = "git-lfs smudge -- %f";
232              process = "git-lfs filter-process";
233            };
234          };
235          ignores = [ ".DS_STORE" ];
236          userName = "novafacing";
237          userEmail = "rowanbhart@gmail.com";
238        };
239        go = {
240          enable = true;

241

242        };
243        gpg = { enable = true; };
244        jq = { enable = true; };
245        kitty = {
246          enable = true;
247          darwinLaunchOptions = [ ];
248          environment = { };
249          extraConfig = "";
250          font = {
```

```
251              name = "Fisa Code";
252              size = 12.0;
253            };
254          settings = {
255            disable_ligatures = "tab cursor";
256            scrollback_lines = 100000;
257            enable_audio_bell = "no";
258            term = "xterm";
259            allow_remote_control = "yes";
260            # Colorscheme
261            background = "#32302f";
262            foreground = "#d4be98";
263            cursor = "#89b482";
264            selection_foreground = "#32302f";
265            selection_background = "#d4be98";
266            color0 = "#32302f";
267            color8 = "#d4be98";
268            # red
269            color1 = "#ea6962";
270            # light red
271            color9 = "#fb4934";
272            # green
273            color2 = "#a9b665";
274            # light green
275            color10 = "#6c782e";
276            # yellow
277            color3 = "#d8a657";
278            # light yellow
279            color11 = "#e78a4e";
280            # blue
281            color4 = "#7daea3";
282            # light blue
283            color12 = "#45707a";
284            # magenta
285            color5 = "#d3869b";
286            # light magenta
287            color13 = "#945e80";
288            # cyan
289            color6 = "#89b482";
290            # lighy cyan
291            color14 = "#4c7a5d";
292            # light gray
293            color7 = "#928474";
294            # dark gray
295            color15 = "#665c54";
296          };
297          shellIntegration = { enableZshIntegration = true; };
298        };
299        lsd = {
300          enable = true;
301          enableAliases = true;
302          settings = {
```

```nix
303              date = "relative";
304              ignore-globs = [ ".git" ];
305            };
306          };
307      neovim = {
308        enable = true;
309        defaultEditor = true;
310        extraConfig = "";
311        plugins = with pkgs.vimPlugins;
312          [

313
314          ];
315        viAlias = true;
316        vimAlias = true;
317        vimdiffAlias = true;
318        withNodeJs = true;
319        withPython3 = true;
320      };
321      nix-index = {
322        enable = true;
323        enableZshIntegration = true;
324      };
325      pandoc = { enable = true; };
326      ssh = {
327        enable = true;
328        compression = true;
329        controlMaster = "auto";
330        matchBlocks = {
331          grobot = {
332            hostname = "192.168.0.2";
333            user = "grobot";

334
335          };
336        };
337      };
338      starship = {
339        enable = true;
340        enableZshIntegration = true;
341        settings = {

342
343          "$schema" = "https://starship.rs/config-schema.json";
344          format = ''
345            [╭─](fg:#5a524c)$directory$git_branch$git_status$git_metrics$time$usern
346            [╰ ](fg:#5a524c)'';

347
348          command_timeout = 500;

349
350          add_newline = false;

351
352          python = { format = "[ 🐍$virtualenv $version](bg:#282828)"; };

353
354          git_metrics = {
```

```nix
355                format =
356                  "([+$added](fg:#89b482 bg:#7c6f64)[-$deleted](fg:#ea6962 bg:#7c6f64))
357                disabled = false;
358              };
359
360            git_branch = {
361              format =
362                "[ on $symbol$branch(:$remote_branch)](fg:#ddc7a1 bg:#7c6f64)";
363            };
364            git_status = {
365              format = "[ $all_status$ahead_behind ](fg:#ddc7a1 bg:#7c6f64)";
366              ahead = "↑\${count}";
367              diverged = "↕↑\${ahead_count}↓\${behind_count}";
368              behind = "↓\${count}";
369            };
370
371            directory = {
372              format =
373                "[◀](fg:#89b482)[ $path ](fg:#282828 bg:#89b482)[▶](bg:#7c6f64 fg:#89
374            };
375            fill = {
376              symbol = ".";
377              style = "fg:#46413e";
378            };
379
380            status = {
381              format =
382                "[ ](bg:#282828)[$status ](bg:#282828)[❭](fg:#89b482 bg:#282828)[▶](f
383              disabled = false;
384              success_symbol = "✓";
385            };
386
387            hostname = {
388              format = "[@$hostname](bg:#504945)[▶](fg:#504945 bg:#282828)";
389              ssh_only = false;
390            };
391
392            username = {
393              show_always = true;
394              format = "[$user](bg:#504945)";
395              disabled = false;
396            };
397
398            time = {
399              format =
400                "[ $time ](bg:#7c6f64 fg:#45403d)[▶](fg:#7c6f64 bg:#504945)";
401              disabled = false;
402            };
403          };
404        };
405      vscode = {
406        enable = true;
```

```nix
407              enableExtensionUpdateCheck = false;
408              enableUpdateCheck = false;
409              package = pkgs.vscode;
410              extensions = [
411                pkgs.vscode-extensions.bierner.markdown-mermaid
412                pkgs.vscode-extensions.christian-kohler.path-intellisense
413                pkgs.vscode-extensions.dotjoshjohnson.xml
414                pkgs.vscode-extensions.eamodio.gitlens
415                # pkgs.vscode-extensions.edwinkofler.vscode-assorted-languages
416                pkgs.vscode-extensions.esbenp.prettier-vscode
417                # pkgs.vscode-extensions.exodiusstudios.comment-anchors
418                pkgs.vscode-extensions.formulahendry.auto-rename-tag
419                # pkgs.vscode-extensions.github.copilot
420                pkgs.vscode-extensions.github.vscode-pull-request-github
421                # pkgs.vscode-extensions.inferrinizzard.prettier-sql-vscode
422                pkgs.vscode-extensions.james-yu.latex-workshop
423                # pkgs.vscode-extensions.janisdd.vscode-edit-csv
424                pkgs.vscode-extensions.jebbs.plantuml
425                # pkgs.vscode-extensions.karunamurti.tera
426                pkgs.vscode-extensions.llvm-vs-code-extensions.vscode-clangd
427                # pkgs.vscode-extensions.maelvalais.autoconf
428                # pkgs.vscode-extensions.mesonbuild.mesonbuild
429                pkgs.vscode-extensions.ms-azuretools.vscode-docker
430                pkgs.vscode-extensions.ms-python.python
431                pkgs.vscode-extensions.ms-python.vscode-pylance
432                pkgs.vscode-extensions.ms-toolsai.jupyter
433                pkgs.vscode-extensions.ms-toolsai.jupyter-keymap
434                pkgs.vscode-extensions.ms-toolsai.jupyter-renderers
435                pkgs.vscode-extensions.ms-toolsai.vscode-jupyter-cell-tags
436                pkgs.vscode-extensions.ms-toolsai.vscode-jupyter-slideshow
437                # pkgs.vscode-extensions.ms-vscode-remote.remote-containers
438                pkgs.vscode-extensions.ms-vscode-remote.remote-ssh
439                # pkgs.vscode-extensions.ms-vscode-remote.remote-ssh-edit
440                # pkgs.vscode-extensions.ms-vscode-remote.remote-wsl
441                # pkgs.vscode-extensions.ms-vscode-remote.vscode-remote-extensionpack
442                pkgs.vscode-extensions.ms-vscode.cmake-tools
443                # pkgs.vscode-extensions.ms-vscode.cpptools
444                pkgs.vscode-extensions.ms-vscode.hexeditor
445                # pkgs.vscode-extensions.ms-vscode.remote-explorer
446                # pkgs.vscode-extensions.ms-vscode.remote-server
447                pkgs.vscode-extensions.naumovs.color-highlight
448                # pkgs.vscode-extensions.npclaudiu.vscode-gn
449                # pkgs.vscode-extensions.perkovec.emoji
450                pkgs.vscode-extensions.pkief.material-icon-theme
451                # pkgs.vscode-extensions.pnp.polacode
452                pkgs.vscode-extensions.redhat.java
453                pkgs.vscode-extensions.redhat.vscode-yaml
454                # pkgs.vscode-extensions.richie5um2.vscode-sort-json
455                pkgs.vscode-extensions.rust-lang.rust-analyzer
456                # pkgs.vscode-extensions.sainnhe.gruvbox-material
457                pkgs.vscode-extensions.serayuzgur.crates
458                pkgs.vscode-extensions.tamasfe.even-better-toml
```

```nix
459              pkgs.vscode-extensions.twxs.cmake
460              # pkgs.vscode-extensions.vadimcn.vscode-lldb
461              # pkgs.vscode-extensions.vgalaktionov.moonscript
462              pkgs.vscode-extensions.vscodevim.vim
463              pkgs.vscode-extensions.yzhang.markdown-all-in-one
464            ];
465          keybindings = [
466            {
467              key = "ctrl+l";
468              command = "workbench.action.focusRightGroup";
469            }
470            {
471              key = "ctrl+k ctrl+right";
472              command = "-workbench.action.focusRightGroup";
473            }
474            {
475              key = "ctrl+h";
476              command = "workbench.action.focusLeftGroup";
477            }
478            {
479              key = "ctrl+k ctrl+left";
480              command = "-workbench.action.focusLeftGroup";
481            }
482            {
483              key = "ctrl+shift+\\";
484              command = "-workbench.action.terminal.focusTabs";
485              when =
486                "terminalFocus && terminalHasBeenCreated || terminalFocus && terminal
487            }
488            {
489              key = "ctrl+k";
490              command = "workbench.action.focusActiveEditorGroup";
491            }
492            {
493              key = "ctrl+o";
494              command = "workbench.action.files.openFolder";
495              when = "true";
496            }
497            {
498              key = "ctrl+j";
499              command = "-workbench.action.togglePanel";
500            }
501            {
502              key = "ctrl+j";
503              command = "-extension.vim_ctrl+j";
504              when =
505                "editorTextFocus && vim.active && vim.use<C-j> && !inDebugRepl";
506            }
507            {
508              key = "ctrl+j";
509              command = "workbench.action.terminal.focus";
510            }
```

```nix
511                {
512                  key = "ctrl+shift+k";
513                  command = "workbench.action.files.showOpenedFileInNewWindow";
514                  when = "emptyWorkspaceSupport";
515                }
516                {
517                  key = "ctrl+k o";
518                  command = "-workbench.action.files.showOpenedFileInNewWindow";
519                  when = "emptyWorkspaceSupport";
520                }
521                {
522                  key = "ctrl+l";
523                  command = "workbench.action.terminal.focusNextPane";
524                  when =
525                    "terminalFocus && terminalHasBeenCreated || terminalFocus && terminal
526                }
527                {
528                  key = "alt+down";
529                  command = "-workbench.action.terminal.focusNextPane";
530                  when =
531                    "terminalFocus && terminalHasBeenCreated || terminalFocus && terminal
532                }
533                {
534                  key = "ctrl+h";
535                  command = "workbench.action.terminal.focusPreviousPane";
536                  when =
537                    "terminalFocus && terminalHasBeenCreated || terminalFocus && terminal
538                }
539                {
540                  key = "alt+left";
541                  command = "-workbench.action.terminal.focusPreviousPane";
542                  when =
543                    "terminalFocus && terminalHasBeenCreated || terminalFocus && terminal
544                }
545                {
546                  key = "ctrl+o";
547                  command = "-workbench.action.files.openFile";
548                  when = "true";
549                }
550              ];
551            userSettings = {
552              "[c]" = {
553                "editor.defaultFormatter" =
554                  "llvm-vs-code-extensions.vscode-clangd";
555              };
556              "[cpp]" = {
557                "editor.defaultFormatter" =
558                  "llvm-vs-code-extensions.vscode-clangd";
559              };
560              "[html]" = {
561                "editor.defaultFormatter" = "vscode.html-language-features";
562              };
```

```nix
563          "[java]" = { "editor.defaultFormatter" = "redhat.java"; };
564          "[javascript]" = {
565            "editor.defaultFormatter" = "esbenp.prettier-vscode";
566          };
567          "[json]" = {
568            "editor.defaultFormatter" = "vscode.json-language-features";
569          };
570          "[jsonc]" = {
571            "editor.defaultFormatter" = "esbenp.prettier-vscode";
572          };
573          "[markdown]" = {
574            "editor.defaultFormatter" = "yzhang.markdown-all-in-one";
575          };
576          "[nix]" = { "editor.defaultFormatter" = "jnoortheen.nix-ide"; };
577          "[plaintext]" = {
578            "editor.unicodeHighlight.ambiguousCharacters" = false;
579            "editor.unicodeHighlight.invisibleCharacters" = false;
580          };
581          "[rust]" = {
582            "editor.defaultFormatter" = "rust-lang.rust-analyzer";
583          };
584          "[sql]" = { "editor.defaultFormatter" = "mtxr.sqltools"; };
585          "[toml]" = {
586            "editor.defaultFormatter" = "tamasfe.even-better-toml";
587          };
588          "[typescript]" = {
589            "editor.defaultFormatter" = "esbenp.prettier-vscode";
590          };
591          "C_Cpp.clang_format_fallbackStyle" =
592            "{Language =        Cpp, BasedOnStyle =  LLVM, AccessModifierOffset = -
593          "C_Cpp.clang_format_sortIncludes" = true;
594          "C_Cpp.default.cppStandard" = "c++20";
595          "C_Cpp.default.cStandard" = "c17";
596          "C_Cpp.dimInactiveRegions" = false;
597          "C_Cpp.formatting" = "clangFormat";
598          "C_Cpp.inactiveRegionBackgroundColor" = "#3c3836";
599          "C_Cpp.intelliSenseEngine" = "disabled";
600          "clangd.arguments" = [ "--enable-config" ];
601          "clangd.checkUpdates" = true;
602          "clangd.path" = "/usr/bin/clangd";
603          "cmake.configureOnOpen" = true;
604          "color-highlight.languages" = [ "*" ];
605          "color-highlight.markerType" = "dot-after";
606          "debug.internalConsoleOptions" = "neverOpen";
607          "debug.onTaskErrors" = "debugAnyway";
608          "editor.acceptSuggestionOnEnter" = "off";
609          "editor.autoClosingQuotes" = "never";
610          "editor.bracketPairColorization.enabled" = true;
611          "editor.cursorBlinking" = "smooth";
612          "editor.cursorStyle" = "block";
613          "editor.defaultFormatter" = "ms-python.python";
614          "editor.fontFamily" = "Fisa Code";
```

```nix
615             "editor.fontLigatures" = true;
616             "editor.fontSize" = 16;
617             "editor.formatOnPaste" = true;
618             "editor.formatOnSave" = true;
619             "editor.guides.bracketPairs" = true;
620             "editor.guides.highlightActiveBracketPair" = true;
621             "editor.guides.highlightActiveIndentation" = "always";
622             "editor.inlineSuggest.enabled" = true;
623             "editor.renderWhitespace" = "all";
624             "editor.rulers" = [ 88 ];
625             "editor.stickyScroll.enabled" = true;
626             "editor.suggestSelection" = "first";
627             "editor.tokenColorCustomizations" = {
628               "textMateRules" = [
629                 {
630                   "name" = "comment";
631                   "scope" = [ "comment" ];
632                   "settings" = { "fontStyle" = "italic"; };
633                 }
634                 {
635                   "name" = "Keyword Storage";
636                   "scope" = [ "keyword" "keyword.control" "storage" ];
637                   "settings" = { "fontStyle" = "italic"; };
638                 }
639               ];
640             };
641             "explorer.confirmDelete" = false;
642             "explorer.confirmDragAndDrop" = false;
643             "explorer.fileNesting.enabled" = true;
644             "explorer.fileNesting.expand" = false;
645             "extensions.ignoreRecommendations" = true;
646             "files.exclude" = {
647               "**/.classpath" = true;
648               "**/.factorypath" = true;
649               "**/.project" = true;
650               "**/.settings" = true;
651             };
652             "files.maxMemoryForLargeFilesMB" = 8192;
653             "files.refactoring.autoSave" = true;
654             "github.copilot.enable" = {
655               "*" = true;
656               "markdown" = false;
657               "plaintext" = false;
658               "yaml" = false;
659             };
660             "githubPullRequests.createOnPublishBranch" = "never";
661             "githubPullRequests.remotes" = [ "origin" ];
662             "gruvboxMaterial.colorfulSyntax" = true;
663             "gruvboxMaterial.italicKeywords" = true;
664             "gruvboxMaterial.lightPalette" = "material";
665             "gruvboxMaterial.lightContrast" = "soft";
666             "gruvboxMaterial.lightSelection" = "yellow";
```

```nix
667                "gruvboxMaterial.darkPalette" = "material";
668                "gruvboxMaterial.darkContrast" = "soft";
669                "gruvboxMaterial.darkCursor" = "yellow";
670                "gruvboxMaterial.darkSelection" = "green";
671                "java.codeGeneration.generateComments" = true;
672                "java.completion.guessMethodArguments" = true;
673                "java.jdt.ls.java.home" = "/usr/lib/jvm/java-17-openjdk-amd64";
674                "java.jdt.ls.vmargs" = ''
675                  -XX:+UseParallelGC -XX:GCTimeRatio=4 -XX:AdaptiveSizePolicyWeight=90 -D
676                "javascript.updateImportsOnFileMove.enabled" = "always";
677                "keyboard.dispatch" = "keyCode";
678                "latex-workshop.latex.recipe.default" = "lastUsed";
679                "latex-workshop.latex.recipes" = [
680                  {
681                    "name" = "lualatex → bibtex → lualatex×2";
682                    "tools" = [ "lualatex" "bibtex" "lualatex" "lualatex" ];
683                  }
684                  {
685                    "name" = "Just pdflatex";
686                    "tools" = [ "pdflatex" ];
687                  }
688                  {
689                    "name" = "Just lualatex";
690                    "tools" = [ "lualatex" ];
691                  }
692                  {
693                    "name" = "latexmk 🔁";
694                    "tools" = [ "latexmk" ];
695                  }
696                  {
697                    "name" = "latexmk (latexmkrc)";
698                    "tools" = [ "latexmk_rconly" ];
699                  }
700                  {
701                    "name" = "latexmk (lualatex)";
702                    "tools" = [ "lualatexmk" ];
703                  }
704                  {
705                    "name" = "pdflatex → bibtex → pdflatex×2";
706                    "tools" = [ "pdflatex" "bibtex" "pdflatex" "pdflatex" ];
707                  }
708                  {
709                    "name" = "Compile Rnw files";
710                    "tools" = [ "rnw2tex" "latexmk" ];
711                  }
712                  {
713                    "name" = "Compile Jnw files";
714                    "tools" = [ "jnw2tex" "latexmk" ];
715                  }
716                  {
717                    "name" = "tectonic";
718                    "tools" = [ "tectonic" ];
```

```nix
719                    }
720                  ];
721                  "latex-workshop.latex.tools" = [
722                    {
723                      "args" = [
724                        "-synctex=1"
725                        "-shell-escape"
726                        "-interaction=nonstopmode"
727                        "-file-line-error"
728                        "%DOCFILE%"
729                      ];
730                      "command" = "lualatex";
731                      "name" = "lualatex";
732                    }
733                    {
734                      "args" = [
735                        "-synctex=1"
736                        "-shell-escape"
737                        "-interaction=nonstopmode"
738                        "-file-line-error"
739                        "%DOCFILE%"
740                      ];
741                      "command" = "pdflatex";
742                      "name" = "pdflatex";
743                    }
744                    {
745                      "args" = [
746                        "-synctex=1"
747                        "-interaction=nonstopmode"
748                        "-file-line-error"
749                        "%DOCFILE%"
750                      ];
751                      "command" = "xelatex";
752                      "name" = "xelatex";
753                    }
754                    {
755                      "args" = [ "%DOCFILE%" ];
756                      "command" = "bibtex";
757                      "name" = "bibtex";
758                    }
759                  ];
760                  "latex-workshop.view.pdf.invertMode.enabled" = "always";
761                  "nix.serverPath" = "nil";
762                  "nix.formatterPath" = "nixfmt";
763                  "notebook.cellToolbarLocation" = {
764                    "default" = "right";
765                    "jupyter-notebook" = "left";
766                  };
767                  "prettier.documentSelectors" = [ "*.js" "*.ts" "*.html" "*.css" ];
768                  "prettier.printWidth" = 88;
769                  "prettier.tabWidth" = 4;
770                  "prettier.trailingComma" = "all";
```

```nix
771                "prettier.vueIndentScriptAndStyle" = true;
772                "python.defaultInterpreterPath" = "python3";
773                "python.formatting.provider" = "black";
774                "python.languageServer" = "Pylance";
775                "python.linting.mypyEnabled" = true;
776                "python.linting.pylintEnabled" = true;
777                "redhat.telemetry.enabled" = false;
778                "rust-analyzer.check.command" = "clippy";
779                "rust-analyzer.cargo.extraEnv" = {
780                  "CARGO_PROFILE_RUST_ANALYZER_INHERITS" = "dev";
781                };
782                "rust-analyzer.cargo.extraArgs" = [ "--profile" "rust-analyzer" ];
783                "security.workspace.trust.untrustedFiles" = "open";
784                "settingsSync.ignoredSettings" =
785                  [ "-python.formatting.blackPath" ];
786                "sqltools.completionLanguages" = [ ];
787                "sqltools.highlightQuery" = false;
788                "sqltools.useNodeRuntime" = true;
789                "telemetry.telemetryLevel" = "off";
790                "terminal.external.linuxExec" = "kitty";
791                "terminal.integrated.cursorBlinking" = true;
792                "terminal.integrated.customGlyphs" = false;
793                "terminal.integrated.defaultProfile.linux" = "zsh";
794                "terminal.integrated.detectLocale" = "on";
795                "terminal.integrated.drawBoldTextInBrightColors" = false;
796                "terminal.integrated.enableMultiLinePasteWarning" = false;
797                "terminal.integrated.fontFamily" = "Fisa Code";
798                "terminal.integrated.fontSize" = 16;
799                "terminal.integrated.gpuAcceleration" = "on";
800                "terminal.integrated.inheritEnv" = true;
801                "terminal.integrated.scrollback" = 100000;
802                "terminal.integrated.shellIntegration.enabled" = true;
803                "typescript.updateImportsOnFileMove.enabled" = "always";
804                "vim.easymotion" = true;
805                "vim.easymotionDimBackground" = true;
806                "vim.easymotionDimColor" = "#7c6f64";
807                "vim.easymotionMarkerBackgroundColor" = "#45403d";
808                "vim.easymotionMarkerFontWeight" = "bold";
809                "vim.easymotionMarkerForegroundColorOneChar" = "#d3869b";
810                "vim.easymotionMarkerForegroundColorTwoCharFirst" = "#d8a657";
811                "vim.easymotionMarkerForegroundColorTwoCharSecond" = "#e78a4e";
812                "vim.hlsearch" = true;
813                "vim.normalModeKeyBindingsNonRecursive" = [
814                  {
815                    "after" = [ "<leader>" "<leader>" "<leader>" "b" "d" "w" ];
816                    "before" = [ "t" ];
817                  }
818                  {
819                    "before" = [ "g" "n" ];
820                    "after" = [ ];
821                    "commands" = [{ "command" = "editor.action.marker.next"; }];
822                  }
```

```nix
823                        ];
824                    "vim.smartRelativeLine" = true;
825                    "vim.statusBarColorControl" = false;
826                    "vim.statusBarColors.commandlineinprogress" =
827                      [ "#32302f" "#89b482" ];
828                    "vim.statusBarColors.normal" = [ "#32302f" "#d8a657" ];
829                    "vim.statusBarColors.insert" = [ "#32302f" "#d3869b" ];
830                    "vim.statusBarColors.replace" = [ "#32302f" "#e78a4e" ];
831                    "vim.statusBarColors.searchinprogressmode" =
832                      [ "#32302f" "#89b482" ];
833                    "vim.statusBarColors.visual" = [ "#32302f" "#7daea3" ];
834                    "vim.statusBarColors.visualblock" = [ "#32302f" "#7daea3" ];
835                    "vim.statusBarColors.visualline" = [ "#32302f" "#7daea3" ];
836                    "vim.statusBarColors.easymotioninputmode" =
837                      [ "#32302f" "#e78a4e" ];
838                    "vim.statusBarColors.easymotionmode" = [ "#32302f" "#e78a4e" ];
839                    "vim.textwidth" = 88;
840                    "window.menuBarVisibility" = "toggle";
841                    "window.restoreWindows" = "none";
842                    "window.zoomLevel" = -2;
843                    "workbench.colorCustomizations" = {
844                      "editorBracketHighlight.foreground1" = "#ea6962";
845                      "editorBracketHighlight.foreground2" = "#d3869b";
846                      "editorBracketHighlight.foreground3" = "#e78a4e";
847                      "editorBracketHighlight.foreground4" = "#a9b665";
848                      "editorBracketHighlight.foreground5" = "#bd6f3e";
849                      "editorBracketHighlight.foreground6" = "#89b482";
850                      "editorStickyScroll.background" = "#3c3836";
851                      "editorStickyScrollHover.background" = "#46413e";
852                      "statusBar.background" = "#32302f";
853                      "statusBar.debuggingBackground" = "#32302f";
854                      "statusBar.debuggingForeground" = "#d8a657";
855                      "statusBar.foreground" = "#d8a657";
856                      "statusBar.noFolderBackground" = "#32302f";
857                    };
858                    "workbench.colorTheme" = "Gruvbox Material Dark";
859                    "workbench.editorAssociations" = {
860                      "*.ipynb" = "jupyter-notebook";
861                    };
862                    "workbench.editor.tabSizing" = "fixed";
863                    "workbench.iconTheme" = "material-icon-theme";
864                    "workbench.sideBar.location" = "right";
865                    "workbench.startupEditor" = "none";
866                    "color-highlight.enable" = true;
867                    "color-highlight.matchWords" = true;
868                    "editor.minimap.enabled" = false;
869                  };
870                };
871              };
872
873          home = {
874            file = {
```

```nix
875            cargo-config-toml = {
876              target = ".cargo/config.toml";
877              enable = true;
878              text = ''
879                [target.aarch64-apple-darwin]
880                linker = "clang"
881                rustflags = [
882                    "-C",
883                    "link-arg=--ld-path=${sold}/bin/ld64.mold",
884                    #"-L",
885                    #"${pkgs.darwin.apple_sdk.frameworks.CoreFoundation}/Library/Framew
886                    #"-L",
887                    #"${pkgs.darwin.apple_sdk.frameworks.System}/Library/Frameworks/",
888                    #"-L",
889                    #"${pkgs.darwin.apple_sdk.frameworks.CoreFoundation}/lib/swift",
890                    #"-L",
891                    #"${pkgs.darwin.apple_sdk.frameworks.System}/lib/swift/",
892                ]
893              '';
894            };
895          };
896          stateVersion = "23.05";
897          packages = home-packages;
898          activation = {
899            unaliasApplications = lib.mkIf pkgs.stdenv.hostPlatform.isDarwin
900              (lib.hm.dag.entryBefore [ "checkLinkTargets" ] ''
901                echo "Un-Linking Home Manager applications..." 2>&1
902                app_path="$HOME/Applications/Home Manager Apps"
903                rm -rf "$app_path"
904              '');
905            aliasApplications = lib.mkIf pkgs.stdenv.hostPlatform.isDarwin (let
906              apps = pkgs.buildEnv {
907                name = "home-manager-applications";
908                paths = home-packages;
909                pathsToLink = "/Applications";
910              };
911            in lib.hm.dag.entryAfter [ "linkGeneration" ] ''
912                echo "Linking Home Manager applications..." 2>&1
913                app_path="$HOME/Applications/Home Manager Apps"
914                tmp_path="$(mktemp -dt "home-manager-applications.XXXXXXXXXX")" || exit 1
915                ${pkgs.fd}/bin/fd \
916                    -t l -d 1 . ${apps}/Applications \
917                    -x $DRY_RUN_CMD /Users/${username}/install/bin/mkalias -L {} "$tmp_pa
918                $DRY_RUN_CMD rm -rf "$app_path"
919                $DRY_RUN_CMD mv "$tmp_path" "$app_path"
920              '');
921          };
922        };
923        services = { };
924      };
925    };
926  };
```

```nix
927   networking = {
928     computerName = "${name}";
929     hostName = "${name}";
930   };
931   nix = {
932     nixPath = [
933       { darwin-config = "$HOME/config/configuration.nix"; }
934       "/nix/var/nix/profiles/per-user/root/channels"
935     ];
936     extraOptions = ''
937       auto-optimise-store = true
938       experimental-features = nix-command flakes
939       system = aarch64-darwin
940       extra-platforms = x86_64-darwin aarch64-darwin
941     '';
942   };
943   nixpkgs = {
944     config = {
945       allowUnfree = true;
946       allowUnsupportedSystem = false;
947     };
948     overlays = [ ];
949   };
950   programs = { };
951   services = {
952     nix-daemon = {
953       enable = true;
954       logFile = "/var/log/nix-daemon.log";
955     };
956     skhd = {
957       enable = true;
958       skhdConfig = "";
959     };
960     /* spacebar = {
961           enable = true;
962           package = pkgs.spacebar;
963           config = {
964               position                = "top";
965               display                 = "main";
966               height                  = 34;
967               title                   = "off";
968               spaces                  = "off";
969               clock                   = "on";
970               power                   = "on";
971               padding_left            = 20;
972               padding_right           = 20;
973               spacing_left            = 25;
974               spacing_right           = 15;
975               text_font               = ''"Fisa Code:Regular:12.0"'';
976               icon_font               = ''"Font Awesome 6 Free:Solid:12.0"'';
977               background_color        = "0xff252423";
978               foreground_color        = "0xffd4be98";
```

```
979                    power_icon_color          = "0xffa9b665";
980                    battery_icon_color        = "0xffa9b665";
981                    dnd_icon_color            = "0xffe78a4e";
982                    clock_icon_color          = "0xff7daea3";
983                    power_icon_strip          = "□ □";
984                    spaces_for_all_displays   = "on";
985                    display_separator         = "on";
986                    display_separator_icon    = "□";
987                    clock_icon                = "□";
988                    dnd_icon                  = "□";
989                    clock_format              = ''"%d/%m/%y %R"'';
990                    right_shell               = "on";
991                    right_shell_icon          = "□";
992                    right_shell_command       = "whoami";
993                };
994            extraConfig = "";
995          };
996      */
997      yabai = {
998        enable = true;
999        config = { };
1000       extraConfig = "";
1001     };
1002   };
1003   # Nix-darwin does not link installed applications to the user environment. This means
1004   # in spotlight; and when launched through the dock they come with a terminal window.
1005   # Upstream issue = https://github.com/LnL7/nix-darwin/issues/214
1006   system = {
1007     activationScripts = {
1008       applications = {
1009         text = lib.mkForce ''
1010           echo "setting up ~/Applications..." >&2
1011           applications="$HOME/Applications"
1012           nix_apps="$applications/Nix Apps"
1013
1014           # Needs to be writable by the user so that home-manager can symlink into it
1015           if ! test -d "$applications"; then
1016               mkdir -p "$applications"
1017               chown ${username} = "$applications"
1018               chmod u+w "$applications"
1019           fi
1020
1021           # Delete the directory to remove old links
1022           rm -rf "$nix_apps"
1023           mkdir -p "$nix_apps"
1024           find ${config.system.build.applications}/Applications -maxdepth 1 -type l -ex
1025               while read src; do
1026                   # Spotlight does not recognize symlinks; it will ignore directory we
1027                   # It does understand MacOS aliases though; a unique filesystem featur
1028                   # from bash (as far as I know); so we use the oh-so-great Apple Scrip
1029                   /usr/bin/osascript -e "
1030                       set fileToAlias to POSIX file \"$src\"
```

```
1031                    set applicationsFolder to POSIX file \"$nix_apps\"
1032                    tell application \"Finder\"
1033                        make alias file to fileToAlias at applicationsFolder
1034                        # This renames the alias; 'mpv.app alias' -> 'mpv.app'
1035                        set name of result to \"$(rev <<< "$src" | cut -d'/' -f1 | re
1036                    end tell
1037                " 1>/dev/null
1038            done
1039        '';
1040      };
1041    };
1042    stateVersion = stateVersion;
1043    defaults = {
1044      NSGlobalDomain = {
1045        AppleEnableMouseSwipeNavigateWithScrolls = false;
1046        AppleEnableSwipeNavigateWithScrolls = false;
1047        AppleICUForce24HourTime = false;
1048        AppleInterfaceStyle = "Dark";
1049        AppleInterfaceStyleSwitchesAutomatically = false;
1050        AppleScrollerPagingBehavior = true;
1051        AppleShowAllExtensions = true;
1052        AppleShowAllFiles = true;
1053        AppleShowScrollBars = "Automatic";
1054        AppleWindowTabbingMode = "always";
1055        NSAutomaticCapitalizationEnabled = false;
1056        NSAutomaticDashSubstitutionEnabled = false;
1057        NSAutomaticPeriodSubstitutionEnabled = false;
1058        NSAutomaticQuoteSubstitutionEnabled = false;
1059        NSAutomaticSpellingCorrectionEnabled = false;
1060        NSAutomaticWindowAnimationsEnabled = false;
1061        NSDocumentSaveNewDocumentsToCloud = false;
1062        NSNavPanelExpandedStateForSaveMode = true;
1063        NSScrollAnimationEnabled = true;
1064        NSTableViewDefaultSizeMode = 1;
1065        NSTextShowsControlCharacters = true;
1066        NSUseAnimatedFocusRing = false;
1067        NSWindowResizeTime = null;
1068        PMPrintingExpandedStateForPrint = false;
1069        _HIHideMenuBar = false;
1070        "com.apple.keyboard.fnState" = false;
1071        "com.apple.mouse.tapBehavior" = null;
1072        "com.apple.sound.beep.feedback" = 1;
1073        "com.apple.springing.delay" = null;
1074        "com.apple.springing.enabled" = true;
1075        "com.apple.swipescrolldirection" = true;
1076        "com.apple.trackpad.enableSecondaryClick" = true;
1077        "com.apple.trackpad.scaling" = 1.0;
1078        "com.apple.trackpad.trackpadCornerClickBehavior" = 1;
1079      };
1080    };
1081    keyboard = {
1082      enableKeyMapping = true;
```

```
1083            remapCapsLockToEscape = true;
1084         };
1085      };
1086   }
```