

No.	Time	Source	Destination	Protocol	Length	Info
7	12.361819	192.168.0.103	192.168.0.1	DNS	73	Standard query 0xa11d A bitsy.mit.edu
Frame 7: 73 bytes on wire (584 bits), 73 bytes captured (584 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0						
Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)						
Internet Protocol Version 4, Src: 192.168.0.103, Dst: 192.168.0.1						
User Datagram Protocol, Src Port: 63795, Dst Port: 53						
Domain Name System (query)						
Transaction ID: 0xa11d						
Flags: 0x0100 Standard query						
Questions: 1						
Answer RRs: 0						
Authority RRs: 0						
Additional RRs: 0						
Queries						
[Response In: 9]						
8	12.386823	192.168.0.103	192.168.0.1	DNS	73	Standard query 0xa11d A bitsy.mit.edu
Frame 8: 73 bytes on wire (584 bits), 73 bytes captured (584 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0						
Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)						
Internet Protocol Version 4, Src: 192.168.0.103, Dst: 192.168.0.1						
User Datagram Protocol, Src Port: 63795, Dst Port: 53						
Domain Name System (query)						
Transaction ID: 0xa11d						
Flags: 0x0100 Standard query						
Questions: 1						
Answer RRs: 0						
Authority RRs: 0						
Additional RRs: 0						
Queries						
[Retransmitted request. Original request in: 7]						
[Retransmission: True]						
9	12.395772	192.168.0.1	192.168.0.103	DNS	89	Standard query response 0xa11d
A bitsy.mit.edu A 18.0.72.3						
Frame 9: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0						
Ethernet II, Src: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc), Dst: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78)						
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.103						
User Datagram Protocol, Src Port: 53, Dst Port: 63795						
Domain Name System (response)						
Transaction ID: 0xa11d						
Flags: 0x8180 Standard query response, No error						
Questions: 1						
Answer RRs: 1						
Authority RRs: 0						
Additional RRs: 0						
Queries						
Answers						
bitsy.mit.edu: type A, class IN, addr 18.0.72.3						
[Request In: 7]						
[Time: 0.033953000 seconds]						
10	12.395772	192.168.0.1	192.168.0.103	DNS	89	Standard query response 0xa11d
A bitsy.mit.edu A 18.0.72.3						
Frame 10: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0						
Ethernet II, Src: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc), Dst: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78)						
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.103						
User Datagram Protocol, Src Port: 53, Dst Port: 63795						
Domain Name System (response)						
Transaction ID: 0xa11d						
Flags: 0x8180 Standard query response, No error						
Questions: 1						
Answer RRs: 1						
Authority RRs: 0						
Additional RRs: 0						
Queries						
Answers						
bitsy.mit.edu: type A, class IN, addr 18.0.72.3						
[Retransmitted response. Original response in: 9]						
[Retransmission: True]						
11	12.398865	192.168.0.103	18.0.72.3	DNS	82	Standard query 0x0001 PTR 3.72.0.18.in-addr.arpa
Frame 11: 82 bytes on wire (656 bits), 82 bytes captured (656 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0						
Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)						
Internet Protocol Version 4, Src: 192.168.0.103, Dst: 18.0.72.3						
User Datagram Protocol, Src Port: 63796, Dst Port: 53						

Domain Name System (query)

Transaction ID: 0x0001
 Flags: 0x0100 Standard query
 Questions: 1
 Answer RRs: 0
 Authority RRs: 0
 Additional RRs: 0
 Queries

No.	Time	Source	Destination	Protocol	Length	Info
12	14.405557	192.168.0.103	18.0.72.3	DNS	90	Standard query 0x0002

A www.aiit.or.kr.infopulse.local

Frame 12: 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0

Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)

Internet Protocol Version 4, Src: 192.168.0.103, Dst: 18.0.72.3

User Datagram Protocol, Src Port: 63797, Dst Port: 53

Domain Name System (query)

Transaction ID: 0x0002
 Flags: 0x0100 Standard query
 Questions: 1
 Answer RRs: 0
 Authority RRs: 0
 Additional RRs: 0
 Queries

No.	Time	Source	Destination	Protocol	Length	Info
14	16.407199	192.168.0.103	18.0.72.3	DNS	90	Standard query 0x0003

AAAA www.aiit.or.kr.infopulse.local

Frame 14: 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0

Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)

Internet Protocol Version 4, Src: 192.168.0.103, Dst: 18.0.72.3

User Datagram Protocol, Src Port: 63798, Dst Port: 53

Domain Name System (query)

Transaction ID: 0x0003
 Flags: 0x0100 Standard query
 Questions: 1
 Answer RRs: 0
 Authority RRs: 0
 Additional RRs: 0
 Queries

No.	Time	Source	Destination	Protocol	Length	Info
16	18.410656	192.168.0.103	18.0.72.3	DNS	74	Standard query 0x0004 A www.aiit.or.kr

Frame 16: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0

Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)

Internet Protocol Version 4, Src: 192.168.0.103, Dst: 18.0.72.3

User Datagram Protocol, Src Port: 63799, Dst Port: 53

Domain Name System (query)

Transaction ID: 0x0004
 Flags: 0x0100 Standard query
 Questions: 1
 Answer RRs: 0
 Authority RRs: 0
 Additional RRs: 0
 Queries

No.	Time	Source	Destination	Protocol	Length	Info
17	20.414130	192.168.0.103	18.0.72.3	DNS	74	Standard query 0x0005 AAAA www.aiit.or.kr

Frame 17: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0

Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)

Internet Protocol Version 4, Src: 192.168.0.103, Dst: 18.0.72.3

User Datagram Protocol, Src Port: 63800, Dst Port: 53

Domain Name System (query)

Transaction ID: 0x0005
 Flags: 0x0100 Standard query
 Questions: 1
 Answer RRs: 0
 Authority RRs: 0
 Additional RRs: 0
 Queries

No.	Time	Source	Destination	Protocol	Length	Info
19	23.768954	192.168.0.103	192.168.0.1	DNS	76	Standard query 0x12ab A dns.msftncsi.com

Frame 19: 76 bytes on wire (608 bits), 76 bytes captured (608 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0

Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)

Internet Protocol Version 4, Src: 192.168.0.103, Dst: 192.168.0.1

User Datagram Protocol, Src Port: 54202, Dst Port: 53

Domain Name System (query)

Transaction ID: 0x12ab
 Flags: 0x0100 Standard query
 Questions: 1

```

    Answer RRs: 0
    Authority RRs: 0
    Additional RRs: 0
    Queries
    [Response In: 20]
No.      Time      Source      Destination      Protocol Length Info
   20 23.773382  192.168.0.1  192.168.0.103   DNS        92      Standard query response 0x12ab
A dns.msftncsi.com A 131.107.255.255
Frame 20: 92 bytes on wire (736 bits), 92 bytes captured (736 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0
Ethernet II, Src: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc), Dst: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.103
User Datagram Protocol, Src Port: 53, Dst Port: 54202
Domain Name System (response)
    Transaction ID: 0x12ab
    Flags: 0x8180 Standard query response, No error
    Questions: 1
    Answer RRs: 1
    Authority RRs: 0
    Additional RRs: 0
    Queries
    Answers
        dns.msftncsi.com: type A, class IN, addr 131.107.255.255
    [Request In: 19]
    [Time: 0.004428000 seconds]
No.      Time      Source      Destination      Protocol Length Info
   25 27.972055  192.168.0.103  192.168.0.1     DNS        110     Standard query 0xc936
SRV _ldap._tcp.CRSite._sites.dc._msdcs.infopulse.local
Frame 25: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0
Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)
Internet Protocol Version 4, Src: 192.168.0.103, Dst: 192.168.0.1
User Datagram Protocol, Src Port: 61118, Dst Port: 53
Domain Name System (query)
    Transaction ID: 0xc936
    Flags: 0x0100 Standard query
    Questions: 1
    Answer RRs: 0
    Authority RRs: 0
    Additional RRs: 0
    Queries
    [Response In: 27]
No.      Time      Source      Destination      Protocol Length Info
   26 27.997503  192.168.0.103  192.168.0.1     DNS        110     Standard query 0xc936
SRV _ldap._tcp.CRSite._sites.dc._msdcs.infopulse.local
Frame 26: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0
Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)
Internet Protocol Version 4, Src: 192.168.0.103, Dst: 192.168.0.1
User Datagram Protocol, Src Port: 61118, Dst Port: 53
Domain Name System (query)
    Transaction ID: 0xc936
    Flags: 0x0100 Standard query
    Questions: 1
    Answer RRs: 0
    Authority RRs: 0
    Additional RRs: 0
    Queries
    [Retransmitted request. Original request in: 25]
    [Retransmission: True]
No.      Time      Source      Destination      Protocol Length Info
   27 28.083661  192.168.0.1  192.168.0.103   DNS        185     Standard query response 0xc936 No such name
SRV _ldap._tcp.CRSite._sites.dc._msdcs.infopulse.local SOA a.root-servers.net
Frame 27: 185 bytes on wire (1480 bits), 185 bytes captured (1480 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0
Ethernet II, Src: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc), Dst: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.103
User Datagram Protocol, Src Port: 53, Dst Port: 61118
Domain Name System (response)
    Transaction ID: 0xc936
    Flags: 0x8183 Standard query response, No such name
    Questions: 1
    Answer RRs: 0
    Authority RRs: 1
    Additional RRs: 0
    Queries
    Authoritative nameservers
        <Root>: type SOA, class IN, mname a.root-servers.net
    [Request In: 25]
    [Time: 0.111606000 seconds]
No.      Time      Source      Destination      Protocol Length Info
```

28 28.083662 192.168.0.1 192.168.0.103 DNS 185 Standard query response 0xc936 No such name
SRV _ldap._tcp.CRSite._sites.dc._msdcs.infopulse.local SOA a.root-servers.net
Frame 28: 185 bytes on wire (1480 bits), 185 bytes captured (1480 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0
Ethernet II, Src: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc), Dst: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.103
User Datagram Protocol, Src Port: 53, Dst Port: 61118
Domain Name System (response)
Transaction ID: 0xc936
Flags: 0x8183 Standard query response, No such name
Questions: 1
Answer RRs: 0
Authority RRs: 1
Additional RRs: 0
Queries
Authoritative nameservers
<Root>: type SOA, class IN, mname a.root-servers.net
[Retransmitted response. Original response in: 27]
[Retransmission: True]

No.	Time	Source	Destination	Protocol	Length	Info
29	28.086195	192.168.0.103	192.168.0.1	DNS	96	Standard query 0xe8a8

SRV _ldap._tcp.dc._msdcs.infopulse.local
Frame 29: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0
Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)
Internet Protocol Version 4, Src: 192.168.0.103, Dst: 192.168.0.1
User Datagram Protocol, Src Port: 53675, Dst Port: 53
Domain Name System (query)
Transaction ID: 0xe8a8
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Response In: 30]

No.	Time	Source	Destination	Protocol	Length	Info
30	28.090311	192.168.0.1	192.168.0.103	DNS	171	Standard query response 0xe8a8 No such name

SRV _ldap._tcp.dc._msdcs.infopulse.local SOA a.root-servers.net
Frame 30: 171 bytes on wire (1368 bits), 171 bytes captured (1368 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0
Ethernet II, Src: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc), Dst: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.103
User Datagram Protocol, Src Port: 53, Dst Port: 53675
Domain Name System (response)
Transaction ID: 0xe8a8
Flags: 0x8183 Standard query response, No such name
Questions: 1
Answer RRs: 0
Authority RRs: 1
Additional RRs: 0
Queries
Authoritative nameservers
<Root>: type SOA, class IN, mname a.root-servers.net
[Request In: 29]
[Time: 0.004116000 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
31	28.092788	192.168.0.103	192.168.0.1	DNS	138	Standard query 0x8d09 SRV _ldap._tcp.396d0204-9d7a-4a06-8b79-b19498e73aaf.domains._msdcs.infopulse.local

Frame 31: 138 bytes on wire (1104 bits), 138 bytes captured (1104 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0
Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)
Internet Protocol Version 4, Src: 192.168.0.103, Dst: 192.168.0.1
User Datagram Protocol, Src Port: 50487, Dst Port: 53
Domain Name System (query)
Transaction ID: 0x8d09
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Response In: 32]

No.	Time	Source	Destination	Protocol	Length	Info
32	28.096715	192.168.0.1	192.168.0.103	DNS	213	Standard query response 0x8d09 No such name

SRV _ldap._tcp.396d0204-9d7a-4a06-8b79-b19498e73aaf.domains._msdcs.infopulse.local SOA a.root-servers.net
Frame 32: 213 bytes on wire (1704 bits), 213 bytes captured (1704 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0
Ethernet II, Src: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc), Dst: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.103
User Datagram Protocol, Src Port: 53, Dst Port: 50487

Domain Name System (response)

Transaction ID: 0x8d09

Flags: 0x8183 Standard query response, No such name

Questions: 1

Answer RRs: 0

Authority RRs: 1

Additional RRs: 0

Queries

Authoritative nameservers

<Root>: type SOA, class IN, mname a.root-servers.net

[Request In: 31]

[Time: 0.003927000 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
33	28.130202	192.168.0.103	192.168.0.1	DNS	83	Standard query 0xde0b A sccm-vm.infopulse.local

Frame 33: 83 bytes on wire (664 bits), 83 bytes captured (664 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0

Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)

Internet Protocol Version 4, Src: 192.168.0.103, Dst: 192.168.0.1

User Datagram Protocol, Src Port: 61769, Dst Port: 53

Domain Name System (query)

Transaction ID: 0xde0b

Flags: 0x0100 Standard query

Questions: 1

Answer RRs: 0

Authority RRs: 0

Additional RRs: 0

Queries

[Response In: 35]

No.	Time	Source	Destination	Protocol	Length	Info
34	28.154937	192.168.0.103	192.168.0.1	DNS	83	Standard query 0xde0b A sccm-vm.infopulse.local

Frame 34: 83 bytes on wire (664 bits), 83 bytes captured (664 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0

Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)

Internet Protocol Version 4, Src: 192.168.0.103, Dst: 192.168.0.1

User Datagram Protocol, Src Port: 61769, Dst Port: 53

Domain Name System (query)

Transaction ID: 0xde0b

Flags: 0x0100 Standard query

Questions: 1

Answer RRs: 0

Authority RRs: 0

Additional RRs: 0

Queries

[Retransmitted request. Original request in: 33]

[Retransmission: True]

No.	Time	Source	Destination	Protocol	Length	Info
35	28.233216	192.168.0.1	192.168.0.103	DNS	158	Standard query response 0xde0b No such name A sccm-vm.infopulse.local SOA a.root-servers.net

Frame 35: 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0

Ethernet II, Src: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc), Dst: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78)

Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.103

User Datagram Protocol, Src Port: 53, Dst Port: 61769

Domain Name System (response)

Transaction ID: 0xde0b

Flags: 0x8183 Standard query response, No such name

Questions: 1

Answer RRs: 0

Authority RRs: 1

Additional RRs: 0

Queries

Authoritative nameservers

<Root>: type SOA, class IN, mname a.root-servers.net

[Request In: 33]

[Time: 0.103014000 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
36	28.233216	192.168.0.1	192.168.0.103	DNS	158	Standard query response 0xde0b No such name A sccm-vm.infopulse.local SOA a.root-servers.net

Frame 36: 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0

Ethernet II, Src: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc), Dst: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78)

Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.103

User Datagram Protocol, Src Port: 53, Dst Port: 61769

Domain Name System (response)

Transaction ID: 0xde0b

Flags: 0x8183 Standard query response, No such name

Questions: 1

Answer RRs: 0

Authority RRs: 1

```
Additional RRs: 0
Queries
Authoritative nameservers
  <Root>: type SOA, class IN, mname a.root-servers.net
[Retransmitted response. Original response in: 35]
[Retransmission: True]
No.      Time      Source      Destination      Protocol Length Info
   59 74.289431    192.168.0.103 192.168.0.1      DNS        80      Standard query 0x9cec
A wpad.infopulse.local
Frame 59: 80 bytes on wire (640 bits), 80 bytes captured (640 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0
Ethernet II, Src: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78), Dst: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc)
Internet Protocol Version 4, Src: 192.168.0.103, Dst: 192.168.0.1
User Datagram Protocol, Src Port: 55837, Dst Port: 53
Domain Name System (query)
  Transaction ID: 0x9cec
  Flags: 0x0100 Standard query
  Questions: 1
  Answer RRs: 0
  Authority RRs: 0
  Additional RRs: 0
  Queries
  [Response In: 60]
No.      Time      Source      Destination      Protocol Length Info
   60 74.293038    192.168.0.1 192.168.0.103    DNS        155     Standard query response 0x9cec No such name
A wpad.infopulse.local SOA a.root-servers.net
Frame 60: 155 bytes on wire (1240 bits), 155 bytes captured (1240 bits) on interface \Device\NPF_{4411A0BE-7C39-4402-A536-A363854FC3CE}, id 0
Ethernet II, Src: Tp-LinkT_63:b5:fc (18:a6:f7:63:b5:fc), Dst: IntelCor_ff:28:78 (d4:6d:6d:ff:28:78)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.103
User Datagram Protocol, Src Port: 53, Dst Port: 55837
Domain Name System (response)
  Transaction ID: 0x9cec
  Flags: 0x8183 Standard query response, No such name
  Questions: 1
  Answer RRs: 0
  Authority RRs: 1
  Additional RRs: 0
  Queries
  Authoritative nameservers
    <Root>: type SOA, class IN, mname a.root-servers.net
[Request In: 59]
[Time: 0.003607000 seconds]
```