

AutoChecker

■■■■■■■ ■■■■■■	Next.js 16.2.1 (Vercel)
■■■■■■■ APK	1.0.5 (build 2)
■■■■■ ■■■■■■	Supabase PostgreSQL
AI-■■■■■■■	Groq llama-3.3-70b-versatile
■■■■■ ■■■■■■■■■■	2026-03-27

1. Project Overview

AutoChecker — a secure, AI-powered mobile application for automated security checks (built with VS Code + Android Studio). It integrates AI-driven threat detection, real-time monitoring, and secure data storage. The app is designed for Android and includes features like secure storage, local notifications, and a secure login system.

Project Structure

Frontend (Android)	Next.js 16.2.1, React, TypeScript, App Router
Backend (API)	Next.js API Routes, Vercel Edge/Node.js runtime
Database	Supabase PostgreSQL (service role key, REST API)
Authentication	Supabase Auth, HMAC-cookie, TOTP (2FA), Google/GitHub OAuth
AI-Integration	Groq API, OpenAI GPT-4o, Llama-3.3-70b-versatile
Mobile App	Flutter 3.x (Dart), Android target
HTTP Client	Dio + PersistCookieJar (cookies management)
Secure Storage	flutter_secure_storage (PIN), local_auth (biometrics)
Local Notifications	flutter_local_notifications + WorkManager
Deployment	Vercel (Frontend) + GitHub main branch

2. [redacted]

2.1 [redacted] (autochecker-site)

[redacted] API-[redacted]:

/api/auth/*	login, logout, register, session, totp/verify
/api/cabinet/profile	GET/PATCH [redacted]
/api/cabinet/avatar	POST/DELETE [redacted] (Supabase Storage)
/api/fitness/profile	GET/PATCH [redacted]-[redacted] ([redacted], [redacted])
/api/fitness/supplements	CRUD [redacted]
/api/fitness/sessions	CRUD [redacted]
/api/fitness/roi	[redacted] ROI ([redacted]/[redacted])
/api/ai/chat	POST — Groq AI [redacted] system prompt
/api/app/version	GET — [redacted] APK [redacted]-[redacted]

2.2 [redacted] (autochecker_mobile)

[redacted]:

lib/main.dart	[redacted]: [redacted] → PIN → Workmanager → Notifications
lib/services/api_service.dart	[redacted] HTTP [redacted] Dio
lib/services/lock_service.dart	PIN-[redacted] + [redacted] (local_auth)
lib/services/update_service.dart	[redacted]-[redacted] APK [redacted] version endpoint
lib/services/ai_analysis_service.dart	[redacted] AI-[redacted] + local notifications
lib/screens/home_screen.dart	[redacted]: Dashboard, [redacted], [redacted]
lib/screens/settings_screen.dart	[redacted], [redacted], PIN, AI Analysis [redacted]
lib/screens/login_screen.dart	[redacted] MFA
lib/screens/register_screen.dart	[redacted]
lib/screens/totp_screen.dart	[redacted] TOTP [redacted] (2FA)
lib/screens/lock_screen.dart	PIN/[redacted]
lib/screens/ai_chat_screen.dart	[redacted] Helper AI
lib/screens/supplements_screen.dart	[redacted]
lib/screens/sessions_screen.dart	[redacted]

3.

■■■■■■■■: ■■■■■■ ■■■■■■ ■ ■■■■■■■■ «No space left on device»

[illegible]

```
■■■■■■■■: «Failed host lookup: autochecker-site.vercel.app»
```

[illegible]

Page 10 of 10

■■■■■■■■■■: ■■■■■■■■■■ ■■■■■■■■ → «invalid email or password»

```

[INFO] [Flutter] [Flutter] {ok: true, mfa_required: true} (HTTP 200)
[INFO] [Flutter] [Flutter]. Flutter
[INFO] [Flutter] [Flutter] mfa_required. login() Map, caller result['mfa_required']
[INFO] [Flutter] [Flutter] == true TotpScreen.

```

QUESTION: How many people are in the room?

```

■■■■■ local_auth ■■■■■■ FlutterFragmentActivity ■■■■■■ ■■■■■■■■■■■■ FlutterActivity.
■■■■■■■ MainActivity.kt: class MainActivity : FlutterFragmentActivity(). ■■■■■ ■■■■■■
USE BIOMETRIC ■■ USE FINGERPRINT ■■■■■■.

```


XXXXXXXXXX: XXXXX XXXXXXXXXXXXXXXX XXXX XX XXXXXXXXXXXXXXXX (XXXXXXXXXX
XX XXXXXXXXXXXXXXXX)

```

// Add a new supplement
const addSupplement = async (supplement) => {
  try {
    const response = await supabaseRequest('POST', '/supplements', {
      body: supplement,
    });
    return response.json();
  } catch (error) {
    console.error('Error adding supplement:', error);
    throw error;
  }
};

// Get all supplements
const getAllSupplements = async () => {
  try {
    const response = await supabaseRequest('GET', '/supplements');
    return response.json();
  } catch (error) {
    console.error('Error getting supplements:', error);
    throw error;
  }
};

// Update a supplement
const updateSupplement = async (id, supplement) => {
  try {
    const response = await supabaseRequest('PUT', `/supplements/${id}`, {
      body: supplement,
    });
    return response.json();
  } catch (error) {
    console.error('Error updating supplement:', error);
    throw error;
  }
};

// Delete a supplement
const deleteSupplement = async (id) => {
  try {
    const response = await supabaseRequest('DELETE', `/supplements/${id}`);
    return response.json();
  } catch (error) {
    console.error('Error deleting supplement:', error);
    throw error;
  }
};

```

■■■■■: ■■■■■■■■ allowEmpty: true ■ ■■■■ GET-■■■■■■■■: getFitnessProfile, listSupplements, getSupplementStatuses, listGymSessions, getGymRoi. ■■■■■■■■■ ■■■■ ■■■ DELETE/204.

██████████ ██████████: ██████████ ███ ██████████

```
setSuppModalOpen(false)
GET —
:
.
```

Page 10 of 10

Helper AI	Groq llama-3.3-70b-versatile, system prompt	AutoChecker
	RegisterScreen: , email, (12),	
PIN +	LockService PIN flutter_secure_storage, local_auth	
Settings	, PIN, AI Analysis, Sign out	
APK	'Download Fitness Tracker for Android' HeroSection CtaSection	
	/api/app/version → build number; UpdateService APK Dio →	
	POST /api/cabinet/avatar raw bytes + Content-Type; AppBar S	
AI	WorkManager → API → Groq → local notification	
	Pillow (Python), flutter_launcher_icons	

5. Android

AndroidManifest.xml — ■■■ ■■■■■■■■:

INTERNET	■■■■■■■■■■ ■■■■■■■■ ■■ Vercel API
USE_BIOMETRIC	■■■■■■■■■■ ■■■■■■■■ / Face ID
USE_FINGERPRINT	■■■■■■■■■■ ■■■■■■■■■■■■ ■ Android < 9
REQUEST_INSTALL_PACKAGES	■■■■■■■■■■■■■■■■ ■■■■■■■■■■■■ APK
POST_NOTIFICATIONS	■■■■■■■■■■■■ (Android 13+, ■■■■■■■■■■■ runtime ■■■■■■■■■)
RECEIVE_BOOT_COMPLETED	■■■■■■■■■■■■ WorkManager ■■■■■■■■ ■■■■■■■■
WAKE_LOCK	■■■■■■■■■■■■ CPU ■■■■ ■■■■ ■■■■■■■■■■ ■■■■■■■■■■
FOREGROUND_SERVICE	WorkManager foreground tasks

build.gradle.kts — **build.gradle.kts**:

```
ndkVersion = '27.0.12077973' // 
isCoreLibraryDesugaringEnabled = true // flutter_local_notifications
coreLibraryDesugaring('com.android.tools:desugar_jdk_libs:2.1.4')
```

6. Building the APK

UpdateService endpoint
remoteBuild > _currentBuild — APK
(open_filex).
SnackBar.

Workflow:

1	flutter build apk --release (autochecker_mobile/)
2	_currentBuild lib/services/update_service.dart
3	cp build/.../app-release.apk autochecker-site/public/Files/
4	build src/app/api/app/version/route.ts
5	git add + commit + push → Vercel
6	

7. AI

7.1 Helper AI Chat



```
Groq API ■■■■■■ llama-3.3-70b-versatile. System prompt ■■■■■■ ■■■■■■ ■■■■■■  
AutoChecker: VS Code ■■■■■■, ■■■■■■ ■■■■■■, ■■■■■■-■■■■■,  
■■■■■■ ■■■■■■. ■■■■■■ ■■ ■■ ■■■■■■ (floating widget), ■■■ ■■  
■■■■■■■ ■■■■■■ (■■■■■■ ■ AppBar).
```

7.2 AI Workout Analysis (■■■■■■■■)

```
WorkManager ██████████ ████████████ ██████████ (██████ / █████ N █████). ■ █████  
(████████ ███ ████████████████████):
```

- `POST /api/fitness/sessions`
- `summary: [Groq, Android local notification]`
- `timestamp` (SharedPreferences)

Settings:

	
	
Analyse now	

8.

Page 10 of 10

Bcrypt , 000.12

Page 10 of 10

HMAC- cookie, httpOnly, secure

2FA / TOTP

HMAC-based one-time passwords, ■■■■■■■■ ■■ ■■■■■■■■

PIN (■■■■)

■■■■■■■■■■ ■ flutter_secure_storage (Android Keystore)

■ ■ ■ ■ ■ ■ ■ ■ ■

[illegible]

API ■■■■■

Supabase service role key `■■■■■ ■■ ■■■■■■■■` (env vars), `■■■■■■■ ■ ■■■■■■■■`

Page 10 of 10

Supabase Storage public bucket, upload

Cookies

[illegible]

9.

dio ^5.7.0

HTTP ■■■■■■

dio_cookie_manager ^3.1.1

■■■■■■■■■■ ■■■■■■■■■■ cookie

cookie_jar ^4.0.8

■■■■■■■■■■ cookie

path_provider ^2.1.3

■ ■ ■ ■ ■
■ ■
■ ■ ■ ■ ■ ■ ■ ■
■ ■ ■ ■ ■ ■ ■ ■ ■ ■

flutter_secure_storage ^9.2.2

[illegible]

intl ^0.19.0

[illegible]

local_auth ^2.3.0

[illegible]

open_filex ^4.3.2

[illegible]

image_picker ^1.1.2

██████████ ██████████ █ ████████████████████/██████████████████

flutter_local_notifications ^18.0.0

0

workmanager ^0.9.0

■■■■■ ■■■■■■■■ Android

shared_preferences ^2.3.2

[illegible]

flutter_launcher_icons ^0.14.3

[illegible]

10.



- ✓ **Flutter-Backend** ■ **Flutter-Backend** (email/**Flutter-Backend** + Google + GitHub + 2FA)
- ✓ **Flutter-Backend** **Flutter-Backend** ■ **Flutter-Backend** ■ **Flutter-Backend**
- ✓ **Flutter-Backend**-**Flutter-Backend**: **Flutter-Backend**, **Flutter-Backend**, **Flutter-Backend**, ROI **Flutter-Backend**
- ✓ **Flutter-Backend** **Flutter-Backend** ■ **Flutter-Backend** ■ **Flutter-Backend** ■ **Flutter-Backend**
- ✓ **Flutter-Backend** APK: **Flutter-Backend**, **Flutter-Backend**, 2FA
- ✓ **Flutter-Backend** + **Flutter-Backend** **Flutter-Backend** ■ **Flutter-Backend** ■ **Flutter-Backend**
- ✓ **Flutter-Backend** ■ **Flutter-Backend** ■ **Flutter-Backend** (■ **Flutter-Backend** ■ **Flutter-Backend**)
- ✓ **Flutter-Backend** **Flutter-Backend**-**Flutter-Backend** APK (WorkManager + Dio + open_file)
- ✓ **Flutter-Backend** AI-**Flutter-Backend** **Flutter-Backend** ■ **Flutter-Backend**-**Flutter-Backend**
- ✓ **Flutter-Backend** **Flutter-Backend** **Flutter-Backend** (■ **Flutter-Backend** ■ **Flutter-Backend** Pillow)
- ✓ **Flutter-Backend** **Flutter-Backend** **Flutter-Backend** APK ■ **Flutter-Backend** (HeroSection + CtaSection)



- iOS (Apple Developer MacOS Xcode)
- Push- FCM (local notifications)
- (charts)
- - SQLite/Drift)
- Git LFS APK (>50MB warning)
- APK keystore (debug keys)