

Modality effects in a signalling game

Intro

This script uses data compiled by *analyseData.R*.

Load libraries

```
library(lme4)
library(sjPlot)
library(ggplot2)
library(lattice)
library(influence.ME)
```

Load data

```
d = read.csv("../data/FinalSignalData.csv")
```

Variable for length of first T1

```
T1L = tapply(d[d$turnType=="T1",]$turnLength,
             d[d$turnType=="T1",]$trialString, head, n=1)
d$T1Length = T1L[d$trialString]
d$T1Length[is.na(d$T1Length)] = mean(d$T1Length, na.rm=T)
d$T1Length.log = log(d$T1Length)
d$T1Length.log = d$T1Length.log - mean(d$T1Length.log)
```

We don't need info on every signal in each turn, just the trial time. Keep only 1st signal in each trial.

```
d = d[!duplicated(d$trialString),]
```

Descriptive stats

Here is a graph showing the distribution of trial lengths by conditions:

Average trial time for the whole experiment:

```
mean(d$trialLength)
```

```
## [1] 8795.327
```

```
sd(d$trialLength)
```

```
## [1] 7239.617
```

The distribution of trial times is very skewed:

```
hist(d$trialLength)
```






Figure 1: The efficiency of trials in different conditions



So we transform it using a log transform, then center the data.

```
d$trialLength.log = log(d$trialLength)
meanLogTrialLength = mean(d$trialLength.log)
d$trialLength.log = d$trialLength.log - meanLogTrialLength
hist(d$trialLength.log)
```

Histogram of d\$trialLength.log



Make a variable to represent proportion of games played:

```
# Make a variable that represents the number of trials played
d$trialTotal = d$trial + (d$game * (max(d$trial)+1))
# Convert to proportion of games played, so that estimates reflect change per game.
d$trialTotal = d$trialTotal / 16
# Center the trialTotal variable so intercept reflects after the first game
d$trialTotal = d$trialTotal - 2

d$matcherResponds.cumulative = d$matcherResponds.cumulative - mean(d$matcherResponds.cumulative)
```

Make a variable for which stimuli the players experienced first.

```
firstBlock = tapply(as.character(d$condition), d$dyadNumber, head, n=1)
d$firstBlock = as.factor(firstBlock[match(d$dyadNumber, names(firstBlock))])
```

Reorder some levels so that the intercept reflects the most frequent condition.

```
d$incorrect = !d$correct
```

Variable for whether T1 was a multimodal signal.

```
turnD = read.csv("../data/Final_Turn_data.csv")
turnD = turnD[turnD$turnType=="T1",]
turnD = turnD[turnD$role == "Director",]
d$multimodal = turnD[match(d$trialString, turnD$trialString),]$turnModalityType == "multi"
d$multimodal[is.na(d$multimodal)] = F
```

Mixed models

Make a series of models with random effects for dyad, director (nested within dyad) and item.

Not all random slopes are appropriate. For example, items are used in only one stimulus condition, so a random slope for condition by item is not appropriate. Similarly, each dyad only plays in one modality condition.

It is reasonable to have a random slope for trial by dyad, but this caused unreliable model convergence, so is not included.

The final random slopes were for condition and incorrectness by dyad/player, and modality condition by item.

```
# No fixed effects
m0 = lmer(trialLength.log ~ 1 +
          (1 + condition + incorrect |dyadNumber/playerId) +
          (1 + modalityCondition|itemId),
          data=d, REML = FALSE)
```

Now we add a series of possible confounding factors such as whether the matcher responds. We add the main experimental factors at the end to ensure that they're really contributing to the model over and above the confounds.

```
# Add number of matcher turns
mtchTrn = lmer(trialLength.log ~ 1 +
               matcherResponds +
               (1 + condition + incorrect |dyadNumber/playerId) +
               (1 + modalityCondition|itemId),
               data=d, REML = FALSE)
```

```
tMtchTr = lmer(trialLength.log ~ 1 +
               matcherResponds +
               matcherResponds.cumulative +
               (1 + condition + incorrect |dyadNumber/playerId) +
               (1 + modalityCondition|itemId),
               data=d, REML = FALSE)
```

```
# Add whether the response was incorrect
incor = lmer(trialLength.log ~ 1 +
             matcherResponds +
             matcherResponds.cumulative +
             incorrect +
             (1 + condition + incorrect |dyadNumber/playerId) +
             (1 + modalityCondition|itemId),
             data=d, REML = FALSE)
```

```
# Add multimodal signal
multim = lmer(trialLength.log ~ 1 +
              matcherResponds +
              matcherResponds.cumulative +
              incorrect +
              multimodal +
              (1 + condition + incorrect |dyadNumber/playerId) +
              (1 + modalityCondition|itemId),
              data=d, REML = FALSE)
```

```

# Add effect of trial
game = lmer(trialLength.log ~ 1 +
  trialTotal +
  matcherResponds +
  matcherResponds.cumulative +
  incorrect +
  multimodal +
  (1 + condition + incorrect |dyadNumber/playerId) +
  (1 + modalityCondition|itemId),
  data=d, REML = FALSE)

# Add the quadratic effect of trial
gamQuad = lmer(trialLength.log ~ 1 +
  trialTotal + I(trialTotal^2) +
  matcherResponds +
  matcherResponds.cumulative +
  incorrect +
  multimodal +
  (1 + condition + incorrect |dyadNumber/playerId) +
  (1 + modalityCondition|itemId),
  data=d, REML = FALSE)

# Add modality condition
modality = lmer(trialLength.log ~ 1 + modalityCondition +
  trialTotal + I(trialTotal^2) +
  matcherResponds +
  matcherResponds.cumulative +
  incorrect +
  multimodal +
  (1 + condition + incorrect |dyadNumber/playerId) +
  (1 + modalityCondition|itemId),
  data=d, REML = FALSE)

# Add stimulus condition
cond = lmer(trialLength.log ~ 1 + modalityCondition + condition +
  trialTotal + I(trialTotal^2) +
  matcherResponds +
  matcherResponds.cumulative +
  incorrect +
  multimodal +
  (1 + condition + incorrect |dyadNumber/playerId) +
  (1 + modalityCondition|itemId),
  data=d, REML = FALSE)

# Add interaction between modality and stimulus condition
modXcond = lmer(trialLength.log ~ 1 + modalityCondition*condition +
  trialTotal + I(trialTotal^2) +
  matcherResponds +
  matcherResponds.cumulative +
  incorrect +
  multimodal +
  (1 + condition + incorrect |dyadNumber/playerId) +
  (1 + modalityCondition|itemId),
  data=d, REML = FALSE)

```

```

# Add interaction between condition and trial
conXgame = lmer(trialLength.log ~ 1 + modalityCondition*condition +
  trialTotal + I(trialTotal^2) +
    condition:trialTotal +
    matcherResponds +
    matcherResponds.cumulative +
    incorrect +
    multimodal +
    (1 + condition + incorrect |dyadNumber/playerId) +
    (1 + modalityCondition|itemId),
  data=d, REML = FALSE)

# Add interaction between modality and trial
modXgame = lmer(trialLength.log ~ 1 + modalityCondition*condition +
  trialTotal + I(trialTotal^2) +
    condition:trialTotal + modalityCondition:trialTotal +
    matcherResponds +
    matcherResponds.cumulative +
    incorrect +
    multimodal +
    (1 + condition + incorrect |dyadNumber/playerId) +
    (1 + modalityCondition|itemId),
  data=d, REML = FALSE)

# Add 3-way interaction
moXcoXga = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +
  I(trialTotal^2) +
  matcherResponds +
  incorrect +
  multimodal +
  (1 + condition + incorrect |dyadNumber/playerId) +
  (1 + modalityCondition|itemId),
  data=d, REML = FALSE)

```

Interactions

```

# interaction between turns and modality
nTurnXmo = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +
  I(trialTotal^2) +
  matcherResponds + matcherResponds:modalityCondition +
  matcherResponds.cumulative +
  incorrect +
  multimodal +
  (1 + condition + incorrect |dyadNumber/playerId) +
  (1 + modalityCondition|itemId),
  data=d, REML = FALSE)

nTurnXco = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +
  I(trialTotal^2) +
  matcherResponds + matcherResponds:modalityCondition +
  matcherResponds:condition +
  matcherResponds.cumulative +
  incorrect +
  multimodal +
  (1 + condition + incorrect |dyadNumber/playerId) +

```

```

      (1 + modalityCondition|itemId),
      data=d, REML = FALSE)

# Turn x modality x condition
# Note that the acoustic modality had hardly any matcher turns,
# so the factor is dropped

tuXmoXco = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +
      I(trialTotal^2) +
      matcherResponds*modalityCondition*condition +
      matcherResponds.cumulative +
      incorrect +
      multimodal +
      (1 + condition + incorrect |dyadNumber/playerId) +
      (1 + modalityCondition|itemId),
      data=d, REML = FALSE)

## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
# Add the interaction between modality and incorrectness
moXincor = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +
      I(trialTotal^2) +
      matcherResponds*modalityCondition*condition +
      matcherResponds.cumulative +
      incorrect + incorrect:modalityCondition +
      multimodal +
      (1 + condition + incorrect |dyadNumber/playerId) +
      (1 + modalityCondition|itemId),
      data=d, REML = FALSE)

## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
# Add the interaction between condition and incorrectness
coXincor = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +
      I(trialTotal^2) +
      matcherResponds*modalityCondition*condition +
      matcherResponds.cumulative +
      incorrect + incorrect:modalityCondition + incorrect:condition +
      multimodal +
      (1 + condition + incorrect |dyadNumber/playerId) +
      (1 + modalityCondition|itemId),
      data=d, REML = FALSE)

## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
# Add the three-way interaction between condition, modality and incorrectness
coXmoXin = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +
      I(trialTotal^2) +
      matcherResponds*modalityCondition*condition +
      matcherResponds.cumulative +
      incorrect *modalityCondition*condition +
      multimodal +
      (1 + condition + incorrect |dyadNumber/playerId) +
      (1 + modalityCondition|itemId),
      data=d, REML = FALSE)

```

```
## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
```

```
# Interaction between multimodality and condition
```

```
multiXco = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +  
  I(trialTotal^2) +  
  matcherResponds*modalityCondition*condition +  
  matcherResponds.cumulative +  
  incorrect *modalityCondition*condition +  
  multimodal + multimodal:condition +  
  (1 + condition + incorrect |dyadNumber/playerId) +  
  (1 + modalityCondition|itemId),  
  data=d, REML = FALSE)
```

```
## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
```

```
# Add interaction between quadratic effect of trial and modality
```

```
modXgamQ = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +  
  I(trialTotal^2) +(modalityCondition:I(trialTotal^2)) +  
  matcherResponds*modalityCondition*condition +  
  matcherResponds.cumulative +  
  incorrect *modalityCondition*condition +  
  multimodal + multimodal:condition +  
  (1 + condition + incorrect |dyadNumber/playerId) +  
  (1 + modalityCondition|itemId),  
  data=d, REML = FALSE)
```

```
## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
```

```
Interactions with matcher turns
```

```
tMaTxMod = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +  
  I(trialTotal^2) +(modalityCondition:I(trialTotal^2)) +  
  matcherResponds*modalityCondition*condition +  
  matcherResponds.cumulative +  
  matcherResponds.cumulative:modalityCondition +  
  incorrect *modalityCondition*condition +  
  multimodal + multimodal:condition +  
  (1 + condition + incorrect |dyadNumber/playerId) +  
  (1 + modalityCondition|itemId),  
  data=d, REML = FALSE)
```

```
## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
```

```
Check block has no effect
```

```
# Add block order
```

```
block = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +  
  I(trialTotal^2) +(modalityCondition:I(trialTotal^2)) +  
  matcherResponds*modalityCondition*condition +  
  matcherResponds.cumulative +  
  matcherResponds.cumulative:modalityCondition +  
  incorrect *modalityCondition*condition +  
  multimodal + multimodal:condition +  
  matcherResponds +  
  firstBlock +  
  (1 + condition + incorrect |dyadNumber/playerId) +  
  (1 + modalityCondition|itemId),  
  data=d, REML = FALSE)
```



```

## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
# Add interaction between block order and modality
blocXmod = lmer(trialLength.log ~ 1 + modalityCondition*condition*trialTotal +
  I(trialTotal^2) +(modalityCondition:I(trialTotal^2)) +
  matcherResponds*modalityCondition*condition +
  matcherResponds.cumulative +
  matcherResponds.cumulative:modalityCondition +
  incorrect *modalityCondition*condition +
  multimodal + multimodal:condition +
  matcherResponds +
  firstBlock*modalityCondition +
  (1 + condition + incorrect |dyadNumber/playerId) +
  (1 + modalityCondition|itemId),
  data=d, REML = TRUE) # Last model is REML to get estimates

```

```

## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient

```

Results

Compare the fit of the models:

```
modelComparison = anova(m0,modality,cond,game,modXcond,conXgame, modXgame,
                        moXcoXga,mtchTrn,tMtchTr,tMaTxMod,nTurnXmo,nTurnXco,tuXmoXco,
                        incor,moXincor,coXincor,coXmoXin,
                        multim,multiXco,
                        gamQuad,modXgamQ,
                        block, blocXmod)
```

```
## refitting model(s) with ML (instead of REML)
```

```
modelComparison
```

```
## Data: d
## Models:
## m0: trialLength.log ~ 1 + (1 + condition + incorrect | dyadNumber/playerId) +
## m0:      (1 + modalityCondition | itemId)
## mtchTrn: trialLength.log ~ 1 + matcherResponds + (1 + condition + incorrect |
## mtchTrn:      dyadNumber/playerId) + (1 + modalityCondition | itemId)
## tMtchTr: trialLength.log ~ 1 + matcherResponds + matcherResponds.cumulative +
## tMtchTr:      (1 + condition + incorrect | dyadNumber/playerId) + (1 +
## tMtchTr:      modalityCondition | itemId)
## incor: trialLength.log ~ 1 + matcherResponds + matcherResponds.cumulative +
## incor:      incorrect + (1 + condition + incorrect | dyadNumber/playerId) +
## incor:      (1 + modalityCondition | itemId)
## multim: trialLength.log ~ 1 + matcherResponds + matcherResponds.cumulative +
## multim:      incorrect + multimodal + (1 + condition + incorrect | dyadNumber/playerId) +
## multim:      (1 + modalityCondition | itemId)
## game: trialLength.log ~ 1 + trialTotal + matcherResponds + matcherResponds.cumulative +
## game:      incorrect + multimodal + (1 + condition + incorrect | dyadNumber/playerId) +
## game:      (1 + modalityCondition | itemId)
## gamQuad: trialLength.log ~ 1 + trialTotal + I(trialTotal^2) + matcherResponds +
## gamQuad:      matcherResponds.cumulative + incorrect + multimodal + (1 +
## gamQuad:      condition + incorrect | dyadNumber/playerId) + (1 + modalityCondition |
## gamQuad:      itemId)
## modality: trialLength.log ~ 1 + modalityCondition + trialTotal + I(trialTotal^2) +
## modality:      matcherResponds + matcherResponds.cumulative + incorrect +
## modality:      multimodal + (1 + condition + incorrect | dyadNumber/playerId) +
## modality:      (1 + modalityCondition | itemId)
## cond: trialLength.log ~ 1 + modalityCondition + condition + trialTotal +
## cond:      I(trialTotal^2) + matcherResponds + matcherResponds.cumulative +
## cond:      incorrect + multimodal + (1 + condition + incorrect | dyadNumber/playerId) +
## cond:      (1 + modalityCondition | itemId)
## modXcond: trialLength.log ~ 1 + modalityCondition * condition + trialTotal +
## modXcond:      I(trialTotal^2) + matcherResponds + matcherResponds.cumulative +
## modXcond:      incorrect + multimodal + (1 + condition + incorrect | dyadNumber/playerId) +
## modXcond:      (1 + modalityCondition | itemId)
## conXgame: trialLength.log ~ 1 + modalityCondition * condition + trialTotal +
## conXgame:      I(trialTotal^2) + condition:trialTotal + matcherResponds +
## conXgame:      matcherResponds.cumulative + incorrect + multimodal + (1 +
## conXgame:      condition + incorrect | dyadNumber/playerId) + (1 + modalityCondition |
## conXgame:      itemId)
## modXgame: trialLength.log ~ 1 + modalityCondition * condition + trialTotal +
```

```

## modXgame:      I(trialTotal^2) + condition:trialTotal + modalityCondition:trialTotal +
## modXgame:      matcherResponds + matcherResponds.cumulative + incorrect +
## modXgame:      multimodal + (1 + condition + incorrect | dyadNumber/playerId) +
## modXgame:      (1 + modalityCondition | itemId)
## moXcoXga: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## moXcoXga:      I(trialTotal^2) + matcherResponds + incorrect + multimodal +
## moXcoXga:      (1 + condition + incorrect | dyadNumber/playerId) + (1 +
## moXcoXga:      modalityCondition | itemId)
## nTurnXmo: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## nTurnXmo:      I(trialTotal^2) + matcherResponds + matcherResponds:modalityCondition +
## nTurnXmo:      matcherResponds.cumulative + incorrect + multimodal + (1 +
## nTurnXmo:      condition + incorrect | dyadNumber/playerId) + (1 + modalityCondition |
## nTurnXmo:      itemId)
## nTurnXco: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## nTurnXco:      I(trialTotal^2) + matcherResponds + matcherResponds:modalityCondition +
## nTurnXco:      matcherResponds:condition + matcherResponds.cumulative +
## nTurnXco:      incorrect + multimodal + (1 + condition + incorrect | dyadNumber/playerId) +
## nTurnXco:      (1 + modalityCondition | itemId)
## tuXmoXco: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## tuXmoXco:      I(trialTotal^2) + matcherResponds * modalityCondition * condition +
## tuXmoXco:      matcherResponds.cumulative + incorrect + multimodal + (1 +
## tuXmoXco:      condition + incorrect | dyadNumber/playerId) + (1 + modalityCondition |
## tuXmoXco:      itemId)
## moXincor: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## moXincor:      I(trialTotal^2) + matcherResponds * modalityCondition * condition +
## moXincor:      matcherResponds.cumulative + incorrect + incorrect:modalityCondition +
## moXincor:      multimodal + (1 + condition + incorrect | dyadNumber/playerId) +
## moXincor:      (1 + modalityCondition | itemId)
## coXincor: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## coXincor:      I(trialTotal^2) + matcherResponds * modalityCondition * condition +
## coXincor:      matcherResponds.cumulative + incorrect + incorrect:modalityCondition +
## coXincor:      incorrect:condition + multimodal + (1 + condition + incorrect |
## coXincor:      dyadNumber/playerId) + (1 + modalityCondition | itemId)
## coXmoXin: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## coXmoXin:      I(trialTotal^2) + matcherResponds * modalityCondition * condition +
## coXmoXin:      matcherResponds.cumulative + incorrect * modalityCondition *
## coXmoXin:      condition + multimodal + (1 + condition + incorrect | dyadNumber/playerId) +
## coXmoXin:      (1 + modalityCondition | itemId)
## multiXco: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## multiXco:      I(trialTotal^2) + matcherResponds * modalityCondition * condition +
## multiXco:      matcherResponds.cumulative + incorrect * modalityCondition *
## multiXco:      condition + multimodal + multimodal:condition + (1 + condition +
## multiXco:      incorrect | dyadNumber/playerId) + (1 + modalityCondition |
## multiXco:      itemId)
## modXgamQ: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## modXgamQ:      I(trialTotal^2) + (modalityCondition:I(trialTotal^2)) + matcherResponds *
## modXgamQ:      modalityCondition * condition + matcherResponds.cumulative +
## modXgamQ:      incorrect * modalityCondition * condition + multimodal +
## modXgamQ:      multimodal:condition + (1 + condition + incorrect | dyadNumber/playerId) +
## modXgamQ:      (1 + modalityCondition | itemId)
## tMatxMod: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## tMatxMod:      I(trialTotal^2) + (modalityCondition:I(trialTotal^2)) + matcherResponds *
## tMatxMod:      modalityCondition * condition + matcherResponds.cumulative +
## tMatxMod:      matcherResponds.cumulative:modalityCondition + incorrect *

```

```

## tMaTxMod:    modalityCondition * condition + multimodal + multimodal:condition +
## tMaTxMod:    (1 + condition + incorrect | dyadNumber/playerId) + (1 +
## tMaTxMod:    modalityCondition | itemId)
## block: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## block:    I(trialTotal^2) + (modalityCondition:I(trialTotal^2)) + matcherResponds *
## block:    modalityCondition * condition + matcherResponds.cumulative +
## block:    matcherResponds.cumulative:modalityCondition + incorrect *
## block:    modalityCondition * condition + multimodal + multimodal:condition +
## block:    matcherResponds + firstBlock + (1 + condition + incorrect |
## block:    dyadNumber/playerId) + (1 + modalityCondition | itemId)
## blocXmod: trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## blocXmod:    I(trialTotal^2) + (modalityCondition:I(trialTotal^2)) + matcherResponds *
## blocXmod:    modalityCondition * condition + matcherResponds.cumulative +
## blocXmod:    matcherResponds.cumulative:modalityCondition + incorrect *
## blocXmod:    modalityCondition * condition + multimodal + multimodal:condition +
## blocXmod:    matcherResponds + firstBlock * modalityCondition + (1 + condition +
## blocXmod:    incorrect | dyadNumber/playerId) + (1 + modalityCondition |
## blocXmod:    itemId)
##          Df      AIC      BIC    logLik deviance    Chisq Chi Df Pr(>Chisq)
## m0        20 2686.0 2796.8 -1323.01    2646.0
## mtchTrn   21 2181.3 2297.6 -1069.64    2139.3 506.7419      1 < 2.2e-16 ***
## tMtchTr   22 2053.1 2174.9 -1004.53    2009.1 130.2089      1 < 2.2e-16 ***
## incor     23 2037.3 2164.7 -995.64    1991.3 17.7762       1 2.485e-05 ***
## multim    24 2038.2 2171.2 -995.12    1990.2 1.0451        1 0.3066294
## game      25 1761.1 1899.6 -855.54    1711.1 279.1529      1 < 2.2e-16 ***
## gamQuad   26 1712.8 1856.9 -830.41    1660.8 50.2634        1 1.344e-12 ***
## modality   28 1716.2 1871.3 -830.10    1660.2 0.6327         2 0.7287886
## cond      29 1717.7 1878.3 -829.83    1659.7 0.5376         1 0.4634404
## modXcond  31 1706.2 1877.9 -822.10    1644.2 15.4611        2 0.0004392 ***
## conXgame  32 1708.0 1885.3 -822.00    1644.0 0.1885         1 0.6641504
## modXgame  34 1701.5 1889.9 -816.75    1633.5 10.5073        2 0.0052284 **
## moXcoXga  35 1702.9 1896.8 -816.44    1632.9 0.6220         1 0.4303010
## nTurnXmo  38 1706.0 1916.5 -814.98    1630.0 2.9249         3 0.4033423
## nTurnXco  39 1707.8 1923.9 -814.90    1629.8 0.1425         1 0.7058457
## tuXmoXco  40 1709.0 1930.6 -814.48    1629.0 0.8569         1 0.3545994
## moXincor  42 1707.8 1940.5 -811.89    1623.8 5.1708         2 0.0753659 .
## coXincor  43 1709.7 1947.9 -811.86    1623.7 0.0630         1 0.8017564
## coXmoXin  45 1711.5 1960.8 -810.77    1621.5 2.1705         2 0.3378165
## multiXco  46 1713.2 1968.0 -810.58    1621.2 0.3966         1 0.5288414
## modXgamQ  48 1710.3 1976.3 -807.17    1614.3 6.8134         2 0.0331502 *
## tMaTxMod  50 1712.5 1989.5 -806.24    1612.5 1.8515         2 0.3962261
## block     51 1714.1 1996.6 -806.03    1612.1 0.4164         1 0.5187396
## blocXmod  53 1717.2 2010.9 -805.62    1611.2 0.8318         2 0.6597472
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

Pick final model for estimates:

```
finalModel = block
```

Final model estimates:

```
summary(finalModel)
```

```
## Linear mixed model fit by maximum likelihood ['lmerMod']
```

```
## Formula:
```

```

## trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## I(trialTotal^2) + (modalityCondition:I(trialTotal^2)) + matcherResponds *
## modalityCondition * condition + matcherResponds.cumulative +
## matcherResponds.cumulative:modalityCondition + incorrect *
## modalityCondition * condition + multimodal + multimodal:condition +
## matcherResponds + firstBlock + (1 + condition + incorrect |
## dyadNumber/playerId) + (1 + modalityCondition | itemId)
## Data: d
##
##      AIC      BIC   logLik deviance df.resid
## 1714.1   1996.6   -806.0   1612.1     1831
##
## Scaled residuals:
##      Min       1Q   Median       3Q      Max
## -3.4208 -0.6219 -0.0532  0.5675  5.7660
##
## Random effects:
## Groups              Name                Variance Std.Dev. Corr
## playerId:dyadNumber (Intercept)          0.041198 0.20297
##                   conditionVisual        0.028304 0.16824  -0.58
##                   incorrectTRUE          0.012473 0.11168  -0.74  0.14
## itemId              (Intercept)          0.023488 0.15326
##                   modalityConditionvisual 0.002389 0.04887   0.80
##                   modalityConditionvocal 0.011807 0.10866  -0.10  0.52
## dyadNumber          (Intercept)          0.043656 0.20894
##                   conditionVisual        0.014215 0.11923   0.01
##                   incorrectTRUE          0.001084 0.03293  -0.60 -0.81
## Residual              0.122023 0.34932
## Number of obs: 1882, groups:
## playerId:dyadNumber, 30; itemId, 16; dyadNumber, 15
##
## Fixed effects:
##
##                                     Estimate
## (Intercept)                        -0.519915
## modalityConditionvisual              0.493749
## modalityConditionvocal              0.342649
## conditionVisual                     0.402619
## trialTotal                         -0.158208
## I(trialTotal^2)                     0.061644
## matcherRespondsTRUE                 0.908681
## matcherResponds.cumulative          -0.018504
## incorrectTRUE                       0.264551
## multimodalTRUE                      0.108549
## firstBlockVisual                   -0.089788
## modalityConditionvisual:conditionVisual -0.240205
## modalityConditionvocal:conditionVisual -0.686210
## modalityConditionvisual:trialTotal    0.018489
## modalityConditionvocal:trialTotal     0.008652
## conditionVisual:trialTotal           -0.002352
## modalityConditionvisual:I(trialTotal^2) -0.036355
## modalityConditionvocal:I(trialTotal^2) -0.003204
## modalityConditionvisual:matcherRespondsTRUE -0.007474
## modalityConditionvocal:matcherRespondsTRUE -0.104595
## conditionVisual:matcherRespondsTRUE  0.087870

```

## modalityConditionvisual:matcherResponds.cumulative	0.020478
## modalityConditionvocal:matcherResponds.cumulative	-0.106184
## modalityConditionvisual:incorrectTRUE	-0.073620
## modalityConditionvocal:incorrectTRUE	-0.226475
## conditionVisual:incorrectTRUE	0.030037
## conditionVisual:multimodalTRUE	-0.058851
## modalityConditionvisual:conditionVisual:trialTotal	0.015438
## modalityConditionvocal:conditionVisual:trialTotal	-0.015787
## modalityConditionvisual:conditionVisual:matcherRespondsTRUE	-0.108305
## modalityConditionvisual:conditionVisual:incorrectTRUE	-0.130398
## modalityConditionvocal:conditionVisual:incorrectTRUE	0.063256
##	Std. Error
## (Intercept)	0.152819
## modalityConditionvisual	0.171423
## modalityConditionvocal	0.429137
## conditionVisual	0.122229
## trialTotal	0.019286
## I(trialTotal^2)	0.012574
## matcherRespondsTRUE	0.091614
## matcherResponds.cumulative	0.012251
## incorrectTRUE	0.088217
## multimodalTRUE	0.057590
## firstBlockVisual	0.119284
## modalityConditionvisual:conditionVisual	0.127786
## modalityConditionvocal:conditionVisual	0.141506
## modalityConditionvisual:trialTotal	0.027839
## modalityConditionvocal:trialTotal	0.026043
## conditionVisual:trialTotal	0.025773
## modalityConditionvisual:I(trialTotal^2)	0.017344
## modalityConditionvocal:I(trialTotal^2)	0.017268
## modalityConditionvisual:matcherRespondsTRUE	0.119768
## modalityConditionvocal:matcherRespondsTRUE	0.372495
## conditionVisual:matcherRespondsTRUE	0.115503
## modalityConditionvisual:matcherResponds.cumulative	0.015586
## modalityConditionvocal:matcherResponds.cumulative	0.182995
## modalityConditionvisual:incorrectTRUE	0.116200
## modalityConditionvocal:incorrectTRUE	0.120319
## conditionVisual:incorrectTRUE	0.100135
## conditionVisual:multimodalTRUE	0.106427
## modalityConditionvisual:conditionVisual:trialTotal	0.035798
## modalityConditionvocal:conditionVisual:trialTotal	0.035695
## modalityConditionvisual:conditionVisual:matcherRespondsTRUE	0.155395
## modalityConditionvisual:conditionVisual:incorrectTRUE	0.136235
## modalityConditionvocal:conditionVisual:incorrectTRUE	0.132601
##	t value
## (Intercept)	-3.402
## modalityConditionvisual	2.880
## modalityConditionvocal	0.798
## conditionVisual	3.294
## trialTotal	-8.203
## I(trialTotal^2)	4.902
## matcherRespondsTRUE	9.919
## matcherResponds.cumulative	-1.510
## incorrectTRUE	2.999


```
## multimodalTRUE 1.885
## firstBlockVisual -0.753
## modalityConditionvisual:conditionVisual -1.880
## modalityConditionvocal:conditionVisual -4.849
## modalityConditionvisual:trialTotal 0.664
## modalityConditionvocal:trialTotal 0.332
## conditionVisual:trialTotal -0.091
## modalityConditionvisual:I(trialTotal^2) -2.096
## modalityConditionvocal:I(trialTotal^2) -0.186
## modalityConditionvisual:matcherRespondsTRUE -0.062
## modalityConditionvocal:matcherRespondsTRUE -0.281
## conditionVisual:matcherRespondsTRUE 0.761
## modalityConditionvisual:matcherResponds.cumulative 1.314
## modalityConditionvocal:matcherResponds.cumulative -0.580
## modalityConditionvisual:incorrectTRUE -0.634
## modalityConditionvocal:incorrectTRUE -1.882
## conditionVisual:incorrectTRUE 0.300
## conditionVisual:multimodalTRUE -0.553
## modalityConditionvisual:conditionVisual:trialTotal 0.431
## modalityConditionvocal:conditionVisual:trialTotal -0.442
## modalityConditionvisual:conditionVisual:matcherRespondsTRUE -0.697
## modalityConditionvisual:conditionVisual:incorrectTRUE -0.957
## modalityConditionvocal:conditionVisual:incorrectTRUE 0.477

##
## Correlation matrix not shown by default, as p = 32 > 12.
## Use print(x, correlation=TRUE) or
## vcov(x) if you need it

## fit warnings:
## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
```

Check model predictions. The model predictions are in the right range and direction, fitting linear quite well:


```
plot(predict(blocXmod),d$trialLength.log, pch=16, col=rgb(0,0,0,0.4),
      ylim=c(-1.5,2),xlim=c(-1.5,2))
abline(a=0,b=1, col=2, lwd=2)
abline(h=0, col=2)
abline(v=0, col=2)
```



The residuals are ok, though it tends to do worse at higher values. This is expected from using the log scale.

```
qqnorm(resid(blocXmod))
qqline(resid(blocXmod))
```

Normal Q-Q Plot



Plot the fixed effects

Relabel the effects:

```
feLabels = matrix(c(
  "(Intercept)" , "Intercept" , NA,
  "modalityConditionvisual" , "Visual modality", "modality",
  "modalityConditionvocal" , "Acoustic modality", "modality",
  "conditionVisual" , "Visual stimuli", "cond",
  "trialTotal" , "Game", "game",
  "modalityConditionvisual:conditionVisual" , "Visual modality:Visual stimuli", "modXcond",
  "modalityConditionvocal:conditionVisual" , "Acoustic modality:Visual stimuli", "modXcond",
  "modalityConditionvisual:trialTotal" , "Visual modality:Game", "modXgame",
  "modalityConditionvocal:trialTotal" , "Acoustic modality:Game", "modXgame",
  "conditionVisual:trialTotal" , "Visual stimuli:Game", "conXgame",
  "modalityConditionvisual:conditionVisual:trialTotal", "Visual modality:Visual stimuli:Game", "moXcoXga",
  "modalityConditionvocal:conditionVisual:trialTotal", "Acoustic modality:Visual stimuli:Game", "moXcoXga",
  "incorrectTRUE", "Incorrect", "incor",
  "modalityConditionvisual:incorrectTRUE", "Visual modality:Incorrect", "moXincor",
  "modalityConditionvocal:incorrectTRUE", "Acoustic modality:Incorrect", "moXincor",
  "modalityConditionvisual:I(trialTotal^2)", "Visual modality:Game^2", "modXgamQ",
  "modalityConditionvocal:I(trialTotal^2)", "Acoustic modality:Game^2", "modXgamQ",
  "I(trialTotal^2)", "Game^2", "gamQuad",
  "firstBlockVisual", "Visual stims first", "block",
  "modalityConditionvisual:firstBlockVisual", "Visual modality:Visual stim first", "blocXmod",
  "modalityConditionvocal:firstBlockVisual", "Acoustic modality:Visual stim first", "blocXmod",
  "conditionVisual:incorrectTRUE", "Visual stimuli:incorrect", "coXincor",
  "modalityConditionvisual:conditionVisual:incorrectTRUE", "Visual modality:Visual stimuli:incorrect", "coXincor",
  "modalityConditionvocal:conditionVisual:incorrectTRUE", "Acoustic modality:Visual stimuli:incorrect", "coXincor",
  "modalityConditionvisual:conditionVisual:numberOfTurns", "VisualModality:Visual stim:NumTurns", "tuXmoXco",
  "modalityConditionvisual:conditionVisual:matcherRespondsTRUE", "VisualModality:Visual stim:Matcher Respon",
  "modalityConditionvocal:conditionVisual:numberOfTurns", "Vocal Modality:Visual stim:NumTurns", "tuXmoXco",
  "modalityConditionvocal:conditionVisual:matcherRespondsTRUE", "Vocal Modality:Visual stim:Matcher Respon",
  "conditionVisual:numberOfTurns", "Visual stim:NumTurns", "nTurnXco",
  "conditionVisual:matcherRespondsTRUE", "Visual stim:Matcher Responds", "nTurnXco",
  "modalityConditionvisual:numberOfTurns", "VisualModality:NumTurns", "nTurnXmo",
  "modalityConditionvisual:matcherRespondsTRUE", "VisualModality:Matcher Responds", "nTurnXmo",
  "modalityConditionvocal:numberOfTurns", "Vocal Modality:NumTurns", "nTurnXmo",
  "modalityConditionvocal:matcherRespondsTRUE", "Vocal Modality:Matcher Responds", "nTurnXmo",
  "numberOfTurns", "Number of turns", "nTurns",
  "multimodalTRUE", "Multimodal T1", "multim",
  "conditionVisual:multimodalTRUE", "VisualStim:MultimodalT1", "multiXco",
  "matcherRespondsTRUE", "Matcher Responds", 'mtchTrn',
  "matcherResponds.cumulative", "Total interaction", "tMtchTr",
  "modalityConditionvisual:matcherResponds.cumulative", "Total interaction:Visual Modality", "tMaTxMod",
  "modalityConditionvocal:matcherResponds.cumulative", "Total interaction:Vocal Modality", "tMaTxMod"
), ncol=3, byrow = T)

feLabels2 = as.vector(feLabels[match(names(fixef(finalModel)), feLabels[,1]), 2])
feModel = as.vector(feLabels[match(names(fixef(finalModel)), feLabels[,1]), 3])

sig = modelComparison$`Pr(>Chisq)`
names(sig) = rownames(modelComparison)
```

```

sig.data = data.frame(estimate = fixef(finalModel),
                      y=1:length(fixef(finalModel)),
                      sig=sig[feModel])

cols= c("black",'red')
sig.data$pointCol = cols[1]
sig.data$pointCol[!is.na(sig.data$sig)] =
  cols[1 + (sig.data$sig[!is.na(sig.data$sig)] < 0.05)]
# Mark marginal effects
#sig.data$pointCol[!is.na(sig.data$sig) &
#  sig.data$sig < 0.1 &
#  sig.data$sig >=0.05] = "orange"

sig.data$fade = sig.data$sig > 0.05

```

Plot the strength of the fixed effects:

```

x = sjp.lmer(finalModel, 'fe',
  show.intercept = T,
  sort.est=NULL,
  axis.labels = feLabels2[2:length(feLabels2)],
  xlab="Trial time (log ms)",
  geom.colors = c(1,1),
  show.p=F,
  show.values = F,
  p.kr = FALSE,
  string.interc="Intercept",
  prnt.plot = F)

```

Computing p-values via Wald-statistics approximation (treating t as Wald z).


```

x$plot.list[[1]]$data$fade = sig.data$fade

x$plot.list[[1]]

```

Fixed effects



Attempt plot with axes in milliseconds.

```
convertEst = function(X){
  exp(meanLogTrialLength+X) - exp(meanLogTrialLength)
}


x$plot.list[[1]]$data$estimate = convertEst(x$plot.list[[1]]$data$estimate)
x$plot.list[[1]]$data$conf.low = convertEst(x$plot.list[[1]]$data$conf.low)
x$plot.list[[1]]$data$conf.high = convertEst(x$plot.list[[1]]$data$conf.high)

sig.data2 = sig.data
sig.data2$estimate = x$plot.list[[1]]$data$estimate
sig.data2$estimate.lower = x$plot.list[[1]]$data$conf.low
sig.data2$estimate.upper = x$plot.list[[1]]$data$conf.high

x$plot.list[[1]]$data$fade = sig.data2$fade

x$plot.list[[1]] +
  scale_y_continuous(name="Difference (ms)") +
  scale_x_discrete(labels=feLabels2) +
  #geom_point(data=sig.data2, aes(y=estimate, x=y, fade=fade), color=sig.data$pointCol) +
  coord_flip(ylim=c(-5000,10000))

## Scale for 'x' is already present. Adding another scale for 'x', which
## will replace the existing scale.
```



for every 10 trials where a matcher responded, subsequent trials were shorter by:

```

noInteraction = convertEst(
  fixef(finalModel)["(Intercept)"]
)

tenResponses = convertEst(
  fixef(finalModel)["(Intercept)"] +
  (10 * fixef(finalModel)["matcherResponds.cumulative"])
)

noInteraction - tenResponses

## (Intercept)
##      715.1453

```

Table for paper

```
outdata = x$plot.list[[1]]$data[,c("estimate", "conf.low", 'conf.high')]

outdata$estimate = round(outdata$estimate)
outdata$conf.low = round(outdata$conf.low)
outdata$conf.high = round(outdata$conf.high)
#outdata = outdata[2:nrow(outdata),]

xd = as.data.frame(summary(finalModel)$coef)
#xd = xd[2:nrow(xd),]
outdata$wald.t = xd$t value`

sig = modelComparison$`Pr(>Chisq)`
names(sig) = rownames(modelComparison)
sigx = sig[feModel]
#sigx = sigx[2:length(sigx)]

outdata$model.comparison.p = sigx
outdata$estimate = paste(
  c("", "+")[1+(outdata$estimate>0)],
  as.character(outdata$estimate), sep='')

outdata$label = feLabels2

outdata = outdata[,c("label", "estimate", "conf.low",
  "conf.high", "wald.t",
  "model.comparison.p")]


write.csv(outdata[2:nrow(outdata),], file="../../results/tables/Efficiency_FixedEffects.csv")
```

Random effects


There is a reasonable amount of variation in the random effects, suggesting that dyads and players differ. This justifies the use of mixed effects modelling.

```
dotplot(ranef(finalModel))
```

```
## $`playerId:dyadNumber`
```




\$ItemId



##


```
## $dyadNumber
```



qq-plots of random effects

```
sjp.lmer(finalModel, type = "re.qq")
```

Testing for normal distribution. Dots should be plotted along the line.



Relevel factors to see other comparisons

```
d2 = d
d2$condition = relevel(d2$condition, "Visual")
fm2 = update(finalModel, data=d2)

## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
summary(fm2)

## Linear mixed model fit by maximum likelihood ['lmerMod']
## Formula:
## trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
##   I(trialTotal^2) + (modalityCondition:I(trialTotal^2)) + matcherResponds *
##   modalityCondition * condition + matcherResponds.cumulative +
##   matcherResponds.cumulative:modalityCondition + incorrect *
##   modalityCondition * condition + multimodal + multimodal:condition +
##   matcherResponds + firstBlock + (1 + condition + incorrect |
##   dyadNumber/playerId) + (1 + modalityCondition | itemId)
## Data: d2
##
##      AIC      BIC   logLik deviance df.resid
## 1714.1  1996.6   -806.0  1612.1     1831
##
## Scaled residuals:
##      Min       1Q   Median       3Q      Max
```

```

## -3.4208 -0.6219 -0.0532  0.5675  5.7660
##
## Random effects:
##   Groups          Name              Variance Std.Dev. Corr
##   playerId:dyadNumber (Intercept)      0.030155 0.17365
##                   conditionAuditory    0.028304 0.16824 -0.30
##                   incorrectTRUE        0.012473 0.11168 -0.73 -0.14
##   itemId           (Intercept)      0.023488 0.15326
##                   modalityConditionvisual 0.002389 0.04887  0.80
##                   modalityConditionvocal 0.011807 0.10866 -0.10  0.52
##   dyadNumber        (Intercept)      0.058296 0.24145
##                   conditionAuditory    0.014215 0.11923 -0.50
##                   incorrectTRUE        0.001084 0.03293 -0.92  0.81
## Residual                                0.122023 0.34932
## Number of obs: 1882, groups:
## playerId:dyadNumber, 30; itemId, 16; dyadNumber, 15
##
## Fixed effects:
##                                     Estimate
## (Intercept)                        -0.117296
## modalityConditionvisual              0.253544
## modalityConditionvocal              -0.343561
## conditionAuditory                   -0.402619
## trialTotal                         -0.160560
## I(trialTotal^2)                     0.061644
## matcherRespondsTRUE                 0.996551
## matcherResponds.cumulative          -0.018504
## incorrectTRUE                       0.294587
## multimodalTRUE                      0.049698
## firstBlockVisual                   -0.089788
## modalityConditionvisual:conditionAuditory 0.240205
## modalityConditionvocal:conditionAuditory 0.686209
## modalityConditionvisual:trialTotal    0.033927
## modalityConditionvocal:trialTotal    -0.007135
## conditionAuditory:trialTotal         0.002352
## modalityConditionvisual:I(trialTotal^2) -0.036355
## modalityConditionvocal:I(trialTotal^2) -0.003204
## modalityConditionvisual:matcherRespondsTRUE -0.115779
## modalityConditionvocal:matcherRespondsTRUE -0.104595
## conditionAuditory:matcherRespondsTRUE -0.087870
## modalityConditionvisual:matcherResponds.cumulative 0.020478
## modalityConditionvocal:matcherResponds.cumulative -0.106184
## modalityConditionvisual:incorrectTRUE -0.204018
## modalityConditionvocal:incorrectTRUE -0.163219
## conditionAuditory:incorrectTRUE      -0.030037
## conditionAuditory:multimodalTRUE     0.058851
## modalityConditionvisual:conditionAuditory:trialTotal -0.015438
## modalityConditionvocal:conditionAuditory:trialTotal 0.015787
## modalityConditionvisual:conditionAuditory:matcherRespondsTRUE 0.108304
## modalityConditionvisual:conditionAuditory:incorrectTRUE 0.130398
## modalityConditionvocal:conditionAuditory:incorrectTRUE -0.063256
##                                     Std. Error
## (Intercept)                        0.156786
## modalityConditionvisual              0.179635

```

## modalityConditionvocal	0.465835
## conditionAuditory	0.122229
## trialTotal	0.022625
## I(trialTotal^2)	0.012574
## matcherRespondsTRUE	0.071469
## matcherResponds.cumulative	0.012251
## incorrectTRUE	0.073118
## multimodalTRUE	0.089356
## firstBlockVisual	0.119284
## modalityConditionvisual:conditionAuditory	0.127785
## modalityConditionvocal:conditionAuditory	0.141506
## modalityConditionvisual:trialTotal	0.031135
## modalityConditionvocal:trialTotal	0.028568
## conditionAuditory:trialTotal	0.025773
## modalityConditionvisual:I(trialTotal^2)	0.017344
## modalityConditionvocal:I(trialTotal^2)	0.017268
## modalityConditionvisual:matcherRespondsTRUE	0.100624
## modalityConditionvocal:matcherRespondsTRUE	0.372495
## conditionAuditory:matcherRespondsTRUE	0.115503
## modalityConditionvisual:matcherResponds.cumulative	0.015586
## modalityConditionvocal:matcherResponds.cumulative	0.182995
## modalityConditionvisual:incorrectTRUE	0.104897
## modalityConditionvocal:incorrectTRUE	0.096019
## conditionAuditory:incorrectTRUE	0.100135
## conditionAuditory:multimodalTRUE	0.106427
## modalityConditionvisual:conditionAuditory:trialTotal	0.035798
## modalityConditionvocal:conditionAuditory:trialTotal	0.035695
## modalityConditionvisual:conditionAuditory:matcherRespondsTRUE	0.155395
## modalityConditionvisual:conditionAuditory:incorrectTRUE	0.136235
## modalityConditionvocal:conditionAuditory:incorrectTRUE	0.132601
##	t value
## (Intercept)	-0.748
## modalityConditionvisual	1.411
## modalityConditionvocal	-0.738
## conditionAuditory	-3.294
## trialTotal	-7.096
## I(trialTotal^2)	4.902
## matcherRespondsTRUE	13.944
## matcherResponds.cumulative	-1.510
## incorrectTRUE	4.029
## multimodalTRUE	0.556
## firstBlockVisual	-0.753
## modalityConditionvisual:conditionAuditory	1.880
## modalityConditionvocal:conditionAuditory	4.849
## modalityConditionvisual:trialTotal	1.090
## modalityConditionvocal:trialTotal	-0.250
## conditionAuditory:trialTotal	0.091
## modalityConditionvisual:I(trialTotal^2)	-2.096
## modalityConditionvocal:I(trialTotal^2)	-0.186
## modalityConditionvisual:matcherRespondsTRUE	-1.151
## modalityConditionvocal:matcherRespondsTRUE	-0.281
## conditionAuditory:matcherRespondsTRUE	-0.761
## modalityConditionvisual:matcherResponds.cumulative	1.314
## modalityConditionvocal:matcherResponds.cumulative	-0.580

```

## modalityConditionvisual:incorrectTRUE -1.945
## modalityConditionvocal:incorrectTRUE -1.700
## conditionAuditory:incorrectTRUE -0.300
## conditionAuditory:multimodalTRUE 0.553
## modalityConditionvisual:conditionAuditory:trialTotal -0.431
## modalityConditionvocal:conditionAuditory:trialTotal 0.442
## modalityConditionvisual:conditionAuditory:matcherRespondsTRUE 0.697
## modalityConditionvisual:conditionAuditory:incorrectTRUE 0.957
## modalityConditionvocal:conditionAuditory:incorrectTRUE -0.477

##
## Correlation matrix not shown by default, as p = 32 > 12.
## Use print(x, correlation=TRUE) or
## vcov(x) if you need it

## fit warnings:
## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient

feLabelsB = feLabels2
feLabelsB = gsub("Visual stimuli","Acoustic stimuli",feLabelsB)
feLabelsB = gsub("VisualStim","AcousticStim",feLabelsB)
feLabelsB = gsub("Visual stim","AcousticStim",feLabelsB)


x2 = sjp.lmer(fm2, 'fe',
  show.intercept = T,
  sort.est=NULL,
  axis.labels = feLabelsB[2:length(feLabelsB)],
  xlab="Trial time (log ms)",
  geom.colors = c(1,1),
  show.p=F,
  show.values = F,
  p.kr = FALSE,
  string.interc="Intercept",
  prnt.plot = F)

## Computing p-values via Wald-statistics approximation (treating t as Wald z).
x2$plot.list[[1]]$data$fade = sig.data$fade

x2$plot.list[[1]]

```

Fixed effects



```
d2 = d
d2$modalityCondition = relevel(d2$modalityCondition,"visual")
fm2 = update(finalModel, data=d2)

## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
## Warning in checkConv(attr(opt, "derivs"), opt$par, ctrl = control
## $checkConv, : unable to evaluate scaled gradient
## Warning in checkConv(attr(opt, "derivs"), opt$par, ctrl = control
## $checkConv, : Model failed to converge: degenerate Hessian with 1 negative
## eigenvalues
summary(fm2)

## Linear mixed model fit by maximum likelihood ['lmerMod']
## Formula:
## trialLength.log ~ 1 + modalityCondition * condition * trialTotal +
## I(trialTotal^2) + (modalityCondition:I(trialTotal^2)) + matcherResponds *
## modalityCondition * condition + matcherResponds.cumulative +
## matcherResponds.cumulative:modalityCondition + incorrect *
## modalityCondition * condition + multimodal + multimodal:condition +
## matcherResponds + firstBlock + (1 + condition + incorrect |
## dyadNumber/playerId) + (1 + modalityCondition | itemId)
## Data: d2
##
##      AIC      BIC   logLik deviance df.resid
## 1715.2  1997.7  -806.6  1613.2    1831
##
## Scaled residuals:
```

```

##      Min      1Q  Median      3Q      Max
## -3.4121 -0.6161 -0.0538  0.5623  5.7633
##
## Random effects:
##      Groups              Name              Variance Std.Dev.  Corr
## playerId:dyadNumber (Intercept)          0.041016 0.20253
##                   conditionVisual        0.028272 0.16814  -0.57
##                   incorrectTRUE          0.012373 0.11123  -0.74  0.13
## itemId              (Intercept)          0.037949 0.19480
##                   modalityConditionmulti 0.001831 0.04279  -1.00
##                   modalityConditionvocal 0.010631 0.10311  -0.42  0.42
## dyadNumber          (Intercept)          0.043706 0.20906
##                   conditionVisual        0.014057 0.11856   0.01
##                   incorrectTRUE          0.001122 0.03350  -0.57 -0.83
## Residual                                0.122147 0.34950
## Number of obs: 1882, groups:
## playerId:dyadNumber, 30; itemId, 16; dyadNumber, 15
##
## Fixed effects:
##
##                                     Estimate
## (Intercept)                        -0.027145
## modalityConditionmulti              -0.489840
## modalityConditionvocal              -0.148423
## conditionVisual                     0.162468
## trialTotal                         -0.139830
## I(trialTotal^2)                     0.025307
## matcherRespondsTRUE                 0.898184
## matcherResponds.cumulative          0.001904
## incorrectTRUE                       0.191090
## multimodalTRUE                      0.102910
## firstBlockVisual                    -0.087719
## modalityConditionmulti:conditionVisual 0.235678
## modalityConditionvocal:conditionVisual -0.446362
## modalityConditionmulti:trialTotal    -0.018153
## modalityConditionvocal:trialTotal    -0.009862
## conditionVisual:trialTotal           0.013366
## modalityConditionmulti:I(trialTotal^2) 0.036321
## modalityConditionvocal:I(trialTotal^2) 0.033154
## modalityConditionmulti:matcherRespondsTRUE 0.009160
## modalityConditionvocal:matcherRespondsTRUE -0.099677
## conditionVisual:matcherRespondsTRUE -0.019381
## modalityConditionmulti:matcherResponds.cumulative -0.020409
## modalityConditionvocal:matcherResponds.cumulative -0.125404
## modalityConditionmulti:incorrectTRUE 0.076270
## modalityConditionvocal:incorrectTRUE -0.157384
## conditionVisual:incorrectTRUE        -0.101467
## conditionVisual:multimodalTRUE       -0.052389
## modalityConditionmulti:conditionVisual:trialTotal -0.015983
## modalityConditionvocal:conditionVisual:trialTotal -0.031484
## modalityConditionmulti:conditionVisual:matcherRespondsTRUE 0.110096
## modalityConditionmulti:conditionVisual:incorrectTRUE 0.128808
## modalityConditionvocal:conditionVisual:incorrectTRUE 0.199372
##                                     Std. Error
## (Intercept)                        0.153806

```

## modalityConditionmulti	0.171138
## modalityConditionvocal	0.426530
## conditionVisual	0.127034
## trialTotal	0.020131
## I(trialTotal^2)	0.011952
## matcherRespondsTRUE	0.077253
## matcherResponds.cumulative	0.009680
## incorrectTRUE	0.077240
## multimodalTRUE	0.057400
## firstBlockVisual	0.119425
## modalityConditionmulti:conditionVisual	0.126920
## modalityConditionvocal:conditionVisual	0.131495
## modalityConditionmulti:trialTotal	0.027849
## modalityConditionvocal:trialTotal	0.026673
## conditionVisual:trialTotal	0.024987
## modalityConditionmulti:I(trialTotal^2)	0.017352
## modalityConditionvocal:I(trialTotal^2)	0.016823
## modalityConditionmulti:matcherRespondsTRUE	0.119777
## modalityConditionvocal:matcherRespondsTRUE	0.369487
## conditionVisual:matcherRespondsTRUE	0.104341
## modalityConditionmulti:matcherResponds.cumulative	0.015583
## modalityConditionvocal:matcherResponds.cumulative	0.182634
## modalityConditionmulti:incorrectTRUE	0.116160
## modalityConditionvocal:incorrectTRUE	0.112367
## conditionVisual:incorrectTRUE	0.094569
## conditionVisual:multimodalTRUE	0.106115
## modalityConditionmulti:conditionVisual:trialTotal	0.035814
## modalityConditionvocal:conditionVisual:trialTotal	0.035124
## modalityConditionmulti:conditionVisual:matcherRespondsTRUE	0.155442
## modalityConditionmulti:conditionVisual:incorrectTRUE	0.136177
## modalityConditionvocal:conditionVisual:incorrectTRUE	0.128261
##	t value
## (Intercept)	-0.176
## modalityConditionmulti	-2.862
## modalityConditionvocal	-0.348
## conditionVisual	1.279
## trialTotal	-6.946
## I(trialTotal^2)	2.117
## matcherRespondsTRUE	11.626
## matcherResponds.cumulative	0.197
## incorrectTRUE	2.474
## multimodalTRUE	1.793
## firstBlockVisual	-0.735
## modalityConditionmulti:conditionVisual	1.857
## modalityConditionvocal:conditionVisual	-3.395
## modalityConditionmulti:trialTotal	-0.652
## modalityConditionvocal:trialTotal	-0.370
## conditionVisual:trialTotal	0.535
## modalityConditionmulti:I(trialTotal^2)	2.093
## modalityConditionvocal:I(trialTotal^2)	1.971
## modalityConditionmulti:matcherRespondsTRUE	0.076
## modalityConditionvocal:matcherRespondsTRUE	-0.270
## conditionVisual:matcherRespondsTRUE	-0.186
## modalityConditionmulti:matcherResponds.cumulative	-1.310

```

## modalityConditionvocal:matcherResponds.cumulative -0.687
## modalityConditionmulti:incorrectTRUE 0.657
## modalityConditionvocal:incorrectTRUE -1.401
## conditionVisual:incorrectTRUE -1.073
## conditionVisual:multimodalTRUE -0.494
## modalityConditionmulti:conditionVisual:trialTotal -0.446
## modalityConditionvocal:conditionVisual:trialTotal -0.896
## modalityConditionmulti:conditionVisual:matcherRespondsTRUE 0.708
## modalityConditionmulti:conditionVisual:incorrectTRUE 0.946
## modalityConditionvocal:conditionVisual:incorrectTRUE 1.554

##
## Correlation matrix not shown by default, as p = 32 > 12.
## Use print(x, correlation=TRUE) or
## vcov(x) if you need it

## fit warnings:
## fixed-effect model matrix is rank deficient so dropping 1 column / coefficient
## convergence code: 0
## unable to evaluate scaled gradient
## Model failed to converge: degenerate Hessian with 1 negative eigenvalues

feLabelsB = feLabels2
feLabelsB = gsub("Visual modality", "Multimodal", feLabelsB)

x2 = sjp.lmer(fm2, 'fe',
  show.intercept = T,
  sort.est=NULL,
  axis.labels = feLabelsB[2:length(feLabelsB)],
  xlab="Trial time (log ms)",
  geom.colors = c(1,1),
  show.p=F,
  show.values = F,
  p.kr = FALSE,
  string.interc="Intercept",
  prnt.plot = F)

## Computing p-values via Wald-statistics approximation (treating t as Wald z).
x2$plot.list[[1]]$data$fade = sig.data$fade

x2$plot.list[[1]]

```


Fixed effects

