

16_ JS (JavaScript)

1. Виведіть у консоль таку інформацію як на малюнку нижче:





Завдання 1


console.log('You can ignore single and double quotes like this: \\\'\\' \\\" \\\"');





2. Напишіть такий скрипт як на <u>відео</u> нижче:
















Завдання 2


```
alert('Please enter your data');
let userName = prompt("Enter your name", 'Name');
alert(`Your name is: ${userName}`);
let userSurname = prompt("Enter your surname", 'Surname');
alert(`Your full name is: ${userName} ${userSurname}`);
let Age = prompt("How old are you?", 'Age');
alert(`Your full name is: ${userName} ${userSurname}, your age is: ${Age}`);
let access = confirm('Are you admin?');
alert(`Your full name is: ${userName} ${userSurname}, your age is: ${Age}, admin status:
${access}`);
```


Урок 17




Відео:







```
let userFirstMonthSalary = prompt("Enter first month salary", "1");
let userSecondMonthSalary = prompt("Enter second month salary", "2");
let result = Number(userFirstMonthSalary) + Number(userSecondMonthSalary);
alert(`Your salary for two months is: ${result}$`);
let count = result;
count++;
alert(`You have extra bonus! Your total salary was: ${result}$. It's increase for 1$ and now it is: ${count}$`);
```



```
let age = null;
while (age===null || age==="" || isNaN(age)){
    age = prompt("How old are you?");
}
let question;
if(age <= 17){
    question = "Do you study at school?";

    }
else if (age > 17 && age < 25){
        question = "Do you study at university?";
}
else if (age >= 25 && age < 60){
        question = "Do you have a job?";
}
else {
        question = "What are you doing?";
}
alert(question);</pre>
```