

Stage	Number	Conversion to next step	%	Drop-off %
downloaded	23608			
signups	17623	74.65%		25.35%
ride_requested	12406	70.40%		29.60%
ride_accepted	12278	98.97%		1.03%
ride_completed	6233	50.77%		49.23%
ride_paid	6233	100.00%		0.00%
ride_reviewed	4348	69.76%		30.24%

select
(select count (distinct app_download_key)from app_downloads) as downloaded,
(select count (distinct user_id) from signups) as signedup,
(select count (distinct user_id) from ride_requests) as ride_requested,
(select count (distinct user_id) from ride_requests where accept_ts is not null) as ride_accepted,
(select count (distinct user_id) from ride_requests where dropoff_ts is not null and cancel_ts is null) as ride_completed,
(select count (distinct rr.user_id) from transactions t join ride_requests rr on t.ride_id = rr.ride_id where t.charge_status = 'Approved') as ride_paid,
(select count (distinct user_id) from reviews) as ride_reviewed

Основне “просідання” видно між:
Signup → Ride Requested (–30%)
Ride Accepted → Ride Completed (–49%)

day_of_week	requested_rides	completed	cancelled
Friday	55080	31993	23087
Monday	54917	31854	23063
Saturday	55012	31904	23108
Sunday	55156	32009	23147
Thursday	55087	31941	23146
Tuesday	55168	31973	23195
Wednesday	55057	31978	23079
	385477	223652	161825
SELECT TO_CHAR(request_ts, 'Day') AS day_of_week, count (*) filter (where request_ts is not null) as requested_rides, count (*) filter (where dropoff_ts is not null) as completed, count (*) filter (where cancel_ts is not null) as cancelled from ride_requests group by day_of_week order by day_of_week;			

hour_of_day	ride_requests	not_accepted	accepted	not_pickedup	pickedup	not_completed	completed
0	1554	559	995	100	895	0	895
1	1593	548	1045	103	942	0	942
2	1627	589	1038	114	924	0	924
3	1543	549	994	108	886	0	886
4	1576	556	1020	100	920	0	920
5	1633	562	1071	102	969	0	969
6	1548	549	999	107	892	0	892
7	1618	559	1059	113	946	0	946
8	60071	21288	38783	3810	34973	0	34973
9	60210	21395	38815	3875	34940	0	34940
10	9024	3278	5746	573	5173	0	5173
11	7928	2845	5083	497	4586	0	4586
12	7972	2857	5115	536	4579	0	4579
13	7960	2828	5132	516	4616	0	4616
14	7934	2804	5130	498	4632	0	4632
15	7957	2850	5107	485	4622	0	4622
16	58527	20837	37690	3689	34001	0	34001
17	58176	20605	37571	3814	33757	0	33757
18	40372	14498	25874	2611	23263	0	23263
19	39495	13938	25557	2516	23041	0	23041
20	2254	810	1444	147	1297	0	1297
21	1701	629	1072	120	952	0	952

22	1624	592	1032	96	936	0	936
23	1580	573	1007	97	910	0	910
385477		137098	248379	24727	223652	0	223652
select extract (hour from request_ts) as hour_of_day, COUNT(*) AS ride_requests, count (*) filter (where request_ts is not null and accept_ts is null) as not_accepted, count (*) filter (where accept_ts is not null) as accepted, count (*) filter (where accept_ts is not null and pickup_ts is null) as not_pickedup, count (*) filter (where pickup_ts is not null) as pickedup, count (*) filter (where pickup_ts is not null and dropoff_ts is null) as not_completed, count (*) filter (where dropoff_ts is not null) as completed from ride_requests group by hour_of_day order by hour_of_day							

wait_time_category	total_requests	pct_unfinished		
1–3 min	49609	0		
3–5 min	49921	0		
>5 min	285947	56.59		
SELECT CASE WHEN EXTRACT(EPOCH FROM (accept_ts - request_ts)) / 60 < 1 THEN '<1 min' WHEN EXTRACT(EPOCH FROM (accept_ts - request_ts)) / 60 <= 3 THEN '1–3 min' WHEN EXTRACT(EPOCH FROM (accept_ts - request_ts)) / 60 <= 5 THEN '3–5 min' ELSE '>5 min' END AS wait_time_category, COUNT(*) AS total_requests, ROUND(100.0 * SUM(CASE WHEN dropoff_ts IS NULL THEN 1 ELSE 0 END) / COUNT(*), 2) AS pct_unfinished FROM ride_requests GROUP BY wait_time_category ORDER BY wait_time_category;				

platform	users	ride_requests	completed_rides		
android	5148	112317	65431		
ios	10728	234693	136146		
web	1747	38467	22075		

```

SELECT
  d.platform,
  COUNT(DISTINCT s.user_id) AS users,
  COUNT(DISTINCT r.ride_id) AS ride_requests,
  COUNT(DISTINCT CASE WHEN r.dropoff_ts IS NOT NULL THEN r.ride_id END) AS completed_rides
FROM app_downloads d
LEFT JOIN signups s ON s.session_id = d.app_download_key
LEFT JOIN ride_requests r ON r.user_id = s.user_id
GROUP BY d.platform;

```

age_range	total_users	users_with_rides	users_completed_ride	pct_requested_ride	pct_completed_ride	drop-off
18-24	1865	1300	670	69.71	35.92	33.79
35-44	5181	3662	1861	70.68	35.92	34.76
25-34	3447	2425	1227	70.35	35.6	34.75
Unknown	5304	3734	1845	70.4	34.79	35.61
45-54	1826	1285	630	70.37	34.5	35.87

```

SELECT
  s.age_range,
  COUNT(DISTINCT s.user_id) AS total_users,
  COUNT(DISTINCT rr.user_id) AS users_with_rides,
  COUNT(DISTINCT CASE WHEN rr.dropoff_ts IS NOT NULL THEN rr.user_id END) AS users_completed_ride,
  ROUND(100.0 * COUNT(DISTINCT rr.user_id) / COUNT(DISTINCT s.user_id), 2) AS pct_requested_ride,
  ROUND(100.0 * COUNT(DISTINCT CASE WHEN rr.dropoff_ts IS NOT NULL THEN rr.user_id END) / COUNT(DISTINCT s.user_id), 2) AS pct_completed_ride
FROM signups s
LEFT JOIN ride_requests rr ON s.user_id = rr.user_id
GROUP BY s.age_range
ORDER BY pct_completed_ride DESC;

```

pct_requested_ride → скільки з цієї вікової групи зробили хоча б 1 запит поїздки
 pct_completed_ride → скільки реально дійшли до першої завершеної поїздки
 Різниця між цими двома — це drop-off (втрати під час першої спроби).