

# Memoria del Cuarto taller de n8n.

Lo primero que hice fue poner el trigger de Telegram.

Le puse mi API desde Telegram:

Done! Congratulations on your new bot. You will find it at [t.me/UnHermosoBotParaN8nBot](https://t.me/UnHermosoBotParaN8nBot). You can now add a description, about section and profile picture for your bot, see [/help](#) for a list of commands. By the way, when you've finished creating your cool bot, ping our Bot Support if you want a better username for it. Just make sure the bot is fully operational before you do this.


Use this token to access the HTTP API:

**8709159940:AAHN7H9paTGfs-I4FK0MAUSIkynZk3Bz1P8**


Keep your token secure and store it safely, it can be used by anyone to control your bot.

For a description of the Bot API, see this page: <https://core.telegram.org/bots/api>

21:46



Puse un “Hola” para saber si funcionaba, y efectivamente, sí.




text : Hola



Después configuré el nodo de switch:

The image shows the configuration interface for a "Switch" node. At the top, there's a "Switch" header with a blue icon, a red "Execute step" button, and tabs for "Parameters" (selected), "Settings", and "Docs". Under "Parameters", the "Mode" is set to "Rules". The "Routing Rules" section contains two rules. The first rule has the expression `{{ $json.message.text }}` and the condition "T is equal to /start". The second rule has the expression `{{ $json.message.text }}` and the condition "T exists". Each rule has a "Rename Output" toggle, which is currently turned off. The interface is dark-themed.

y añadí otro nodo que de telegram “send a message”




Lo configuré para que me mande un mensaje de vuelta:




Más adelante, la práctica pedía que el bot me mandase un sticker aleatorio.

Puse otro nodo de HTTP request para pedir el GIF, y luego puse otro nodo para mandarme un sticker.



Ahora lo que hice fue poner en el switch otra ruta para responderme a un mensaje.



añadí el nodo de edit fields y puse la siguiente información:

 **Edit Fields** Execute step

**Parameters** Settings Docs

Mode

JSON

JSON

```
{
  "text": "{{ $('Telegram Trigger').item.json.message.text }}",
  "type": "message",
  "ai": "",
}
```

Include Other Input Fields


Antes de añadir en AI agent, le puse javascript con el siguiente código:

```
Mode
Run Once for All Items

Language
JavaScript

JavaScript
1 return{
2   text:$input.first().json.text,
3   type:$input.first().json.type,
4   ai: $input.first().json.ai
5 }
```

Luego puse el AI agent con su text message tool, ollama y memoria simple:



**Send a text message in telegram** Execute step

Parameters Settings Docs

Credential to connect with  
Telegram account 11

Tool Description  
Set Automatically

Resource  
Message

Operation  
Send Message

Chat ID  
`{{ ('Telegram Trigger').item.json.message.chat.id }}`

Text  
Defined automatically by the model

+ Add a description

Reply Markup  
None

Additional Fields

Me daba la respuesta pero no aparecía en el propio telegram:

object Object

*This message was sent automatically with n8n*

OUTPUT

output

Hola, ¿en qué puedo ayudarte hoy?

Después del AI agent, le puse un edit fields para que pueda reflejar el texto en el propio telegram.

Edit Fields1 Execute step

Parameters Settings Docs

Mode

Manual Mapping

Fields to Set

output

T String

= {{ \$json.output }}

Hola, ¿en qué puedo ayudarte hoy?

Drag input fields here or Add Field

Include Other Input Fields

Options

No properties

Add option

Para que se refleje de verdad, le puse otro código de javascript:

Js

Code in JavaScript1

Execute step

ParametersSettingsDocs

Mode

Run Once for All Items

Language

JavaScript

JavaScript

```
1
2  const output = $json.output;
3  let texto output;
4  if (typeof output === 'string' && output.includes ("value")) {
5    const match output.match(/"value":\s*"([^\"]+)"/);
6    if (match) texto = match[1];
7  }
8  return texto; texto };
```

Type \$ for a list of special vars/methods. Debug by using console.log() statements and viewing their output in the browser console.

Y luego ya para el final, le añadí el nodo de mandarme un mensaje:

Send a text message1

Execute step

ParametersSettingsDocs

Credential to connect with

Telegram account 11

Resource

Message

Operation

Send Message

Chat ID

```
js {{ $('Telegram Trigger').item.json.message.from.id }}
```

Text

```
js {{ $json.text }}
```

Reply Markup


None

Additional Fields

No properties

Add Field

Así fue mi resultado:



Lo que más me costó fue aclararme con las ramas del switch, ya que al principio pensé que estaba todo junto.

Para esta práctica tuve que descargarme telegram ya que no lo tenía, pero sí que es verdad que este trabajo se me hizo más agradable que los otros.