

This page includes information on antennas for:

- [Cellular](#)
- [Wi-Fi](#)
- [Bluetooth LE \(BLE\)](#)
- [NFC Tag](#)
- [GNSS \(Satellite Navigation\)](#)

# Cellular

The following cellular antennas are available:

Antenna	SKU	Details	Links
Particle Cellular Flex Antenna 2G/3G/LTE 4.7dBi, [x1]	ANTCW2EA	Tracker, B Series, E Series	<a href="#">Datasheet</a>   <a href="#">Retail Store</a>
Particle Cellular Flex Antenna 2G/3G/LTE 4.7dBi, [x50]	ANTCW2TY	Tracker, B Series, E Series	<a href="#">Datasheet</a>
Taoglas Cellular Flex Antenna 2G/3G/LTE 5dBi, [x1]	ANT-FLXU	Boron and Electron/E Series LTE M1	<a href="#">Datasheet</a>   <a href="#">Retail Store</a>
Taoglas Cellular Flex Antenna 2G/3G/LTE 5dBi, [x50]	ANT-FLXU-50	Boron and Electron/E Series LTE M1	<a href="#">Datasheet</a>
Taoglas Cellular PCB Antenna 2G/3G 2.4dBi, [x1]	ANTELEC	Electron and E Series 2G/3G	<a href="#">Datasheet</a>   <a href="#">Retail Store</a>
Taoglas Cellular PCB Antenna 2G/3G 2.4dBi, [x50]	ANTELEC50	Electron and E Series 2G/3G	<a href="#">Datasheet</a>
Tracker One Cellular Antenna		Tracker One	<a href="#">Datasheet</a>

## COMPATIBLE DEVICES (CELLULAR)

The following devices have a cellular modem. The Tracker One includes a cellular antenna within the enclosure. All other devices require an antenna connected to the U.FL connector on the module.

Device	SKU	Included	Antenna	Alternate	Lifecycle
Asset Tracker 2G	ASSET2GV2	✓	ANT-ELEC		End of life
Asset Tracker 3G (Americas/Aus)	ASSET3G260V2	✓	ANT-ELEC		End of life
Asset Tracker 3G (Eur/Asia/Afr)	ASSET3G270V2	✓	ANT-ELEC		End of life
B Series LTE CAT-1/3G/2G (Europe) [x1]	B523MEA	✓	ANTCW2EA		NRND
B Series LTE CAT-1/3G/2G (Europe) [x1]	B524MEA	✓	ANTCW2EA		GA
B Series LTE CAT-1/3G/2G (Europe), Tray [x50]	B523MTY		ANTCW2EA		Deprecated
B Series LTE CAT-1/3G/2G (Europe), Tray [x50]	B524MTY		ANTCW2EA		GA
B Series LTE CAT-M1 (NorAm), [x1]	B402MEA	✓	ANTCW2EA		NRND
B Series LTE CAT-M1 (NorAm), [x1]	B404MEA	✓	ANTCW2EA		GA
B Series LTE CAT-M1 (NorAm), [x1]	B404XMEA	✓	ANTCW2EA		GA
B Series LTE CAT-M1 (NorAm), Tray [x50]	B402MTY		ANTCW2EA		Deprecated
B Series LTE CAT-M1 (NorAm), Tray [x50]	B404MTY		ANTCW2EA		Deprecated
B Series LTE CAT-M1 (NorAm), Tray [x50]	B404XMTY		ANTCW2EA		GA
Boron 2G/3G (Global) Starter Kit, [x1]	BRN310KIT	✓	ANT-FLXU		End of life
Boron 2G/3G (Global) Starter Kit, [x1]	BRN314KIT	✓	ANT-FLXU		NRND-US
Boron 2G/3G (Global), Tray [x50]	BRN310TRAY50		ANT-FLXU		Deprecated
Boron 2G/3G (Global), Tray [x50]	BRN314TRAY50		ANT-FLXU		Deprecated
Boron LTE CAT-M1 (NorAm) Air Quality Monitor Kit, [x1]	BRN402-AQKT	✓	ANT-FLXU		End of life
Boron LTE CAT-M1 (NorAm) Starter Kit, [x1]	BRN404XKIT	✓	ANT-FLXU		GA
Boron LTE CAT-M1 (NorAm), [x1]	BRN402	✓	ANT-FLXU		NRND
Boron LTE CAT-M1 (NorAm), [x1]	BRN404	✓	ANT-FLXU		GA

Boron LTE CAT-M1 (NorAm), [x1]	BRN404X	✓	ANT-FLXU	GA
Boron LTE CAT-M1 (NorAm), Starter Kit [x1]	BRN402KIT	✓	ANT-FLXU	NRND
Boron LTE CAT-M1 (NorAm), Starter Kit [x1]	BRN404KIT	✓	ANT-FLXU	GA
Boron LTE CAT-M1 (NorAm), Tray [x50]	BRN402TRAY50		ANT-FLXU	Deprecated
Boron LTE CAT-M1 (NorAm), Tray [x50]	BRN404TRAY50		ANT-FLXU	Deprecated
Boron LTE CAT-M1 (NorAm), Tray [x50]	BRN404XTRAY50		ANT-FLXU	GA
E Series 2G/3G (Global - E310) Evaluation Kit, [x1]	E310KIT	✓	ANTELEC	ANTCW2EA <sup>2</sup> End of life
E Series 2G/3G (Global - E310), [x1]	E310MOD1	✓	ANTELEC	ANTCW2EA <sup>2</sup> End of life
E Series 2G/3G (Global - E310), Tray [x50]	E310TRAY50		ANTELEC	ANTCW2EA <sup>2</sup> Deprecated
E Series 2G/3G (Global - E313), [x1]	E313EA	✓	ANTELEC	ANTCW2EA <sup>2</sup> End of life
E Series 2G/3G (Global - E313), Tray [x50]	E313TRAY50		ANTELEC	ANTCW2EA <sup>2</sup> End of life
E Series 2G/3G (Global - E314) Evaluation Kit, [x1]	E314KIT	✓	ANTELEC	ANTCW2EA <sup>2</sup> NRND-US
E Series 2G/3G (Global - E314), [x1]	E314MOD1	✓	ANTELEC	ANTCW2EA <sup>2</sup> NRND-US
E Series 2G/3G (Global - E314), Tray [x50]	E314TRAY50		ANTELEC	ANTCW2EA <sup>2</sup> Deprecated
E Series LTE CAT-M1 (NorAm) Evaluation Kit, [x1]	E402KIT	✓	ANT-FLXU	ANTCW2EA <sup>2</sup> End of life
E Series LTE CAT-M1 (NorAm) Evaluation Kit, [x1]	E404KIT	✓	ANT-FLXU	ANTCW2EA <sup>2</sup> NRND-US
E Series LTE CAT-M1 (NorAm), [x1]	E402MOD1	✓	ANT-FLXU	ANTCW2EA <sup>2</sup> End of life
E Series LTE CAT-M1 (NorAm), [x1]	E404MOD1	✓	ANT-FLXU	ANTCW2EA <sup>2</sup> NRND-US
E Series LTE CAT-M1 (NorAm), Tray [x50]	E402TRAY50	✓	ANT-FLXU	ANTCW2EA <sup>2</sup> Deprecated
E Series LTE CAT-M1 (NorAm), Tray [x50]	E404TRAY50		ANT-FLXU	ANTCW2EA <sup>2</sup> Deprecated
Electron 2G (Global), Tray [x50]	E350TRAY50		ANTELEC	End of life
Electron 2G Kit (Global)	E350KIT	✓	ANTELEC	End of life
Electron 2G/3G (Americas/Aus) Starter Kit, [x1]	E260KIT	✓	ANTELEC	End of life
Electron 2G/3G (Americas/Aus), Tray [x50]	E260TRAY50		ANTELEC	End of life
Electron 2G/3G (EMEA) Starter Kit, [x1]	E270KIT	✓	ANTELEC	End of life
Electron 2G/3G (EMEA), Tray [x50]	E270TRAY50		ANTELEC	End of life
Electron 2G/3G (Global - U201) , Tray [x50]	ELC314TY		ANT-FLXU	Deprecated
Electron 3G (Americas/Aus) Sensor Kit, [x1]	SNSRKIT3G260	✓	ANT-ELEC	End of life
Electron 3G (Eur/Asia/Afr) Sensor Kit, [x1]	SNSRKIT3G270	✓	ANT-ELEC	End of life
Electron LTE CAT-M1 (NorAm), [x1]	ELC402EA	✓	ANT-FLXU	ANTCW2EA <sup>2</sup> Deprecated
Electron LTE CAT-M1 (NorAm), Tray [x50]	ELC402TY		ANT-FLXU	ANTCW2EA <sup>2</sup> Deprecated
Electron LTE CAT-M1 (NorAm), Tray [x50]	ELC404TY		ANT-FLXU	ANTCW2EA <sup>2</sup> NRND-US
Tracker One CAT1/3G/2G (Europe), Bulk [x40]	ONE523MTY	✓	1	Deprecated
Tracker One CAT1/3G/2G (Europe), Bulk [x40]	ONE524MTY	✓	1	Deprecated
Tracker One LTE CAT1/3G/2G (Europe), [x1]	ONE523MEA	✓	1	NRND
Tracker One LTE CAT1/3G/2G (Europe), [x1]	ONE524MEA	✓	1	GA
Tracker One LTE M1 (NorAm), [x1]	ONE402MEA	✓	1	NRND
Tracker One LTE M1 (NorAm), [x1]	ONE404MEA	✓	1	GA
Tracker One LTE M1 (NorAm), Bulk [x40]	ONE402MTY	✓	1	Deprecated
Tracker One LTE M1 (NorAm), Bulk [x40]	ONE404MTY	✓	1	Deprecated

Tracker SoM LTE CAT1/3G/2G (Europe) Evaluation Kit, [x1]	T523MKIT	✓	ANTCW2EA	NRND
Tracker SoM LTE CAT1/3G/2G (Europe) Evaluation Kit, [x1]	T524MKIT	✓	ANTCW2EA	GA
Tracker SoM LTE CAT1/3G/2G (Europe), [x1]	T523MEA	✓	ANTCW2EA	NRND
Tracker SoM LTE CAT1/3G/2G (Europe), [x1]	T524MEA	✓	ANTCW2EA	GA
Tracker SoM LTE CAT1/3G/2G (Europe), Tray [x50]	T523MTY		ANTCW2EA	Deprecated
Tracker SoM LTE CAT1/3G/2G (Europe), Tray [x50]	T524MTY	✓	ANTCW2EA	Deprecated
Tracker SoM LTE M1 (NorAm) Evaluation Kit, [x1]	T402MKIT	✓	ANTCW2EA	NRND
Tracker SoM LTE M1 (NorAm) Evaluation Kit, [x1]	T404MKIT	✓	ANTCW2EA	GA
Tracker SoM LTE M1 (NorAm), [x1]	T402MEA	✓	ANTCW2EA	NRND
Tracker SoM LTE M1 (NorAm), [x1]	T404MEA	✓	ANTCW2EA	GA
Tracker SoM LTE M1 (NorAm), Tray [x50]	T402MTY		ANTCW2EA	Deprecated
Tracker SoM LTE M1 (NorAm), Tray [x50]	T404MTY		ANTCW2EA	Deprecated

<sup>1</sup>The Tracker One includes a custom antenna designed for optimal performance with the Tracker One.

<sup>2</sup>This device originally shipped with one antenna (ANTELEC or ANT-FLXU) however the ANTCW2EA is listed as an alternative. The ANTCW2EA (or ANTCW2TY) is recommended as most new designs will use this antenna and using this antenna will reduce the number of SKUs you need to stock when building a product at tray quantities.

#### NOT COMPATIBLE (CELLULAR)

These devices do not have a cellular modem and therefore do not need a cellular antenna.

##### Family SKUs

Argon	ARG-AQKT, ARG-LDKT, ARG-STRTKT, ARGN-H, ARGNKIT, ARGNTRAY50
Photon	PHNTRAYH, PHNTRAYNOH, PHOTONH, PHOTONKIT, PHOTONNOH
P Series	P0MOD10, P0REEL, P1MOD10, P1REEL

#### CERTIFICATION AND ANTENNA SUBSTITUTION

Full certification of a device typically involves three different certifications:

1. **Unintentional radiator.** This is a certification that your completed device does not emit extraneous radiation that would affect other devices. This is almost always required, but is the least expensive and easiest test to complete. In the United States, this is FCC 47 CFR Part 15 Subpart B. A test lab performs the measurements and you sign a Suppliers Declaration of Conformity (SDoC).
2. **Intentional radiator.** This test is more involved and requires testing the power output in each band the transmitters are capable of using. In the United States, this is FCC 47 CFR Part 15, Subpart A. If you use a similar antenna to the one Particle used during its tests, you may be able to avoid having to perform this certification again.
3. [PTCRB](#). This is a certification for cellular devices in the United States. If you use a similar antenna

to the one Particle used during its tests, you may be able to avoid having to perform this certification again.

In the United States [this document from the FCC](#) provides a great deal of information about the various certifications. The process is similar in Canada (IC). In the European Union you will need to have a test lab perform similar tests, but there isn't the equivalent of an FCC or IC identification number for the EU.

In order to avoid having to complete steps 2 and 3 again, a substitute antenna must:

1. Be of the same type.
2. Have equal or lesser gain in all bands.
3. Similar in-band and out-of-band characteristics.

All Particle cellular devices include a trace-style PCB or flex monopole antenna, which are considered to be the same type. A different type of antenna is a dipole antenna ("duck antenna"), which would require recertification.

The equal or lesser gain in all bands test is why you can't substitute the ANTCW2EA (Particle cellular antenna) for the ANT-FLXU (Taoglas FXUB63) on the Boron, even though it works quite well. The ANTCW2EA has higher gain in some bands, so using it would require recertification. For example, ANTCW2EA has 1.42 dBi gain vs. 1.0 dBi in Band 13, the 700 MHz band.

[This guide may be helpful](#) in understanding this.

---

#### PROTOTYPING WITH OTHER ANTENNAS

For prototyping and personal use you may be able to use different cellular antennas.

All Particle cellular devices have a U.FL antenna connector. Most cellular antennas have a SMA connector, so you'll need an adapter. At Adafruit, you can get [this adapter](#). At SparkFun [this adapter](#). At Amazon [this adapter](#).

[This antenna from Amazon](#) is about 4" long, has a magnetic mount, and a 3 meter cable. It is helpful in improving reception in fringe areas. Or for more gain, a [12" antenna](#).

---

#### CELLULAR BOOSTERS AND MICRO CELLS

Cellular boosters like the [weBoost](#) generally work with all Particle cellular devices, assuming there is at least some faint, compatible signal available. For example, with the Boron 2G/3G in the United States, if you only have a weak T-Mobile signal they can be helpful. If you have no T-Mobile service at all in your area, they will not help.

Cellular micro/pico/femto cells that use the Internet to connect to a specific carrier generally do not work. For example, the AT&T MicroCell does not work with the Electron and E Series, even though they can use AT&T in the United States. The reason is that the Particle devices are roaming on AT&T, and the MicroCell product does not allow access to roaming cellular devices.

# Wi-Fi

The Particle 2.4 GHz Wi-Fi antenna is available in the [retail](#) and wholesale stores. Note: The same external antenna model is used for Wi-Fi and BLE.

Antenna	SKU	Links
Particle Wi-Fi Antenna 2.4GHz, [x1]	ANT-FLXV2	<a href="#">Datasheet</a>   <a href="#">Retail Store</a>
Particle Wi-Fi Antenna 2.4GHz, [x50]	ANT-FLXV2-50	<a href="#">Datasheet</a>
Tracker One Wi-Fi Antenna		<a href="#">Datasheet</a>

## COMPATIBLE DEVICES (WI-FI)

Device	SKU	Built-In Antenna	External Compatible	External Included	Lifecycle
Argon [x1]	ARGN-H		ANT-FLXV2	✓	GA
Argon Air Quality Monitor Kit [x1]	ARG-AQKT		ANT-FLXV2	✓	GA
Argon Leak Detection Kit [x1]	ARG-LDKT		ANT-FLXV2	✓	End of life
Argon Starter Kit [x1]	ARG-STRTKT		ANT-FLXV2	✓	GA
Argon, Starter Kit [x1]	ARGNKIT		ANT-FLXV2	✓	GA
Argon, Tray [x50]	ARGNTRAY50		ANT-FLXV2		Deprecated
P0 Wi-Fi Module, Cut tape [x10]	P0MOD10		true		End of life
P0 Wi-Fi Module, Reel [x2000]	P0REEL		true		Deprecated
P1 Wi-Fi Module, Cut tape [x10]	P1MOD10	trace	3		GA
P1 Wi-Fi Module, Reel [x500]	P1REEL	trace	3		Deprecated
Photon with Headers Starter Kit, [x1]	PHOTONKIT	chip	3		End of life
Photon with Headers, [x1]	PHOTONH	chip	3		GA
Photon with Headers, Tray [x50]	PHNTRAYH	chip	3		Deprecated
Photon without Headers, Dev board Kit [x1]	PHOTONNOH	chip	3		End of life
Photon without Headers, Tray [x50]	PHNTRAYNOH	chip	3		Deprecated
Tracker One CAT1/3G/2G (Europe), Bulk [x40]	ONE523MTY	1			Deprecated
Tracker One CAT1/3G/2G (Europe), Bulk [x40]	ONE524MTY	1			Deprecated
Tracker One LTE CAT1/3G/2G (Europe), [x1]	ONE523MEA	1			NRND
Tracker One LTE CAT1/3G/2G (Europe), [x1]	ONE524MEA	1			GA
Tracker One LTE M1 (NorAm), [x1]	ONE402MEA	1			NRND
Tracker One LTE M1 (NorAm), [x1]	ONE404MEA	1			GA
Tracker One LTE M1 (NorAm), Bulk [x40]	ONE402MTY	1			Deprecated
Tracker One LTE M1 (NorAm), Bulk [x40]	ONE404MTY	1			Deprecated
Tracker SoM LTE CAT1/3G/2G (Europe) Evaluation Kit, [x1]	T523MKIT		ANT-FLXV2	✓	NRND
Tracker SoM LTE CAT1/3G/2G (Europe) Evaluation Kit, [x1]	T524MKIT		ANT-FLXV2	✓	GA
Tracker SoM LTE CAT1/3G/2G (Europe), [x1]	T523MEA		ANT-FLXV2		NRND
Tracker SoM LTE CAT1/3G/2G (Europe), [x1]	T524MEA		ANT-FLXV2		GA

Tracker SoM LTE CAT1/3G/2G (Europe), Tray [x50]	T523MTY	ANT-FLXV2		Deprecated
Tracker SoM LTE CAT1/3G/2G (Europe), Tray [x50]	T524MTY	ANT-FLXV2		Deprecated
Tracker SoM LTE M1 (NorAm) Evaluation Kit, [x1]	T402MKIT	ANT-FLXV2	✓	NRND
Tracker SoM LTE M1 (NorAm) Evaluation Kit, [x1]	T404MKIT	ANT-FLXV2	✓	GA
Tracker SoM LTE M1 (NorAm), [x1]	T402MEA	ANT-FLXV2		NRND
Tracker SoM LTE M1 (NorAm), [x1]	T404MEA	ANT-FLXV2		GA
Tracker SoM LTE M1 (NorAm), Tray [x50]	T402MTY	ANT-FLXV2		Deprecated
Tracker SoM LTE M1 (NorAm), Tray [x50]	T404MTY	ANT-FLXV2		Deprecated

<sup>1</sup>The Tracker One includes a Wi-Fi antenna inside the case, however it's a different antenna than the Particle 2.4 GHz Antenna. Note that the Wi-Fi on the Tracker One is only for Wi-Fi geolocation and cannot be used for data communication.

<sup>2</sup>The Argon [x1] includes ANT-FLXV2. The Argon Tray [x50] do not include a Wi-Fi antenna but are compatible and certified with with ANT-FLXV2 (and ANT-FLXV2-50).

<sup>3</sup>The Photon and P1 are certified with the built-in chip or trace antenna and also with the following external antenna:

Antenna Type	Manufacturer	MFG. Part #	Gain
Dipole antenna	LumenRadio	104-1001	2.15dBi

[This antenna from Adafruit](#) is compatible and can be substituted when an external dipole ("duck") antenna is desired on the Photon and P1 while using the existing Particle certification. Note that a [RP-SMA to U.FL adapter](#) is required to use this antenna.

#### NOT COMPATIBLE (WI-FI)

These devices do not have a Wi-Fi modem and therefore do not need a Wi-Fi antenna.

Family	SKUs
B Series SoM	B402MEA, B402MTY, B404MEA, B404MTY, B404XMEA, B404XMTY, B523MEA, B523MTY, B524MEA, B524MTY
Boron	BRN310KIT, BRN310TRAY50, BRN314KIT, BRN314TRAY50, BRN402, BRN402-AQKT, BRN402KIT, BRN402TRAY50, BRN404, BRN404KIT, BRN404TRAY50, BRN404X, BRN404XKIT, BRN404XTRAY50
E Series	E310KIT, E310MOD1, E310TRAY50, E313EA, E313TRAY50, E314KIT, E314MOD1, E314TRAY50, E402KIT, E402MOD1, E402TRAY50, E404KIT, E404MOD1, E404TRAY50
Electron	ASSET2GV2, ASSET3G260V2, ASSET3G270V2, E260KIT, E260TRAY50, E270KIT, E270TRAY50, E350KIT, E350TRAY50, ELC314TY, ELC402EA, ELC402TY, ELC404TY, SNSRKIT3G260, SNSRKIT3G270

# Bluetooth LE (BLE)

Particle Gen 3 devices support BLE for short-distance communication. Most devices include a built-in chip antenna, and can optionally use an external antenna.

The exception is the B Series SoM, which does not have a chip antenna on the SoM and requires an external antenna if BLE is to be used. Use of BLE on the B Series SoM is optional.

The Particle 2.4 GHz BLE antenna is available in the [retail](#) and wholesale stores. Note: The same external antenna model is used for Wi-Fi and BLE.

Antenna	SKU	Links
Particle Wi-Fi Antenna 2.4GHz, [x1]	ANT-FLXV2	<a href="#">Datasheet</a>   <a href="#">Retail Store</a>
Particle Wi-Fi Antenna 2.4GHz, [x50]	ANT-FLXV2-50	<a href="#">Datasheet</a>
Tracker One BLE Antenna		<a href="#">Datasheet</a>

## COMPATIBLE DEVICES (BLE)

These devices include Bluetooth LE (BLE) capabilities.

Device	SKU	Built-In Antenna	External Compatible	External Included	Lifecycle
Argon [x1]	ARGN-H	✓	ANT-FLXV2		GA
Argon Air Quality Monitor Kit [x1]	ARG-AQKT	✓	ANT-FLXV2		GA
Argon Leak Detection Kit [x1]	ARG-LDKT	✓	ANT-FLXV2		End of life
Argon Starter Kit [x1]	ARG-STRTKT	✓	ANT-FLXV2		GA
Argon, Starter Kit [x1]	ARGNKIT	✓	ANT-FLXV2		GA
Argon, Tray [x50]	ARGNTRAY50	✓	ANT-FLXV2		Deprecated
B Series LTE CAT-1/3G/2G (Europe) [x1]	B523MEA		ANT-FLXV2	✓	NRND
B Series LTE CAT-1/3G/2G (Europe) [x1]	B524MEA		ANT-FLXV2	✓	GA
B Series LTE CAT-1/3G/2G (Europe), Tray [x50]	B523MTY		ANT-FLXV2		Deprecated
B Series LTE CAT-1/3G/2G (Europe), Tray [x50]	B524MTY		ANT-FLXV2		GA
B Series LTE CAT-M1 (NorAm), [x1]	B402MEA		ANT-FLXV2	✓	NRND
B Series LTE CAT-M1 (NorAm), [x1]	B404MEA		ANT-FLXV2	✓	GA
B Series LTE CAT-M1 (NorAm), [x1]	B404XMEA		ANT-FLXV2	✓	GA
B Series LTE CAT-M1 (NorAm), Tray [x50]	B402MTY		ANT-FLXV2		Deprecated
B Series LTE CAT-M1 (NorAm), Tray [x50]	B404MTY		ANT-FLXV2		Deprecated
B Series LTE CAT-M1 (NorAm), Tray [x50]	B404XMTY		ANT-FLXV2		GA
Boron 2G/3G (Global) Starter Kit, [x1]	BRN310KIT	✓	ANT-FLXV2		End of life
Boron 2G/3G (Global) Starter Kit, [x1]	BRN314KIT	✓	ANT-FLXV2		NRND-US
Boron 2G/3G (Global), Tray [x50]	BRN310TRAY50	✓	ANT-FLXV2		Deprecated
Boron 2G/3G (Global), Tray [x50]	BRN314TRAY50	✓	ANT-FLXV2		Deprecated
Boron LTE CAT-M1 (NorAm) Air Quality Monitor Kit, [x1]	BRN402-AQKT	✓	ANT-FLXV2		End of life



Boron LTE CAT-M1 (NorAm) Starter Kit, [x1]	BRN404XKIT	✓	ANT-FLXV2	GA
Boron LTE CAT-M1 (NorAm), [x1]	BRN402	✓	ANT-FLXV2	NRND
Boron LTE CAT-M1 (NorAm), [x1]	BRN404	✓	ANT-FLXV2	GA
Boron LTE CAT-M1 (NorAm), [x1]	BRN404X	✓	ANT-FLXV2	GA
Boron LTE CAT-M1 (NorAm), Starter Kit [x1]	BRN402KIT	✓	ANT-FLXV2	NRND
Boron LTE CAT-M1 (NorAm), Starter Kit [x1]	BRN404KIT	✓	ANT-FLXV2	GA
Boron LTE CAT-M1 (NorAm), Tray [x50]	BRN402TRAY50	✓	ANT-FLXV2	Deprecated
Boron LTE CAT-M1 (NorAm), Tray [x50]	BRN404TRAY50	✓	ANT-FLXV2	Deprecated
Boron LTE CAT-M1 (NorAm), Tray [x50]	BRN404XTRAY50	✓	ANT-FLXV2	GA
Tracker One CAT1/3G/2G (Europe), Bulk [x40]	ONE523MTY	✓		Deprecated
Tracker One CAT1/3G/2G (Europe), Bulk [x40]	ONE524MTY	✓		Deprecated
Tracker One LTE CAT1/3G/2G (Europe), [x1]	ONE523MEA	✓		NRND
Tracker One LTE CAT1/3G/2G (Europe), [x1]	ONE524MEA	✓		GA
Tracker One LTE M1 (NorAm), [x1]	ONE402MEA	✓		NRND
Tracker One LTE M1 (NorAm), [x1]	ONE404MEA	✓		GA
Tracker One LTE M1 (NorAm), Bulk [x40]	ONE402MTY	✓		Deprecated
Tracker One LTE M1 (NorAm), Bulk [x40]	ONE404MTY	✓		Deprecated
Tracker SoM LTE CAT1/3G/2G (Europe) Evaluation Kit, [x1]	T523MKIT	✓	ANT-FLXV2	NRND
Tracker SoM LTE CAT1/3G/2G (Europe) Evaluation Kit, [x1]	T524MKIT	✓	ANT-FLXV2	GA
Tracker SoM LTE CAT1/3G/2G (Europe), [x1]	T523MEA	✓	ANT-FLXV2	NRND
Tracker SoM LTE CAT1/3G/2G (Europe), [x1]	T524MEA	✓	ANT-FLXV2	GA
Tracker SoM LTE CAT1/3G/2G (Europe), Tray [x50]	T523MTY	✓	ANT-FLXV2	Deprecated
Tracker SoM LTE CAT1/3G/2G (Europe), Tray [x50]	T524MTY	✓	ANT-FLXV2	Deprecated
Tracker SoM LTE M1 (NorAm) Evaluation Kit, [x1]	T402MKIT	✓	ANT-FLXV2	NRND
Tracker SoM LTE M1 (NorAm) Evaluation Kit, [x1]	T404MKIT	✓	ANT-FLXV2	GA
Tracker SoM LTE M1 (NorAm), [x1]	T402MEA	✓	ANT-FLXV2	NRND
Tracker SoM LTE M1 (NorAm), [x1]	T404MEA	✓	ANT-FLXV2	GA
Tracker SoM LTE M1 (NorAm), Tray [x50]	T402MTY	✓	ANT-FLXV2	Deprecated
Tracker SoM LTE M1 (NorAm), Tray [x50]	T404MTY	✓	ANT-FLXV2	Deprecated

<sup>1</sup>The Tracker One includes an BLE antenna inside the case, however it's a different antenna than the Particle 2.4 GHz Antenna (ANT-FLXV2). A separate antenna is used because the Tracker SoM is mounted on the bottom side of the Tracker Carrier Board, so signals to the chip antenna would be adversely affected.

NOT COMPATIBLE (BLE)

These devices do not have a BLE radio and therefore do not need a BLE antenna.

Family	SKUs
E Series	E310KIT, E310MOD1, E310TRAY50, E313EA, E313TRAY50, E314KIT, E314MOD1, E314TRAY50, E402KIT, E402MOD1, E402TRAY50, E404KIT, E404MOD1, E404TRAY50
Electron	ASSET2GV2, ASSET3G260V2, ASSET3G270V2, E260KIT, E260TRAY50, E270KIT, E270TRAY50, E350KIT, E350TRAY50, ELC314TY, ELC402EA, ELC402TY, ELC404TY, SNSRKIT3G260, SNSRKIT3G270
Photon	PHNTRAYH, PHNTRAYNOH, PHOTONH, PHOTONKIT, PHOTONNOH
P Series	P0MOD10, P0REEL, P1MOD10, P1REEL

# NFC

Particle Gen 3 devices can optionally be used in NFC tag mode. This can only be ready by a device such as a smartphone app; it cannot read tags.

The Particle NFC Antenna is available in the [retail](#) and wholesale stores.

Antenna	SKU	Links
Particle NFC Antenna, [x1]	ANT-NFC	<a href="#">Datasheet</a>   <a href="#">Retail Store</a>
Tracker One NFC Antenna		<a href="#">Datasheet</a>

## COMPATIBLE DEVICES (NFC)

These devices have NFC tag capabilities. Only the Tracker One has a built-in NFC antenna, all other devices require an external NFC antenna to use the NFC tag feature. If you are not using NFC tag you do not need to add the antenna.

Device	SKU	Compatible	Included	Lifecycle
Argon [x1]	ARGN-H	✓		GA
Argon Air Quality Monitor Kit [x1]	ARG-AQKT	✓		GA
Argon Leak Detection Kit [x1]	ARG-LDKT	✓		End of life
Argon Starter Kit [x1]	ARG-STRTKT	✓		GA
Argon, Starter Kit [x1]	ARGNKIT	✓		GA
Argon, Tray [x50]	ARGNTRAY50	✓		Deprecated
B Series LTE CAT-1/3G/2G (Europe) [x1]	B523MEA	✓		NRND
B Series LTE CAT-1/3G/2G (Europe) [x1]	B524MEA	✓		GA
B Series LTE CAT-1/3G/2G (Europe), Tray [x50]	B523MTY	✓		Deprecated
B Series LTE CAT-1/3G/2G (Europe), Tray [x50]	B524MTY	✓		GA
B Series LTE CAT-M1 (NorAm), [x1]	B402MEA	✓		NRND
B Series LTE CAT-M1 (NorAm), [x1]	B404MEA	✓		GA
B Series LTE CAT-M1 (NorAm), [x1]	B404XMEA	✓		GA
B Series LTE CAT-M1 (NorAm), Tray [x50]	B402MTY	✓		Deprecated
B Series LTE CAT-M1 (NorAm), Tray [x50]	B404MTY	✓		Deprecated
B Series LTE CAT-M1 (NorAm), Tray [x50]	B404XMTY	✓		GA
Boron 2G/3G (Global) Starter Kit, [x1]	BRN310KIT	✓		End of life
Boron 2G/3G (Global) Starter Kit, [x1]	BRN314KIT	✓		NRND-US
Boron 2G/3G (Global), Tray [x50]	BRN310TRAY50	✓		Deprecated
Boron 2G/3G (Global), Tray [x50]	BRN314TRAY50	✓		Deprecated
Boron LTE CAT-M1 (NorAm) Air Quality Monitor Kit, [x1]	BRN402-AQKT	✓		End of life
Boron LTE CAT-M1 (NorAm) Starter Kit, [x1]	BRN404XKIT	✓		GA
Boron LTE CAT-M1 (NorAm), [x1]	BRN402	✓		NRND
Boron LTE CAT-M1 (NorAm), [x1]	BRN404	✓		GA
Boron LTE CAT-M1 (NorAm), [x1]	BRN404X	✓		GA
Boron LTE CAT-M1 (NorAm), Starter Kit [x1]	BRN402KIT	✓		NRND
Boron LTE CAT-M1 (NorAm), Starter Kit [x1]	BRN404KIT	✓		GA
Boron LTE CAT-M1 (NorAm), Tray [x50]	BRN402TRAY50	✓		Deprecated
Boron LTE CAT-M1 (NorAm), Tray [x50]	BRN404TRAY50	✓		Deprecated

Boron LTE CAT-M1 (NorAm), Tray [x50]	BRN404XTRAY50	✓		GA
Tracker One CAT1/3G/2G (Europe), Bulk [x40]	ONE523MTY	✓	✓	Deprecated
Tracker One CAT1/3G/2G (Europe), Bulk [x40]	ONE524MTY	✓	✓	Deprecated
Tracker One LTE CAT1/3G/2G (Europe), [x1]	ONE523MEA	✓	✓	NRND
Tracker One LTE CAT1/3G/2G (Europe), [x1]	ONE524MEA	✓	✓	GA
Tracker One LTE M1 (NorAm), [x1]	ONE402MEA	✓	✓	NRND
Tracker One LTE M1 (NorAm), [x1]	ONE404MEA	✓	✓	GA
Tracker One LTE M1 (NorAm), Bulk [x40]	ONE402MTY	✓	✓	Deprecated
Tracker One LTE M1 (NorAm), Bulk [x40]	ONE404MTY	✓	✓	Deprecated
Tracker SoM LTE CAT1/3G/2G (Europe) Evaluation Kit, [x1]	T523MKIT	✓		NRND
Tracker SoM LTE CAT1/3G/2G (Europe) Evaluation Kit, [x1]	T524MKIT	✓		GA
Tracker SoM LTE CAT1/3G/2G (Europe), [x1]	T523MEA	✓		NRND
Tracker SoM LTE CAT1/3G/2G (Europe), [x1]	T524MEA	✓		GA
Tracker SoM LTE CAT1/3G/2G (Europe), Tray [x50]	T523MTY	✓		Deprecated
Tracker SoM LTE CAT1/3G/2G (Europe), Tray [x50]	T524MTY	✓		Deprecated
Tracker SoM LTE M1 (NorAm) Evaluation Kit, [x1]	T402MKIT	✓		NRND
Tracker SoM LTE M1 (NorAm) Evaluation Kit, [x1]	T404MKIT	✓		GA
Tracker SoM LTE M1 (NorAm), [x1]	T402MEA	✓		NRND
Tracker SoM LTE M1 (NorAm), [x1]	T404MEA	✓		GA
Tracker SoM LTE M1 (NorAm), Tray [x50]	T402MTY	✓		Deprecated
Tracker SoM LTE M1 (NorAm), Tray [x50]	T404MTY	✓		Deprecated

<sup>1</sup>The Tracker One includes an NFC antenna inside the case, however it's a different antenna than the Particle NFC Antenna (ANT-NFC).

#### NOT COMPATIBLE (NFC)

These devices do not have an NFC radio and therefore do not need a NFC antenna.

Family	SKUs
E Series	E310KIT, E310MOD1, E310TRAY50, E313EA, E313TRAY50, E314KIT, E314MOD1, E314TRAY50, E402KIT, E402MOD1, E402TRAY50, E404KIT, E404MOD1, E404TRAY50
Electron	ASSET2GV2, ASSET3G260V2, ASSET3G270V2, E260KIT, E260TRAY50, E270KIT, E270TRAY50, E350KIT, E350TRAY50, ELC314TY, ELC402EA, ELC402TY, ELC404TY, SNSRKIT3G260, SNSRKIT3G270
Photon	PHNTRAYH, PHNTRAYNOH, PHOTONH, PHOTONKIT, PHOTONNOH
P Series	P0MOD10, P0REEL, P1MOD10, P1REEL

# GNSS (Satellite Navigation)

The Tracker One includes a [Cirocomm PA035AQ0004](#) (T0004, 35x35mm) GPS/GLOSNASS antenna on the Tracker Carrier Board.

As the GNSS system is receive-only (no transmitter), you can use any GNSS compatible antenna without affecting the certification. Different GNSS systems use different frequencies. Many antennas are tuned to the United States GPS system, however you can also get multi-GNSS antennas that are compatible with other systems. All of these systems offer coverage world-wide.

System	Owner
GPS	United States
GLOSNASS	Russia
BeiDou	China
Galileo	European Space Agency

Some antenna options include from Adafruit [this antenna](#) and [this adapter](#). At SparkFun [this antenna](#) and [this adapter](#). At Amazon [this antenna](#) and [this adapter](#).

The following devices have GNSS capabilities:

Device	SKU	Compatible	Included	Lifecycle
Asset Tracker 2G	ASSET2GV2	✓	✓	End of life
Asset Tracker 3G (Americas/Aus)	ASSET3G260V2	✓	✓	End of life
Asset Tracker 3G (Eur/Asia/Afr)	ASSET3G270V2	✓	✓	End of life
Tracker One CAT1/3G/2G (Europe), Bulk [x40]	ONE523MTY	✓	✓	Deprecated
Tracker One CAT1/3G/2G (Europe), Bulk [x40]	ONE524MTY	✓	✓	Deprecated
Tracker One LTE CAT1/3G/2G (Europe), [x1]	ONE523MEA	✓	✓	NRND
Tracker One LTE CAT1/3G/2G (Europe), [x1]	ONE524MEA	✓	✓	GA
Tracker One LTE M1 (NorAm), [x1]	ONE402MEA	✓	✓	NRND
Tracker One LTE M1 (NorAm), [x1]	ONE404MEA	✓	✓	GA
Tracker One LTE M1 (NorAm), Bulk [x40]	ONE402MTY	✓	✓	Deprecated
Tracker One LTE M1 (NorAm), Bulk [x40]	ONE404MTY	✓	✓	Deprecated
Tracker SoM LTE CAT1/3G/2G (Europe) Evaluation Kit, [x1]	T523MKIT	✓	✓	NRND
Tracker SoM LTE CAT1/3G/2G (Europe) Evaluation Kit, [x1]	T524MKIT	✓	✓	GA
Tracker SoM LTE CAT1/3G/2G (Europe), [x1]	T523MEA	✓		NRND
Tracker SoM LTE CAT1/3G/2G (Europe), [x1]	T524MEA	✓		GA
Tracker SoM LTE CAT1/3G/2G (Europe), Tray [x50]	T523MTY	✓		Deprecated
Tracker SoM LTE CAT1/3G/2G (Europe), Tray [x50]	T524MTY	✓		Deprecated
Tracker SoM LTE M1 (NorAm) Evaluation Kit, [x1]	T402MKIT	✓	✓	NRND
Tracker SoM LTE M1 (NorAm) Evaluation Kit, [x1]	T404MKIT	✓	✓	GA
Tracker SoM LTE M1 (NorAm), [x1]	T402MEA	✓		NRND
Tracker SoM LTE M1 (NorAm), [x1]	T404MEA	✓		GA
Tracker SoM LTE M1 (NorAm), Tray [x50]	T402MTY	✓		Deprecated
Tracker SoM LTE M1 (NorAm), Tray [x50]	T404MTY	✓		Deprecated

The discontinued Electron AssetTracker v2 and v1 included both an on-board GNSS antenna as well as a U.FL connector for an external GNSS antenna. These devices are no longer sold.

No other devices have GNSS capabilities.

