# **Preprocessors**

**DEADLINE:** 18/04/2022

## **FOLDER STRUCTURE**

```
FL19 HW3/*
  └─ task/**
                                                                          * - required
  └ homework/*
                                                                          ** - restricted (no need
     └─ css/*
                                                                          to submit)
       └─ style1.css*
       └─ style2.css*
    └─ img/*
       └ images...*
    └─ scss/*

    □ variables1.scss*

       └─ _variables2.scss*
       └─ style1.scss*
       └─ style2.scss*
    └─ index.html*
    └─ koala-config.json*
```

#### **TASK**

In this archive you can find an index.html file with provided page images, some prepared .scss files, and a design/ folder with expected results.

Your task is to generate two different css files according to design.

- All required **rules** and **mixins** should be written in **\_main.scss** and **variables** should be defined in **\_variables1**.scss and **\_variables2**.scss files
- Do not change files scss/style1.scss and scss/style2.scss. They already import all necessary partials
- scss file should use a nesting syntax
- you should use mixin for card image
- use at least one @extend rule
- use at least one map

- index.html by default should use style1.css for styling
- All markup you should write by yourself (responsive design isn't required)
- No requirements for browser support (should correctly work in last version of Google Chrome)

Please use <u>koala-app</u> for compiling. Find a koala-config.json config file where compilation path is already set. All what you need - choose your project in koala-app and compile your scss to css.

# **EXPECTED RESULTS**

The **style1.css** and **style2.css** are generated from source files.

Page design should match design\_1.pdf. When page is switched to use styles2.css by changing link to link rel="stylesheet" href="css/style2.css"> it should match design\_2.pdf.

You can switch styles manually in header section of index.html.

#### **EXAMPLE**

```
_main.scss:
body {
    background: $contentBackground;
}
main {
    margin: 0 auto;
    width: 960px;
}
...
_variables1.scss:
$contentBackground: #fff;
...
_variables2.scss:
$contentBackground: #660;
```

#### **FONTS AND COLORS**

Fonts are already included in hlml head section, use them as:

```
font-family: 'Source Sans Pro', sans-serif;
font-family: 'Hind', sans-serif;
font-family: 'Fresca', sans-serif;
```

Feel free to use any tool which will help you to pick the right color. Colors should be as close to design as possible.

#### **RESTRICTIONS**

- Do not use any CSS framework for this homework.
- Do not use any others scss compilers except koala.

## **BEFORE SUBMIT**

- Make sure you've done all steps, described above and homework result match the designs;
- \*.scss files compiles without any errors;
- Make sure your code is well-formatted, and validated via validator:

HTML: <a href="https://validator.w3.org/">https://validator.w3.org/</a>
CSS: css validation isn't required.

#### **SUBMIT**

 The FL19\_HW3 folder without task folder should be uploaded to github repository "FL-19" into main branch.

# **USEFUL LINKS**

- http://koala-app.com/
- https://sass-lang.com/guide