

Document Metadata

Word count:	wordcount words
Word count (with references):	wordcountref words
Number of tables:	0
Number of figures:	0
Last build:	December 5, 2025

Wordcount Example

Example with 160 words

Heading [DRAFT]

Words can be inserted by using the `{wordcount}` doohickey. It's not a shortcode, since those have inner arrows. It is something, maybe a placeholder.

There are 160 words.¹

We can add cites too, such as Donald Ervin Knuth and Duane Bibby (n.d.). Then we can count the total words, including references, as 167 using `{wordcountref}`.

Words by section [DRAFT]

The number of words by section will be logged to the Quarto terminal.

Table 1: Example table demonstrating table counting

Column 1	Column 2	Column 3
Data 1	Data 2	Data 3
Data 4	Data 5	Data 6

See Table 1 for an example of a table.

Lower-level headings [DRAFT]

Of course, low level headings can be used too.

See Figure 1 for an example of a figure.

¹Works with general footnotes too: total of 160 words.




Figure 1: Example plot demonstrating figure counting

Behavior of Inline Code **[DRAFT]**

There are two YAML parameters that control how code is counted:

- **count-code-blocks** – includes or excludes fenced/indented code blocks (`CodeBlock` elements).
- **count-inline-code** – includes or excludes inline code spans (``like this``).

Both default to `true` for backward compatibility.

When `count-inline-code` is enabled, inline code counts each non-space token inside backticks. For example, `4` adds **2** words, while `4` adds **4**.

Setting `count-inline-code: false` prevents inline code from affecting the total word count.

*** [DRAFT]**

References

Donald Ervin Knuth, and Duane Bibby. n.d. “The TeXBook.”