Topics	InternetReadFile	
-	IsDebuggerPresent	
Chapters	KdDebuggerEnabled	
1.1 Introduction to Malware Analysis1–4	LoadLibrary	
1.2 Malware Analysis Lab 1–24 1.3 Static Properties Analysis 1–38	LoadResource	
1.4 Behavioral Analysis Essentials1–52	LockResource	
1.4 Denavioral Analysis Essentials	OpenProcess	
1.6 Exploring Network Interactions1–112	OutputDebugString	
2.1 Core Reversing Concepts2–4	Process32First	
2.2 Reversing Functions	Process32Next ProtectVirtualMemory	
2.3 Control Flow In-Depth	QueryInformationProcess	
2.4 API patterns in Malware2–136	QuerySystemInformation	
2.5 64-bit Code Analysis	QuerySystemTime	
3.1 Malicious PDF Files	ReadFile	
3.2 VBA Macros in MS Office Documents 3–37	RegOpenKey	
3.3 Examining Malicious RTF Files 3–80	regsvr32	
3.4 Deobfuscating Malicious JavaScript3–102	ResumeThread	
4.1 Recognizing Packed Malware 4–3	RtlDecompressBuffer	
4.2 Getting Started with Unpacking4-15	SetWindowsHookEx	
4.3 Using Debuggers for Dumping4-27	ShellExecute	
4.4 Debugging Packed Malware 4–44	SizeofResource	
4.5 Analyzing Multi-Technology Malware $\dots.4-56$	UnmapViewOfSection	
4.6 Examining .NET Malware4-106	URLDownloadToFileA	
4.7 Understanding Code Injection4–133	VirtualAlloc3-	
5.1 Debugger Detection and Data Protection $\cdot5–3$	VirtualProtect	
5.2 Unpacking Process Hollowing5–43	wcsicmp	2–106
5.3 Detecting the Analysis Toolkit5-61	WriteProcessMemory	5–53, 4–136-138
5.4 Handling Misdirection Techniques 5–94	WriteVirtualMemory	$\dots \dots 5-27, 4-137$
5.5 Unpacking by Anticipating Actions5–144	Instructions	
Function	Overview	
AllocateVirtualMemory	ADD	
Assembly Load File	AND	,
Assembly.LoadFrom	CALL	
BlockInput	CMP	
CreateMutex	IMUL	
CreateProcess	Jcc instructions	
CreateRemoteThread	JА JВ	
CreateThread	JC	
CreateToolHelp32Snapshot 5–84, 5–91, 4–136	JE	
CreateUserThread	JG	
CryptDecrypt	JL	
EnumProcesses	JMP	
FindResource	JNGE	
FindWindow	JZ	
GetForeGroundWindow5–65	LEAVE	
GetLocalTime	LOOP	
GetModuleHandle	LOOPcc	,
GetProcAddress	LOOPnz	
GetSystemTime	MOV	
$GetTempFileName \dots 2-62$	NOP	· · · · · · · · · · · · · · · · · · ·
GetTempPath2–121	OR	
GetTickCount	PUSH	
HttpAddRequestHeaders2–46	RDTSC	
HttpOpenRequest2–46	RET	2-38, 2-68
HttpSendRequest2–46	SCASB	
Internet Connect	SHL	2–38

SHR2–38	.NET assembly4-107
SUB2-38, 2-41	Automated analysis
TEST2-41	AutoRun4-63, 4-65
XCHG2–37	AV detection
Register	Avast Antivirus
AH (8 Bit)2–27	avghookx.dll5–77
AL (8 Bit)2–27	
AX (16 Bit)2–27	D
CS2–26	В
DS2–26	
EAX (32 Bit)2–25	Balbuzard toolkit
EBP2-25, 2-67	Base64
EBX2–24	base64dump.py3-71, 4-73, 3-74
ECX2–25	BAT File4-65
EDI2–25	bbcrack.py
EDX2–24	Beaconing
EIP2–26	Behavioral Analysis
ES2–26	BHOs
ESI2–25	Binary Ninja
ESP	binee
GS2-26 GS2-26, 5-99, 5-129	64-bits
RAX (64 Bit)2–149	BlockInput
SS2–149	box-js
552-20	Branches
	Breakpoint
#	Countermeasure 5–167
1500	Hardware5–106-109
17683–76	Memory 5–158
	Browser Helper Objects2–147
${f A}$	brutexor.py5–18
	brxor.py5–18
AcroForm	Burp3–19
ActiveXObject3-106, 3-108	Byte (8 Bit)2–28
Addressing memory	Bytehist4–11
Addressing mode	
Administrative rights 1–41 Adobe Reader 3–4	\mathbf{C}
ADS	C
advapi32.dll	C21–17, 1–113
AI	Call Stack
Alternate Data Stream39	Calling convention
AMSI3–109-110	capa
Analysis detection	CAPE1–13
And2–123-124	Capstone
Anti-analysis5–166	cdecl2–72, 2–74, 2–85
Anti-Debugger5–6	CFF Explorer
Countermeasure5–9	ASLR4-19-20
Timing 5–14	ChatGPT 1–21
Antimalware San Interface(AMSI)3–109-110	Common Intermediate Language (CIL)4–107
Any.run	Clonezilla1–34
API2–18	Code analysis
Hooking	Dynamic
Native	Static
Arguments 3–98 Arguments 2 81 82	Code Injection
Arguments	Code lifecycle
Armadillo	Common Intermediate Language (CIL)4–107
ASLR	Compiler
1 10, 0 01, 0 10	Compiler

Just-In-Time Compiler	evilclippy3–57
Composite Document File V2 (CDFV2) 3–40, 3–65	Exception
Compound File Binary Format (CFBF)3-40	Frame-based
Constant	Ignore Exception x32dbg5–102
CREATE_SUSPENDED5–46	Stack-based
CrowdStrike	Executable File
CryptDecrypt	Exemple PE
V1 V1	•
CScript	Exfiltration
Current Version/Run	ExifTool
Cutter	Expoit vs Vulnarablility
CyberChef1–105-109	Ghidra
	Exports2-16
D	
D	F
.data	ľ
	f-1 J 1 60 1 100
Data Structures	fakedns
dd1–34	fastcall
de4dot	feh
de4ot4–129	Fiddler3–19, 3–21, 1–124-125
Debugger	File extension
Detection	File handle 3–95
Decompiler vs Dissassembly2–158	FileScan.IO1–13
Deep Freeze1–34	FLOSS5–25-26
Deobfuscation	Fog1–34
Dereferencing2–29-30	For (loop)2–112, 113
Detect It Easy5–96	FoxIT Reader
Detect It Easy (DIE)	Frame pointer
Device Driver	FLG_HEAP_ENABLE_FREE_CHECK5-13
diec	FS:[0]
Disassembling	FS:[30h]3–94
DLL	FS:[30h] \rightarrow Process Environment Block 5–12-13
DNS2-45, 1-67	FSG
DNS leakage	FTP1–120
dnSpyEx	Function2-61, 2-65
Dump Variable	Epilogue
Locals	Prologue
Modules	Function Call Graph
Do (loop)2–112	Function Call Trees4–145
DotDumper	Ghidra
Dropper2–140	Function Graph2-14
Dumping4–23	
Debugger 4–27	
Dword (32 Bit)2–28	\mathbf{G}
DynamicBase5–73, 5–97	
Dyre 5–65	GetEIP
	Ghidra 2–6, 1–81
	Bad instruction
${f E}$	Comment
	Convert
$EA \rightarrow Effective Address \dots$	Create Project
Effective Address (EA)	Data Convert
EFLAGS	Data Type
emulating code execution	Defined Strings
	<u> </u>
Entropy	Equate2–36
PeStudio	Exports2–16, 2–139
Entry Point	Function Call Tree2–56
Original4–29, 4–37, 5–105	Function Graph2–14
Epilogue2–84, 2–91	Functions2–58

Headers	iptables
Key binding5–23	1100 2 40, 1 120
Local Variable Conflict2–94	т
Program Tree	\mathbf{J}
Project Analysis	JavaScript
Propagate External Parameters 2–48	Beautify
Sections	javascript
Show References	Jcc instructions
String Reference	js debugger3–118
Symbol reference	js eval
Symbol References	js-beautofy.js
TLS5–117	Jump table
Global Descriptor Table (GDT)5–127	Jumps2–39-41
1	Just-In-Time Compiler
H	\mathbf{K}
Handle	
Hardware breakpoint	KdDebuggerFlag5–79
HashSets	
Ghidra	${f L}$
Headers	L
Hex encoding	libemu3-75
Honeyclient	Linker
Honeypot	Loader2-5
Hopper	logman
Hot patching	Loop2–106-112
HTML	loop assembly2–116-120
HTTP2–45	
httpd1–72	${f M}$
Hybrid Analysis	1 V1
11y blid 11haiysis 15, 1 16	Macro
	AutoOpen3-46
I	Debug3–57
_	Enable Content3-42
$IAT \rightarrow Import Address Table \dots$	Extraction 3–44
IDA2-6, 1-81	
	Malware
If-Else	
If-Else2–99-102	64-bit Malware
	64-bit Malware 2-147 Malware analysis 1-5
If-Else 2-99-102 ILSpy 4-108, 4-111, 4-113, 4-128 ImageBase 4-18	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10
If-Else	64-bit Malware 2-147 Malware analysis 1-5
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccc} 64\text{-bit Malware} & & 2-147 \\ \text{Malware analysis} & & 1-5 \\ \text{input/output} & & 1-10 \\ \text{stage} & & 1-9 \\ \text{Malware Hash Registry} & & 1-13 \\ \end{array} $
If-Else 2–99-102 ILSpy 4–108, 4–111, 4–113, 4–128 ImageBase 4–18 Import Address Table (IAT) 4–7, 2–17, 4–22, 4–24, 5–164 Fix (Scylla) 4–24, 4–40-41	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9 Malware Hash Registry 1-13 Malware lab 1-25
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9 Malware Hash Registry 1-13 Malware lab 1-25 Configuration 1-26
If-Else 2–99-102 ILSpy 4–108, 4–111, 4–113, 4–128 ImageBase 4–18 Import Address Table (IAT) 4–7, 2–17, 4–22, 4–24, 5–164 Fix (Scylla) 4–24, 4–40-41 Rebuild 5–112 Imports 1–47, 5–146	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9 Malware Hash Registry 1-13 Malware lab 1-25 Configuration 1-26 Isolation 1-29
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9 Malware Hash Registry 1-13 Malware lab 1-25 Configuration 1-26 Isolation 1-29 Malware report 1-11
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9 Malware Hash Registry 1-13 Malware lab 1-25 Configuration 1-26 Isolation 1-29 Malware report 1-11 MalwareBazaar 1-13
If-Else 2-99-102 ILSpy 4-108, 4-111, 4-113, 4-128 ImageBase 4-18 Import Address Table (IAT) 4-7, 2-17, 4-22, 4-24, 5-164 Fix (Scylla) 4-24, 4-40-41 Rebuild 5-112 Imports 1-47, 5-146 Fixer 4-22 Ghidra Imports 2-17	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9 Malware Hash Registry 1-13 Malware lab 1-25 Configuration 1-26 Isolation 1-29 Malware report 1-11 MalwareBazaar 1-13 Memory map 4-48
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9 Malware Hash Registry 1-13 Malware lab 1-25 Configuration 1-26 Isolation 1-29 Malware report 1-11 MalwareBazaar 1-13 Memory map 4-48 MetaDefender 1-13
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9 Malware Hash Registry 1-13 Malware lab 1-25 Configuration 1-26 Isolation 1-29 Malware report 1-11 MalwareBazaar 1-13 Memory map 4-48 MetaDefender 1-13 mshta.exe 4-67-68
If-Else 2-99-102 ILSpy 4-108, 4-111, 4-113, 4-128 ImageBase 4-18 Import Address Table (IAT) 4-7, 2-17, 4-22, 4-24, 5-164 Fix (Scylla) 4-24, 4-40-41 Rebuild 5-112 Imports 1-47, 5-146 Fixer 4-22 Ghidra Imports 2-17 Indicator of Compromise (IOC) 1-17, 1-45 INetSim 1-120 logfile 1-123	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9 Malware Hash Registry 1-13 Malware lab 1-25 Configuration 1-26 Isolation 1-29 Malware report 1-11 MalwareBazaar 1-13 Memory map 4-48 MetaDefender 1-13 mshta.exe 4-67-68 Multithread process 2-66
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
If-Else 2-99-102 ILSpy .4-108, 4-111, 4-113, 4-128 ImageBase .4-18 Import Address Table (IAT) .4-7, 2-17, 4-22, 4-24, 5-164 Fix (Scylla) .4-24, 4-40-41 Rebuild .5-112 Imports .1-47, 5-146 Fixer .4-22 Ghidra .2-17 Indicator of Compromise (IOC) .1-17, 1-45 INetSim .1-120 logfile .1-123 Injection .4-150-151 Inline functions .2-77	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9 Malware Hash Registry 1-13 Malware lab 1-25 Configuration 1-26 Isolation 1-29 Malware report 1-11 MalwareBazaar 1-13 Memory map 4-48 MetaDefender 1-13 mshta.exe 4-67-68 Multithread process 2-66 Mutant → Mutex 1-15, 2-143
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	64-bit Malware 2-147 Malware analysis 1-5 input/output 1-10 stage 1-9 Malware Hash Registry 1-13 Malware lab 1-25 Configuration 1-26 Isolation 1-29 Malware report 1-11 MalwareBazaar 1-13 Memory map 4-48 MetaDefender 1-13 mshta.exe 4-67-68 Multithread process 2-66 Mutant → Mutex 1-15, 2-143
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	64-bit Malware
If-Else 2-99-102 ILSpy 4-108, 4-111, 4-113, 4-128 ImageBase .4-18 Import Address Table (IAT) .4-7, 2-17, 4-22, 4-24, 5-164 Fix (Scylla) .4-24, 4-40-41 Rebuild .5-112 Imports .1-47, 5-146 Fixer .4-22 Ghidra Imports .2-17 Indicator of Compromise (IOC) .1-17, 1-45 INetSim .1-120 logfile .1-123 Injection .4-150-151 Inline functions .2-77 Instructions .2-23, 2-38 Intermodular call .4-50 Internet access .1-18	64-bit Malware

nslookup1–68	.NET4–110
NtGlobalFlag5–13	ASLR4–18
NTVDM2-148	Packed4–10
	Ressource Dumping2–142
\mathbf{O}	TLS
O	PeStudio (DLL)
Object Code2-5	Pinpoint
objects.js3–107, 3–114-117	Pointer
OLE1	POP3
OLE2 3–40	Position-independent code (PIC)
oledump	Debug
olevba.py3–45	WriteAllBytes
OllyDbg5–78	ProcDOT
OllyDumpEx4–36, 5–111	Process Environment Block (PEB)5–12-13, 3–94
OOXML	Process Hacker
Open Threat Exchange 1-13, 1-16 Operand (of Instructions) 2-23	String4–21
Operation (of Instructions)	Process hollowing
Or	Dump
Original Entry Point (OEP)	Process Monitor
OSINT1–17	Process Tree
	Process replacement
P	Prologue2–83, 2–90
Γ	PXE booting1–34
P2P2–45	
Packing4-5-6, 1-49	\mathbf{O}
Unpacking .NET malware	₩
Page Memory Rights 4–38, 4–147, 5–158	Qiling 1–83
Patching	qpdf3–35
PDF	Quttera 1–13
/AA3–5, 6	Qword (64 Bit)2–28
/Annots 3–33-34	
/EmbeddedFiles3-4	D
/JS3-4	${f R}$
/JavaScript	D 1
/Launch	Radare
/ObjStm	Reflective code loading
/OpenAction	reg_export
/URI	Register
/XFA	64-bits
File structure	Edit5-9
keywords	Register-based CPU2–23
Object3-5	Registers2–23
object references3-34	x86 Registers2–25
Stream3-6	Registry4-65, 4-68-69
pdf-parser.py	Registry persistance1–45
pdfid.py3–8	Regshot
pdftk3-35	regsvr323–53
PE (Portable Executable)	.reloc
PE Tools	Return Pointer
pe_unmapper	RIP-relative addressing
PECompact	ROL
peframe 1–48 Persistence 1–45	RollBack Rx
Persistence	ROOTAIT
PEStudio5–96	RTF
PeStudio	Auto extraction

Controls/Group/Object3-82	FLG_HEAP_ENABLE_TAIL_CHECK	5–13
rtfdump.py3-83-84, 3-90	.text	2–12
rtfobj.py3–84	TFTP	$\dots 1 – 120$
RunPE5–52	Themida	4–8
	thiscall	2-73, 2-75
C	Thread Information Block (TIB)	3-94, 5-99
${f S}$	Thread Local Storage (TLS)	5 -115
	ThreatAnalyzer	5-81
Sandbox detection	ThreatFox	$\dots \dots 1 – 13$
Sandboxie	Thug	3 -19
scdbg4–76, 4–79, 3–95-96	Tinba	
Debug	TitanMist	
scdbg (PS emulator)3–75	TOR	
Scout	translate.py	
Scylla	TrickBot	
IAT	Trid	
ScyllaHide 5-15, 5-28 Sections 4-7, 1-47	trid	
Ghidra 4-7, 1-47	try/except	5–98
Sections		
SecurityTrails	${f U}$	
Segment	TT . 1	4 -
Segment register	Unicode conversion	
selector	UnpacMe	
Self-defense of malware1–30	Upatre	
countermeasures	UPX	
set-static-ip1–126	Unpacking (auto)urlscan.io	
SetBPX1–93	uriscan.io	1-10
setdllcharacteristics4–19-20	${f V}$	
Shodan1–13	•	
Single-step4-29, 1-91	FLG_HEAP_VALIDATE_PARAMETERS	5–13
SMTP1–120	Variable	
Snapshot	Global	$\dots 2-54$
Speakeasy1–83, 1–86	Local	2-54, 5-152
$SRE \rightarrow Software Reversing Engineering \dots$	Static	
SRP Stream3-54	$VBA \rightarrow Visual Basic for Applications \dots$	
Stack2-68-70	VBScript	
Pointer	Viper	
Stack String \rightarrow String,stack	ViperMonkey (vmonkey)	
Static properties1–43	Virtual size	
Analysis	Virtualization	
stdcall2–72, 2–74	VirusTotal(VDA)	
strace	Visual Basic for Applications (VBA)	
strdeob.pl	Downloader	
Process Hacker4–21	Vivisect	
Stack	Vulnarablility vs Expoit	
Strings	vumarability vs Export	3–00
strlen2–111	TX 7	
Structured Exception Handling (SEH)5–98	\mathbf{W}	
Structured Storage (SS)	WH_MOUSE_LL	5-69
Data Structures	While (loop)	
Switch	Winbindex	
SYN	WinDbg	
SysAnalyzer 5–81	Windows Virtual PC	
System call2–18	Wireshark	
	TCP Stream	
~	WM_LMOUSEBUTTONDOWN	
${f T}$	WM_LMOUSEBUTTOUP	5–71

WM_MOUSEMOVE5–70	cleardb	7
Word (16 Bit)2–28	xAnalyzer	
wow64	XOR	
WPE Pro	XOR Encoding	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	XOR Obfuscation	
${f v}$	XORSearch	
X	xxd	
x32dbg		
Dump	•	
Follow in Memory Map 5–56	Y	
Ignore Exception5–102		
Save Patch	yara-rules 3–7	6
SEH5–100, 5–105		
SetBPX5-30	<u>_</u>	
Stack edition	${f Z}$	
Strings4–34		
TLS 5–120	zipdump.py3-4	.3
v64dbg 1_81_1_00		20