Topics	KC2. Weaponization
_	KC3. Delivery
Malware	KC4. Exploitation
Agent.BTZ	KC5. Installation
BlackEnergy1–87	KC6. Command-and-Control2–23
Kill chain1–90-91	KC7. Actions on Objectives2–26, 2–81
Version 2	
Version 3	Vulnerability
Carberp1–10	CVE-2014-01602-18
Dark Seoul3-80	CVE-2014-17613-110
DeputyDog3-8	CVE-2014-62712-18
Derusbi3–8	CVE-2014-71692-18
Evoltin	CVE-2016-41171-68
FYSBIS5–15	
Gh0stRat3-8	#
GlassRAT3-57	
C2 overlap3–58	0-Day exploit
Lessons Learned3–59	_
Hikit3-6-7, 3-8	${f A}$
Hydraq	
KillDisk1–86	Abstractions1–44
McRAT3-6-7	Actions on Objectives
Neodymium1–66	Example2–28
Characteristics	Active Defense
Infection	Active Measures5–95
NetWire2–91	Activity Group
njRat3-23	Activity group1-70
PlugX3-5, 3-8, 3-23	Advanced Persitent Threat2–31
PoisonIvy	Adversary
Promethium1-66	Adversary Admission
Characteristics	AlienVault OTX3-63
Sogu3-23	Analysis
Truvasys1-68	Type1–27
WebC22–25	Analysis of Competing Hypothesis 4–33-34
Wingbird1–68	Hypotheses
	Evidences
Operation	Diagnostics
Aurora	Refinement
Blockbuster	Inconsistency
Bodyguard	Sensitivity
Flame	Report
NightDragon Project	Analyst
Shady RAT Project 1–39 SMN 3–10	Analytical Model
Troy	Anti-Virus
110y 4 00, 4 04	Apache Solr
Commands	Apache Tika
Unrar2–103	Architecture
awk	Argus
date2-69	ASN
grep2-69	Assessment
net2-33	Attribution
openssl2-25, 2-100	ACH5–92
perl2-100	Approaches
$\verb"ra"$	Intent5–87
$\verb sed \ldots \ldots 2-100$	Issues
T-111 G1 .	Matrix
Kill Chain2–7, 1–31	State
KC1. Reconnaissance2–9	State Responsibility

Use cases $5-82$ Value without Attribution $5-81$	Confidence Assessment	4-28
Audience	Counter-Intelligence	
AWS	Example	
Axiom (Team)	Offensive	
Axioms	Course of Action	
11, 5 0,	Active	
	Deceive	
В	Degrade	
	Deny	
Backdoor2–13	Destroy	
Base642-25	Detect	2–41
Beaconing2–24	Discover	2–40
Bias4–17, 1–28	Disrupt	2–43
Anchoring 4–22	Matrix	$\dots 2-39$
Cognitive Biases4–21	Passive	
Confirmation Bias4–23	Selection and Exclusivity	
Congruence Bias4–24	CRITS	
Example1–29	Cum hoc ergo propter hoc	
Field of view	Customer	
Hindsight Bias4–25	CVE	
Illusory Correlation	Cyber Threat Intelligence1–	,
Bit9	Elements	
BPF	Levels	
Brainstorming1–30	Storage	
	(Best practice)	
\mathbf{C}	Terminology	
O	CyberChef	
		ე–31
Cambridge Intelligence 4–47	Cybox	
Cambridge Intelligence	Cybox	
Campaign	, -	
Campaign 1-45, 1-52 Heatmap 5-44	D	
Campaign 1-45, 1-52 Heatmap 5-44 Capability 3-12, 2-33, 1-47	D	
Campaign 1-45, 1-52 Heatmap 5-44	, -	4–49
Campaign 1-45, 1-52 Heatmap 5-44 Capability 3-12, 2-33, 1-47 Carbanak 1-9, 1-11	Data Analysis	4–49 1–35
Campaign 1-45, 1-52 Heatmap 5-44 Capability 3-12, 2-33, 1-47 Carbanak 1-9, 1-11 C2 1-13	Data Analysis	$\dots 4-49$ $\dots 1-35$ $\dots 3-69$
Campaign 1-45, 1-52 Heatmap 5-44 Capability 3-12, 2-33, 1-47 Carbanak 1-9, 1-11 C2 1-13 Evolution 1-13	Data Analysis	4–49 1–35 3–69 1–119
Campaign 1-45, 1-52 Heatmap 5-44 Capability 3-12, 2-33, 1-47 Carbanak 1-9, 1-11 C2 1-13 Evolution 1-13 Impact 1-14	Data Analysis Data to Intelligence DataSploit DBIR	4–49 1–35 3–69 1–119
Campaign 1-45, 1-52 Heatmap 5-44 Capability 3-12, 2-33, 1-47 Carbanak 1-9, 1-11 C2 1-13 Evolution 1-13 Impact 1-14 Lazarus 4-84	${f D}$ Data Analysis Data to Intelligence DataSploit DBIR DC3 $ ightarrow$ Defense Cyber Crime Centre	4–49 1–35 3–69 1–119
Campaign 1-45, 1-52 Heatmap 5-44 Capability 3-12, 2-33, 1-47 Carbanak 1-9, 1-11 C2 1-13 Evolution 1-13 Impact 1-14 Lazarus 4-84 Lessons Learned 1-15	${f D}$ Data Analysis Data to Intelligence DataSploit DBIR DC3 $ ightarrow$ Defense Cyber Crime Centre Deception	4-49 $3-69$ $1-119$ $5-95$ $3-22$
Campaign 1-45, 1-52 Heatmap 5-44 Capability 3-12, 2-33, 1-47 Carbanak 1-9, 1-11 C2 1-13 Evolution 1-13 Impact 1-14 Lazarus 4-84 Lessons Learned 1-15 Overview 1-12 Censys.io 3-106 Centrifuge 4-47	$\begin{array}{c} \textbf{D} \\ \text{Data Analysis} \\ \text{Data to Intelligence} \\ \text{DataSploit} \\ \text{DBIR} \\ \text{DC3} \rightarrow \text{Defense Cyber Crime Centre} \\ \text{Deception} \\ \text{Defense Cyber Crime Centre (DC3)} \\ \end{array}$	$ \begin{array}{r} $
Campaign 1-45, 1-52 Heatmap 5-44 Capability 3-12, 2-33, 1-47 Carbanak 1-9, 1-11 C2 1-13 Evolution 1-13 Impact 1-14 Lazarus 4-84 Lessons Learned 1-15 Overview 1-12 Censys.io 3-106 Centrifuge 4-47 ChangeIP 3-35-36	$\begin{array}{c} \textbf{D} \\ \text{Data Analysis} \\ \text{Data to Intelligence} \\ \text{DataSploit} \\ \text{DBIR} \\ \text{DC3} \rightarrow \text{Defense Cyber Crime Centre} \\ \text{Deception} \\ \text{Defense Cyber Crime Centre (DC3)} \\ \text{Delivery} \\ \text{Example} \\ \text{Detection} \\ \end{array}$	$ \begin{array}{r} $
Campaign 1-45, 1-52 Heatmap 5-44 Capability 3-12, 2-33, 1-47 Carbanak 1-9, 1-11 C2 1-13 Evolution 1-13 Impact 1-14 Lazarus 4-84 Lessons Learned 1-15 Overview 1-12 Censys.io 3-106 Centrifuge 4-47 ChangeIP 3-35-36 ChopShop 2-90	$\begin{array}{c} \mathbf{D} \\ \text{Data Analysis} \\ \text{Data to Intelligence} \\ \text{DataSploit} \\ \text{DBIR} \\ \text{DC3} \rightarrow \text{Defense Cyber Crime Centre} \\ \text{Deception} \\ \text{Defense Cyber Crime Centre (DC3)} \\ \text{Delivery} \\ \text{Example} \\ \text{Detection} \\ \text{Devil Advocate} \\ \end{array}$	$ \begin{array}{r} \dots 4-49 \\ \dots 1-35 \\ \dots 3-69 \\ \dots 1-119 \\ \dots \dots 5-95 \\ \dots 2-15 \\ \dots 2-16 \\ \dots 2-139 \\ \dots 1-30 \end{array} $
Campaign 1-45, 1-52 Heatmap 5-44 Capability 3-12, 2-33, 1-47 Carbanak 1-9, 1-11 C2 1-13 Evolution 1-13 Impact 1-14 Lazarus 4-84 Lessons Learned 1-15 Overview 1-12 Censys.io 3-106 Centrifuge 4-47 ChangeIP 3-35-36 ChopShop 2-90 CIDR 2-52	$\begin{array}{c} \textbf{D} \\ \text{Data Analysis} \\ \text{Data to Intelligence} \\ \text{DataSploit} \\ \text{DBIR} \\ \text{DC3} \rightarrow \text{Defense Cyber Crime Centre} \\ \text{Deception} \\ \text{Defense Cyber Crime Centre (DC3)} \\ \text{Delivery} \\ \text{Example} \\ \text{Detection} \\ \text{Devil Advocate} \\ \text{Diamond Model} \\ \text{2-} \end{array}$	4-49 $3-69$ $1-119$ $5-95$ $3-22$ $2-15$ $2-139$ $1-30$ $1-50$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} \textbf{D} \\ \text{Data Analysis} \\ \text{Data to Intelligence} \\ \text{DataSploit} \\ \text{DBIR} \\ \text{DC3} \rightarrow \text{Defense Cyber Crime Centre} \\ \text{Deception} \\ \text{Defense Cyber Crime Centre (DC3)} \\ \text{Delivery} \\ \text{Example} \\ \text{Detection} \\ \text{Devil Advocate} \\ \text{Diamond Model} \\ \text{Activity Group} \end{array}$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} \textbf{D} \\ \text{Data Analysis} \\ \text{Data to Intelligence} \\ \text{DataSploit} \\ \text{DBIR} \\ \text{DC3} \rightarrow \text{Defense Cyber Crime Centre} \\ \text{Deception} \\ \text{Defense Cyber Crime Centre (DC3)} \\ \text{Delivery} \\ \text{Example} \\ \text{Detection} \\ \text{Devil Advocate} \\ \text{Diamond Model} \\ \text{Activity Group} \\ \text{Adversary} \\ \end{array}$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	D Data Analysis Data to Intelligence DataSploit DBIR DC3 → Defense Cyber Crime Centre Deception Defense Cyber Crime Centre (DC3) Delivery Example Detection Devil Advocate Diamond Model Activity Group Adversary Analytic Findings	$ \begin{array}{c} \dots 4-49 \\ \dots 1-35 \\ \dots 3-69 \\ \dots 1-119 \\ \dots \dots 5-95 \\ \dots 3-22 \\ \dots 2-15 \\ \dots 2-16 \\ \dots 2-139 \\ \dots 1-30 \\ 29, 1-50 \\ \dots 4-76 \\ \dots 2-32 \\ \dots 5-64 \end{array} $
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} \textbf{D} \\ \text{Data Analysis} \\ \text{Data to Intelligence} \\ \text{DataSploit} \\ \text{DBIR} \\ \text{DC3} \rightarrow \text{Defense Cyber Crime Centre} \\ \text{Deception} \\ \text{Defense Cyber Crime Centre (DC3)} \\ \text{Delivery} \\ \text{Example} \\ \text{Detection} \\ \text{Devil Advocate} \\ \text{Diamond Model} \\ \text{Activity Group} \\ \text{Adversary} \\ \text{Analytic Findings} \\ \text{Axiom} \\ \end{array}$	$ \begin{array}{c} \dots 4-49 \\ \dots 1-35 \\ \dots 3-69 \\ \dots 1-119 \\ \dots \dots 5-95 \\ \dots 3-22 \\ \dots 2-15 \\ \dots 2-16 \\ \dots 2-139 \\ \dots 1-30 \\ 29, 1-50 \\ \dots 4-76 \\ \dots 2-32 \\ \dots 5-64 \\ 2-30-31 \end{array} $
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} \textbf{D} \\ \text{Data Analysis} \\ \text{Data to Intelligence} \\ \text{DataSploit} \\ \text{DBIR} \\ \text{DC3} \rightarrow \text{Defense Cyber Crime Centre} \\ \text{Deception} \\ \text{Defense Cyber Crime Centre (DC3)} \\ \text{Delivery} \\ \text{Example} \\ \text{Detection} \\ \text{Devil Advocate} \\ \text{Diamond Model} \\ \text{Activity Group} \\ \text{Adversary} \\ \text{Analytic Findings} \\ \text{Axiom} \\ \text{Capability} \\ \end{array}$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	D Data Analysis Data to Intelligence DataSploit DBIR DC3 → Defense Cyber Crime Centre Deception Defense Cyber Crime Centre (DC3) Delivery Example Detection Devil Advocate Diamond Model Activity Group Adversary Analytic Findings Axiom Capability Clustering	4-49 $3-69$ $1-119$ $5-95$ $2-15$ $2-139$ $1-30$ $29, 1-50$ $4-76$ $2-32$ $5-64$ $2-30-31$ $2-33$ $4-71$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	D Data Analysis Data to Intelligence DataSploit DBIR DC3 → Defense Cyber Crime Centre Deception Defense Cyber Crime Centre (DC3) Delivery Example Detection Devil Advocate Diamond Model Activity Group Adversary Analytic Findings Axiom Capability Clustering Infrastructure	4-49 $3-69$ $1-119$ $5-95$ $3-22$ $2-15$ $2-139$ $1-30$ $29, 1-50$ $4-76$ $2-32$ $5-64$ $2-30-31$ $2-33$ $4-71$ $2-34$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Data Analysis Data to Intelligence DataSploit DBIR DC3 → Defense Cyber Crime Centre Deception Defense Cyber Crime Centre (DC3) Delivery Example Detection Devil Advocate Diamond Model Diamond Model Activity Group Adversary Analytic Findings Axiom Capability Clustering Infrastructure Meta-Features	4-49 $1-35$ $3-69$ $1-119$ $5-95$ $3-22$ $2-15$ $2-139$ $1-30$ $29, 1-50$ $4-76$ $2-32$ $5-64$ $2-30-31$ $2-33$ $4-71$ $2-34$ $4-74$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Data Analysis Data to Intelligence DataSploit DBIR DC3 → Defense Cyber Crime Centre Deception Defense Cyber Crime Centre (DC3) Delivery Example Detection Devil Advocate Diamond Model Activity Group Adversary Analytic Findings Axiom Capability Clustering Infrastructure Meta-Features Tactics, Techniques, and Procedures (TTP	$ \begin{array}{c} \dots 4-49 \\ \dots 1-35 \\ \dots 3-69 \\ \dots 1-119 \\ \dots \dots 5-95 \\ \dots 3-22 \\ \dots 2-15 \\ \dots 2-139 \\ \dots 1-30 \\ 29, 1-50 \\ \dots 4-76 \\ \dots 2-32 \\ \dots 5-64 \\ 2-30-31 \\ \dots 2-33 \\ \dots 4-71 \\ \dots 2-34 \\ \dots 4-74 \\ \dots 2-34 \\ \dots 4-74 \\ \dots 2-33 \\ \end{array} $
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Data Analysis Data to Intelligence DataSploit DBIR DC3 → Defense Cyber Crime Centre Deception Defense Cyber Crime Centre (DC3) Delivery Example Detection Devil Advocate Diamond Model Activity Group Adversary Analytic Findings Axiom Capability Clustering Infrastructure Meta-Features Tactics, Techniques, and Procedures (TTP Victim	$ \begin{array}{c} \dots 4-49 \\ \dots 1-35 \\ \dots 3-69 \\ \dots 1-119 \\ \dots \dots 5-95 \\ \dots 3-22 \\ \dots 2-15 \\ \dots 2-16 \\ \dots 2-139 \\ \dots 1-30 \\ 29, 1-50 \\ \dots 4-76 \\ \dots 2-32 \\ \dots 5-64 \\ 2-30-31 \\ \dots 2-33 \\ \dots 4-71 \\ \dots 2-34 \\ \dots 4-74 \\ \dots 4-74 \\ \dots 2-33 \\ \dots 2-35 \\ \dots 2-35 \\ \dots 2-35 \\ \end{array} $
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Data Analysis Data to Intelligence DataSploit DBIR DC3 → Defense Cyber Crime Centre Deception Defense Cyber Crime Centre (DC3) Delivery Example Detection Devil Advocate Diamond Model Activity Group Adversary Analytic Findings Axiom Capability Clustering Infrastructure Meta-Features Tactics, Techniques, and Procedures (TTP Victim Direct Access	4-49 $1-35$ $3-69$ $1-119$ $5-95$ $3-22$ $2-15$ $2-16$ $2-139$ $4-76$ $2-32$ $5-64$ $2-30-31$ $2-33$ $4-71$ $2-34$ $4-74$ $).2-33$ $2-35$ $5-79$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Data Analysis Data to Intelligence DataSploit DBIR DC3 → Defense Cyber Crime Centre Deception Defense Cyber Crime Centre (DC3) Delivery Example Detection Devil Advocate Diamond Model Activity Group Adversary Analytic Findings Axiom Capability Clustering Infrastructure Meta-Features Tactics, Techniques, and Procedures (TTP Victim	4-49 $1-35$ $3-69$ $1-119$ $5-95$ $3-22$ $2-15$ $2-16$ $2-139$ $1-30$ $29, 1-50$ $4-76$ $2-32$ $5-64$ $2-30-31$ $2-33$ $4-71$ $2-34$ $2-35$ $5-79$ $3-69$

Disk Image 2–106 Domains 3–33 Compromise 3–38	Hacking Team 4-5-7 Whois 4-80 Heart Bleed 2-18
DomainTools 3-43, 3-52-53 Dropper 2-13, 2-20	Heuer, Richards J. Jr
Dshell	HTTP Headers2–16
DShield	HUMINT1–18
Dual Maps3–72	Hypothesis Generation
Dynamic DNS	
DynDns3–35	${f I}$
${f E}$	idc.py5–10
	Identifier
Elderwood Project	Incident (One-slider)5–45
Email Delivery Success Metric	Incident Response
Estimative Language 5-60 Estimative Scale 5-62	Indicator
Evidenciary Dependency4–40	Discovery
Exfiltration	Key indicators
Exploit	Life Cycle2–40, 1–59
Exploitation	Lifespan
Example2–19	To Behavioral Analytics1–81
•	Validation 5–21
17.	Indicator Life Cycle
${f F}$	Indicators
Fallacies	InfoGo 3–69
Anecdotal Fallacies4–18	Information 1–35
Appeal to Probability4–18	InfraGuard
Appeal to the Stone4–19	Infrastructure
Argument from Repetition	Acquision 2-9 Installation 2-20
Argument from Silence4–19	Example
Burden of Proof	Intelligence
Common Fallacies	Axioms
Informal Fallacies	Funnel1–35
Logical Fallacies	Gain/Loss
Moddle Ground	Sources
Farsight	Intelligence Consumption1–72
Flow ratio	Active Defense
Forensics	Architeture
Disk	Intelligence
Memory2–93	Passive Defense
FTP2–86	Intelligence Generation
Full Packet Capture	From Consumption
	Intelligence Life Cycle
${f G}$	Intelligence Team
G	Example1–100
GEOINT1–18, 3–72	Interactions1–99
Gephi	Process 1–101
Google1–13	Intent
Google Maps3–72	Attribution
Graphviz	Internet Identity
Guardian of Peace	Interpretation
GULP2–85	Intrusion
	Analysis
\mathbf{H}	IP Address

ISACs	Tactic 2-142 Technique 2-143 MITRE Threat Groups 4-64 Mnemonic 3-43, 3-45
Judgment	${f N}$
T.Z.	Name 4–62
\mathbf{K}	Neo4J
V4 Ch 1 91	NetFlows
Kent, Sherman 1–21 Doctrine 1–22	New Romantic Cyber Army 4–80
KeyLines	New-York Stock Exchange Glitch
Kill Chain	Nuix 4–55
Clustering	
Completion	U
Multiple1–118	Observation
Sequencing1–128	Offense
	OpenDNS
т	Operational Threat Intelligence5–25, 1–97-98
${f L}$	Operator2–32
LaBrea 2–44	Opportunity
Layer 5 Protocols	Oray3–35
Lazarus	Organizational Research2-9
Leaks	OSINT1–18, 3–67
Lessons Learned	Geographical information
libyara 5–10	Tools
Lifecycle1–32	D
Link Analysis4–46	P
Tools	Packing
Linkurious4–47, 4–55	Palantir
logrotate	Panama Papers4–53
Proxy	Passive Defense
Looking Glass LGScout3–43	Passive DNS
Booking Glass Boscout	PassiveTotal
D. 45	Perception
${f M}$	Persona
NAME OF THE COLUMN ASSESSMENT OF THE COLUMN AS	Pivot
$MAC \rightarrow Modification, Access, Change Time \dots 2-21$	Accounts
MAEC	Command and control
Transforms	Domains
Malware	Host
Commodity	IP address
Configuration3–21	Memory 2–92
Zoos3–13	Network2–82
Malware Analysis	Unique Strings3-29
MalwR3-13	PLA Unit 61398
MASINT1–18	Playbook2–140
Memory Analysis	Poison Hurricane
Memory Image	Power Grid
Mental Models	Ukraine Power Outage
MetaSploit 2-13 Metrics 5-42	Prefetch
MISP	Primitives
Mitigation Scorecard	Proxy
MITRE ATT&CK	Pyramid of pain

${f R}$	Structured Analytic Technique1–30
RapidPivot3–27	syslog
RAT2–23	
Reconnaissance	\mathbf{T}
Example	•
Recorded Future	Tactical Threat Intelligence1–97-98
Red Team	Tactics, Techniques, and Procedures (TTP), 1–45.
RedLine	1–55
	Target
Report	Target Identification
Pros and Cons	Target-Centric Analysis
Requirements	Tarpitting
Prioritization	Tasking
Reassess	TAXII
Requirements, Intelligence	Implementation
Reverse Engineering2–96	Repository
RFC19182–52	Team A/B
RFI1–32	
RiskIQ	Temporal Data Analysis 4.50.51
RookSecurity4–7	Temporal Data Analysis
RSA SecurID1–39	Temporal triangulation
Russia - Georgia	Thinking
	Threat
C	Definition
${f S}$	Threat Actor
CANCI CO	Threat Behavior
SANS Internet Storm Center	General vs. Activity group2–141
Saudi Aramco	Threat Data Feeds
SCADA1–84	Pros and Cons
Scale of Cyber Security1–73	Threat Detection
Scans.io 3–106	Approaches
Shadow Brokers	Types1-80
Sharing	Threat Groups
Best practice	Mapping
National-level Government Information5–27	Rosetta Stone4-65
Partners and Collaboration5–26	Threat Intelligence Platforms4–10
ShellShock2–18	Threat Modeling1–111-112, 1–117, 2–137
Shodan	Example1–114-116
SIEM2–55	Granularity
Siemens 1–88	Steps1–114
SIGINT1–18	Threat_Note
Simatic1–88	ThreatCrowd
Simpsons	$TIF \rightarrow Temporary Internet Files \dots 2-123$
Situational Awareness5–49	Titan4–47
Snake 3–47	$TLP \rightarrow Traffic Light Protocol \dots$
Sofacy5–15	TLS Certificate
Bundestag	Compromise 3-57
Sony 5–84	Datastores3-104
Sony Attack	Pivot
Spearphishing1–40	Tools (Acquisition, Recon)2-9
Spectrum of State Responsibility	Tools and Tradecraft1–40
Squid2-68	Tradecraft1-45, 1-56
STIX5-31	Traffic Light Protocol (TLP)1–45, 1–53
$1.0 \dots 5-35$	Trend Analysis
2.05-36	Trojan2–23
Repository	$\overrightarrow{\text{TTP}} \rightarrow \text{Tactics}$, Techniques, and Procedures
Strategic	Turkey Pipeline Explosion
Strategic Threat Intelligence5–53	Turla
Expectations 5–55	Types of analysis $4-45$

U URL	Example 2–14 WFP \rightarrow Windows File Protection 2–21 Whois 3–34 Whois Hacking Team 4–80 Wireshark 2–86
V	Y
VERIS1–119-121	YARA5–6
Verizon Data Breach	Alternative5–9
Victim 1–45	Extensions
VirusTotal3–14-20	filesize
Volatility2–57, 2–92-93	Import5–11
	Jump5–9
TT 7	Key points
VV	MZ5–12
W	Reference
WannaCry4–85	Rule (example)
Watering hole	yarascan
Weaponization2–13	yextend 5–10