ServiceNow Certified System Administrator (CSA)

OFFICIAL COMPLETE PRACTICE EXAM & ARCHITECTURE GUIDE • 77 QUESTIONS

This study guide compiles the complete bank of 77 high-yield exam questions aligned with the official ServiceNow CSA Certification specification. Each question includes verified correct choices and detailed technical rationales referencing core platform tables, architecture, and administration best practices.

Domain	Weight	Questions	Key Focus Areas
Domain 1: Database Management & Security	20%	Q1 – Q5, Q13 – Q25 (18)	ACLs, User/Role tables, Scopes, Schema Map, System Audit
Domain 2: Self-Service & Service Catalog	20%	Q6 – Q8, Q26 – Q36 (14)	REQ/RITM/SCTASK, Portals, User Criteria, Knowledge, Flow Canvas
Domain 3: Instance Config & Client Logic	20%	Q9 – Q10, Q37 – Q48 (14)	UI Policies, Client Scripts, Business Rules, Dictionary, UI Actions
Domain 4: Data Integration & CMDB	20%	Q11 – Q12, Q49 – Q56 (10)	Import Sets, Transform Maps, Coalesce, CMDB, CIs, IRE Framework
Domain 5: Platform Admin & Upgrades	20%	Q57 – Q77 (21)	Update Sets, Upgrades, ATF, Notifications, Dashboards, Web Services

Domain 1: Database Management & Platform Security

Question 1

What is the correct order of evaluation that ServiceNow uses when processing Access Control Rules (ACLs)?

[ ] A) Field → Row → Table

[x] B) Table → Row → Field

[ ] C) Row → Table → Field

[ ] D) Table → Field → Row

Rationale: Access checks start at the broadest level: Table access is evaluated first, followed by Record/Row level access, and finally Field level access. Failing a higher level stops evaluation immediately.

Question 2

A system administrator needs to create a custom table to store project data. What is the mandatory prefix automatically generated by the platform for custom tables created in the Global scope?

[ ] A) sys_

[x] B) u_

[ ] C) x_

[ ] D) custom_

Rationale: Custom tables created in the Global scope receive the prefix `u_`. The `x_` prefix is reserved for application custom tables in Scoped Applications, and `sys_` is for core platform system tables.

Domain 1: Database Management & Platform Security (Continued)

Question 3

What are the primary characteristics of the `security_administrator` role in ServiceNow?

[ ] A) It permits creating users and resetting user passwords only.

[x] B) It is an elevated privilege role required to modify ACLs and sensitive security settings, granted temporarily per session.

[ ] C) It grants permanent, unrestricted access to all sensitive financial and clinical data tables without elevation.

[ ] D) It permits managing workflows and Web Services integrations exclusively.

Rationale: The `security_administrator` role requires explicit elevation ("Elevate Roles" in the user menu) for security-sensitive modifications during an active session to prevent accidental security edits.

Question 4

What does the Impersonator capability/role (`impersonator`) allow an administrator to perform on an instance?

[ ] A) Create exact clone copies of production instances for sandbox testing.

[x] B) Temporarily assume the identity of another user to test ACL behavior, portal views, and data visibility from that user's perspective.

[ ] C) Delete duplicate audit log entries in bulk.

[ ] D) Modify the platform native core plugin source code directly.

Rationale: Impersonation lets administrators view the system exactly as a specific user sees it without requesting their credentials, essential for validating user permissions and module access.

Question 5

The `incident`, `problem`, and `change_request` tables inherit fields and behaviors from which parent ITIL table?

[ ] A) cmdb_ci

[x] B) task

[ ] C) sys_object

[ ] D) kb_knowledge

Rationale: The `task` table is the base parent table for all work items in ServiceNow, providing standard fields like number, state, priority, assigned_to, and assignment_group.

Question 13

What occurs if a Table-level ACL denies read access to a user, but a Field-level ACL on that same table explicitly allows read access for a specific field?

[ ] A) The user will see only that specific field in the form view.

[x] B) The user is completely denied access, as failing the Table-level check halts access to all fields on that table.

[ ] C) The system displays a critical database syntax error.

[ ] D) The field displays in read-only mode regardless.

Rationale: ACL evaluation is hierarchical. Table-level checks act as a gatekeeper; if Table-level access fails, Field-level rules are never evaluated.

Question 14

What is the purpose of an ACL rule defined with the syntax `table.*`?

[ ] A) Grant access exclusively to the primary key (sys_id) of the table.

[x] B) Apply the rule to all fields on the table that do not have specific field-level ACL rules defined.

[ ] C) Hide the table from global search indexing.

[ ] D) Grant bulk deletion access to system administrators.

Rationale: The wildcard syntax `table.*` acts as a fallback rule for all fields on a table that lack an explicit single-field ACL rule (e.g. `table.field`).

Domain 1: Database Management & Platform Security (Continued)

Question 16

Which system table stores user account records in ServiceNow?

[ ] A) sys_user_group

[x] B) sys_user

[ ] C) sys_user_role

[ ] D) core_company

Rationale: User profiles, login names, email addresses, and account status are maintained in the core `sys_user` table.

Question 17

In which relationship table does ServiceNow store direct role assignments granted to specific users?

[ ] A) sys_user

[ ] B) sys_user_role

[x] C) sys_user_has_role

[ ] D) sys_group_has_role

Rationale: Many-to-many relationships between users (`sys_user`) and roles (`sys_user_role`) are stored in the `sys_user_has_role` table.

Question 18

What is the 32-character hexadecimal unique identifier automatically generated for every record created in ServiceNow?

[ ] A) Pkey

[ ] B) Record_ID

[x] C) Sys ID (sys_id)

[ ] D) GUID_Index

Rationale: Every record across all tables in the platform is uniquely identified by a 32-character Globally Unique Identifier known as the `sys_id`.

Question 19

What indicates that a table was created within a Scoped Application rather than Global scope?

[ ] A) The table prefix is sys_

[ ] B) The table resides in the Import Set staging area

[x] C) The table name begins with a vendor/application scope prefix like x_

[ ] D) The table name starts with u_ custom indicator

Rationale: Scoped applications enforce naming isolation by prefixing custom tables with `x_<vendor_code>_<app_code>_`.

Question 20

What is the primary purpose of Application Scope in ServiceNow?

[ ] A) Limit concurrent logged-in user connections.

[x] B) Provide data and script isolation to prevent application artifacts from unintentionally altering or breaking other applications.

[ ] C) Restrict file attachment sizes across forms.

[ ] D) Measure database server CPU response times.

Rationale: Application Scope isolates application files, scripts, and tables, ensuring developers can build applications without corrupting Global core features or other scoped apps.

Question 21

Which system table stores all choice options for Choice List fields across forms?

Domain 1: Database Management & Platform Security (Continued)

Question 23

Who has permission by default to access and query the system audit log table (`sys_audit`)?

[ ] A) All users assigned the ITIL fulfiller role.

[x] B) System administrators (admin) with elevated security privilege.

[ ] C) Users assigned the report_user role.

[ ] D) Knowledge managers and knowledge authors.

Rationale: Due to extreme table size and sensitive historical tracking data, direct query access to `sys_audit` is restricted strictly to administrators.

Question 24

What does the Application Access configuration on a table record allow administrators to control?

[ ] A) Which user groups are permitted to log into the instance.

[x] B) Whether scripts and components from other application scopes can read, create, update, or delete records on the table.

[ ] C) Network bandwidth parameters allocated to database queries.

[ ] D) The maximum row count for exported PDF reports.

Rationale: Application Access controls cross-scope access permissions at the database level, preventing unauthorized scripts outside the application scope from modifying table records.

Question 25

Which visual utility displays graphical relationships between database tables, including parent-child inheritance and reference links?

[ ] A) Dependency Map

[x] B) Schema Map

[ ] C) Form Builder

[ ] D) Workflow Editor

Rationale: The Schema Map provides a graphical schema diagram showing how a selected table relates to other database tables via extensions or references.

Domain 2: Self-Service, Portals & Service Catalog

Question 6

When an end user orders a Catalog Item via Service Catalog, in what correct sequential order are records created across core catalog tables?

[ ] A) incident → problem → change_request

[x] B) sc_request (Request) → sc_req_item (Requested Item) → sc_task (Catalog Task)

[ ] C) task_sla → sys_email → sc_task

[ ] D) cmdb_ci_service → kb_knowledge → sc_request

Rationale: Submitting a cart creates a top-level Request (REQ), containing one or more Requested Items (RITM), each triggering one or more fulfillment Catalog Tasks (SCTASK).

Question 7

What distinguishes traditional Self-Service from the modern Employee Center / Employee Portal in ServiceNow?

[ ] A) Self-Service is restricted to system developers, whereas Employee Portal is for end users.

[x] B) Employee Center consolidates multi-departmental services (HR, IT, Legal, Facilities) into a unified enterprise portal, whereas classic Self-Service focuses primarily on basic IT ticket tracking and IT knowledge.

[ ] C) No technical difference exists; they are identical tools with different branding.

Domain 2: Self-Service, Portals & Service Catalog (Continued)

Question 8

Where are user Groups stored in the ServiceNow database?

[ ] A) sys_user

[x] B) sys_user_group

[ ] C) sys_user_has_role

[ ] D) core_company

Rationale: Group records (such as Helpdesk, HR Support, Network Administrators) are stored in the `sys_user_group` table.

Question 26

Which core catalog table stores individual Requested Items (RITM) associated with an order?

[ ] A) sc_request

[x] B) sc_req_item

[ ] C) sc_task

[ ] D) item_option_new

Rationale: The `sc_req_item` table tracks specific requested products/services (RITM records) requested within a parent Request order.

Question 27

Which catalog table stores discrete work fulfillment tasks (SCTASK) assigned to fulfiller groups?

[ ] A) sc_request

[ ] B) sc_req_item

[x] C) sc_task

[ ] D) task_ci

Rationale: Individual work assignments for catalog fulfillment activities are recorded as task records in `sc_task`.

Question 28

What are User Criteria in the context of Service Catalog and Knowledge Management?

[ ] A) Alphabetical sorting options for portal widgets.

[x] B) Reusable rule definitions that govern which users can view, request, or contribute to specific catalog items, categories, or knowledge bases.

[ ] C) Formatting scripts used to style knowledge articles.

[ ] D) Automated SLA escalation rules for inactive tickets.

Rationale: User Criteria define access rules based on conditions like user role, department, location, group, or manager, controlling visibility for Catalog Items and Knowledge Bases.

Question 29

What are Widgets in Service Portal?

[ ] A) OS-level server background processes.

[x] B) Reusable visual and functional components combining HTML, CSS, Client Controller, and Server Scripting to form portal page layouts.

[ ] C) Temporary database tables used for exporting Excel files.

[ ] D) Custom field types exclusive to Incident forms.

Rationale: Service Portal pages are assembled using Widgets, which encapsulate UI rendering logic, client scripts, and server-side queries into reusable modules.

Question 30

Domain 2: Self-Service, Portals & Service Catalog (Continued)

Question 31

What can an end user without assigned roles perform by default in the Employee Center portal?

[ ] A) Create ACL security rules and write server scripts.

[x] B) Search Knowledge Base articles, submit catalog service requests, and track the status of their submitted requests.

[ ] C) Query sys_audit tables and create system user groups.

[ ] D) Import raw data files into the CMDB.

Rationale: Unroled end users access self-service features to find information, request goods or services, and monitor their active requests.

Question 32

Where are user-submitted answers to Catalog Item variable questions stored in the database?

[ ] A) sys_user_option

[x] B) In catalog item option tables (sc_item_option) linked to the specific Requested Item (RITM) record.

[ ] C) sys_properties

[ ] D) sysevent

Rationale: Variables filled out during request submission are saved as variable value options linked to the target Requested Item record (`sc_req_item`).

Question 33

What is the primary objective of Knowledge Management in ServiceNow?

[ ] A) Monitor instance application server RAM usage.

[x] B) Create, review, approve, publish, and organize self-service articles and resolution procedures for end users and fulfillers.

[ ] C) Track enterprise software license compliance.

[ ] D) Maintain automated database snapshot backups.

Rationale: Knowledge Management facilitates sharing knowledge via structured articles, reducing ticket volume through self-service deflection.

Question 34

How is read and write access to a Knowledge Base governed?

[ ] A) Exclusively through custom Java plugins.

[x] B) Through User Criteria configurations defined under Can Read, Cannot Read, Can Contribute, and Cannot Contribute settings.

[ ] C) Based strictly on user client IP address ranges.

[ ] D) All knowledge bases are completely open to the public by default.

Rationale: Knowledge Bases utilize User Criteria lists (Can Read/Contribute) to control access to knowledge categories and articles.

Question 35

Which graphic design interface within Flow Designer is used to build triggers, actions, and logic steps without code?

[ ] A) Workflow Classic Engine

[x] B) Flow Canvas

[ ] C) Schema Visualizer

[ ] D) Form Designer

Rationale: Flow Canvas is the visual editor in Flow Designer where developers assemble triggers, data pills, and actions to create process automations.

Domain 3: Instance Configuration, Forms & Client Logic

Question 9

When configuring form fields to be mandatory, hidden, or read-only based on dynamic form conditions, what is the ServiceNow recommended best practice?

[ ] A) Write custom Client Scripts in pure JavaScript.

[x] B) Use UI Policies, as they provide a low-code, performant mechanism to control field attributes without script overhead.

[ ] C) Alter system dictionary entries directly on sys_dictionary.

[ ] D) Write synchronous database Business Rules.

Rationale: UI Policies are preferred over Client Scripts for controlling mandatory, read-only, and visible states because they require no code and run fast client-side.

Question 10

What is the primary operational difference between Business Rules, Client Scripts, and UI Policies?

[ ] A) All three execute simultaneously in the user browser.

[x] B) Client Scripts and UI Policies run on the client-side (browser), whereas Business Rules run on the server-side during database operations.

[ ] C) Business Rules are used strictly for styling form layout fonts.

[ ] D) UI Policies run on the database server before ACL evaluations.

Rationale: Client-side logic (Client Scripts / UI Policies) modifies the browser UI experience. Server-side logic (Business Rules) processes data updates on the server.

Question 37

When does an `onLoad` Client Script execute?

[ ] A) When the user clicks the form Submit button.

[x] B) Immediately when the form rendering finishes loading in the browser.

[ ] C) When a monitored field value changes on the form.

[ ] D) On the server when a record gets deleted.

Rationale: `onLoad` client scripts run automatically after the form finish rendering in the user's browser, prior to user interaction.

Question 38

When is an `onChange` Client Script triggered?

[ ] A) When a user logs out of the platform session.

[x] B) When a specific monitored field value is modified on the form.

[ ] C) Only when pressing F5 to reload the page.

[ ] D) When scheduled reports run at midnight.

Rationale: `onChange` scripts respond to value changes on a specific field specified in the script definition.

Question 39

What is the primary function of an `onSubmit` Client Script?

[ ] A) Change table background color schemes in the database.

[x] B) Validate form field values prior to submission and cancel submission (returning false) if validation criteria fail.

[ ] C) Trigger an instant instance backup snapshot.

[ ] D) Post notification cards to external chat channels.

Rationale: `onSubmit` scripts run when a form is submitted, allowing scripts to validate inputs and abort submission if needed.

Domain 3: Instance Configuration, Forms & Client Logic (Continued)

Question 40

What are onCellEdit Client Scripts?

[ ] A) Server scripts triggered during application server restarts.

[x] B) Scripts that run client-side logic when a user edits field values directly within a List View cell without opening the form.

[ ] C) Image compression scripts for image attachment fields.

[ ] D) Mobile-app exclusive client scripts.

Rationale: onCellEdit scripts run when editing cells directly in list views, allowing validation before cell updates commit.

Question 41

What is the primary difference between setting a field as Mandatory in the Data Dictionary versus using a UI Policy?

[ ] A) No difference exists; both apply only in the web browser.

[x] B) Dictionary mandatory enforcement applies globally across all operations including APIs and import sets, whereas UI Policy mandatory rules apply dynamically on the form UI.

[ ] C) UI Policies apply mandatory checks only for administrators.

[ ] D) Dictionary settings apply exclusively to string fields.

Rationale: Dictionary-level rules enforce constraints everywhere at the database layer. UI Policies enforce dynamic constraints on form user interfaces.

Question 42

What purpose do UI Actions serve in ServiceNow user interfaces?

[ ] A) Define CSS stylesheets across portal pages.

[x] B) Add interactive buttons, header links, context menu items, and related links that execute client and/or server scripts.

[ ] C) Limit maximum daily user login attempts.

[ ] D) Encrypt database storage at rest.

Rationale: UI Actions add UI elements (buttons, links, menu items) enabling users to perform functional operations (Save, Resolve, Approve).

Question 43

Where can UI Action execution script logic run?

[ ] A) Client-side exclusively.

[ ] B) Server-side exclusively.

[x] C) Client-side, server-side, or both sequentially.

[ ] D) Development instances exclusively.

Rationale: A UI Action can execute client-side JavaScript (e.g., prompt user confirmation) before submitting data to run server-side actions.

Question 44

What role does a Dictionary Entry (sys_dictionary) fulfill for a form field?

[ ] A) Define the default language preference for the user.

[x] B) Define structural database column properties, including data type, field length, default value, reference table, and dictionary constraints.

[ ] C) Store execution click metrics for form interactions.

[ ] D) Schedule email notification delivery intervals.

Rationale: The Dictionary Entry defines table column technical metadata in the database schema.

Domain 3: Instance Configuration, Forms & Client Logic (Continued)

Question 46

Which visual editor should an administrator use to arrange, add, or remove fields and form sections visually?

[ ] A) Import Set Engine

[x] B) Form Designer / Form Builder

[ ] C) Access Control List Manager

[ ] D) System Properties

Rationale: Form Designer / Form Builder provides a drag-and-drop environment to layout form fields, section containers, and views.

Question 47

What characterizes an Async (Asynchronous) Business Rule?

[ ] A) Runs in the browser prior to form submission.

[x] B) Runs on the server in the background after the database transaction completes, releasing the user session without blocking the UI.

[ ] C) Cancels database changes made by the user.

[ ] D) Operates strictly on wireless networks.

Rationale: Async Business Rules process logic in background threads after database operations finish, improving end-user response time.

Question 48

What are Query Business Rules used for?

[ ] A) Modify portal background image themes.

[x] B) Execute server-side prior to database queries, appending SQL filtering conditions to restrict record visibility for users.

[ ] C) Send automated daily email summaries.

[ ] D) Reset user time zone attributes.

Rationale: Query Business Rules inject additional filtering into database queries before returning records, enforcing data security and record privacy.

Domain 4: Data Integration & Migration

Question 11

What is the correct operational sequence for importing data into ServiceNow using Import Sets?

[ ] A) Transform Map → Target Table → Load Data → Import Set Table

[x] B) Load Data (Import Set Table) → Create/Select Transform Map → Run Transform (Target Table)

[ ] C) Target Table → Transform Map → Data Cleansing → Load Data

[ ] D) Export Set → Transform Map → CMDB Sync

Rationale: The import sequence loads raw data into a staging table (Import Set Table), configures field mappings (Transform Map), and transforms data into production target tables.

Question 12

What do Configuration Items (CIs) represent, and how does the Dependency Map utilize them?

[x] A) CIs are infrastructure components or services, and Dependency Maps display graphical relationships and impact dependencies between them.

[ ] B) CIs represent Linux kernel error log files.

[ ] C) CIs represent firewall rule configurations.

[ ] D) CIs represent inactive user accounts.

Domain 4: Data Integration & Migration (Continued)

Question 49

When executing a Load Data step during an import, where is raw imported data staged prior to transformation?

[ ] A) Target production table directly.

[x] B) A temporary staging table known as an Import Set Table.

[ ] C) The web browser local storage.

[ ] D) sys_audit log table.

Rationale: Data imports stage raw source data in a temporary staging table (Import Set Table) to insulate production tables from unvalidated data.

Question 50

What primary function does a Transform Map fulfill during an Import Set process?

[ ] A) Convert PDF files into editable DOCX files.

[x] B) Map field relationships between columns in the Import Set staging table and fields in the target production table.

[ ] C) Delete duplicate records on local drives.

[ ] D) Reset user passwords upon import.

Rationale: Transform Maps define how source fields in staging match target fields in destination production tables.

Question 51

What does marking a field as Coalesce achieve in a Transform Map field mapping?

[ ] A) Clear field contents if blank.

[x] B) Use the field value as a unique matching key to update existing target records if matched, or insert new records if no match is found.

[ ] C) Encrypt the field with RSA keys.

[ ] D) Hide the field on target forms.

Rationale: Coalescing prevents duplicate creation by searching for matching existing target records before deciding to insert or update.

Question 52

What happens if an Import Set transform runs without any Coalesce field defined?

[ ] A) Transform fails with a fatal error.

[x] B) All imported rows are inserted as brand new records in the target table, potentially creating duplicate data.

[ ] C) Existing target records are randomly overwritten.

[ ] D) A new table is created for each imported row.

Rationale: Without Coalesce key matching, the transform engine treats every incoming row as a new entity and executes an insert operation.

Question 53

What is the core parent base table for Configuration Items within the CMDB framework?

[ ] A) cmdb

[x] B) cmdb_ci

[ ] C) cmdb_rel_ci

[ ] D) asset

Rationale: The `cmdb_ci` table is the root parent table for all Configuration Item classes in the CMDB.

Question 54

Which relationship table links Configuration Items (CIs) to Task records (such as Incidents or Changes)?

Domain 4: Data Integration & Migration (Continued)

Question 55

What is the Identification and Reconciliation Engine (IRE) in CMDB administration?

[ ] A) A hardware licensing billing calculator.

[x] B) A centralized rules framework ensuring CMDB data integrity by uniquely identifying CIs and reconciling attributes from multiple discovery sources.

[ ] C) Portal traffic web analytics logging.

[ ] D) A log file archival compression tool.

Rationale: The IRE enforces identification rules and data source precedence rules to prevent duplicate CIs and govern updates from various data imports.

Question 56

Why is integrating CMDB with Incident and Change Management processes considered a key ITIL best practice?

[ ] A) Allow users to modify server operating systems.

[x] B) Enable IT teams to analyze root causes, perform service impact assessments, and understand business service exposure during outages or maintenance.

[ ] C) Reduce software vendor licensing costs.

[ ] D) Eliminate the requirement for automated database backups.

Rationale: Linking CIs to operational tasks gives fulfillers visibility into dependent services that could be disrupted by changes or affected by incidents.

Domain 5: Platform Administration, Management & Upgrades

Question 57

What is an Update Set in ServiceNow?

[ ] A) A container exporting user account data in XML format.

[x] B) A group of configuration changes captured by the platform that can be exported and moved from one instance to another (e.g., Dev to Test to Prod).

[ ] C) A tool for upgrading Java engine runtime versions.

[ ] D) A weekly ticket summary report export.

Rationale: Update Sets track customization artifacts (scripts, forms, tables, workflows) allowing administrators to promote changes across instance environments.

Question 58

Which of the following items is NOT automatically captured inside an Update Set?

[ ] A) Business Rules and Client Scripts.

[ ] B) Form design changes and custom tables.

[x] C) Transactional data records (such as Incidents, Users, Tasks, and CMDB CIs).

[ ] D) Workflows and UI Policies.

Rationale: Update Sets capture configuration and metadata modifications, but deliberately exclude operational transactional data records.

Question 59

What occurs during the Preview Update Set process prior to committing changes?

[ ] A) Permanently deletes destination instance data.

[x] B) Evaluates incoming update set changes against the target instance to detect potential conflicts, missing dependencies, or collision issues.

[ ] C) Performs a complete server backup.

Domain 5: Platform Administration, Management & Upgrades (Continued)

Question 60

Where are individual configuration changes tracked for an Update Set?

[ ] A) sys_attachment

[x] B) sys_update_xml

[ ] C) sys_user_preference

[ ] D) sys_audit

Rationale: Customer customization payloads are serialized as XML payload records stored inside the `sys_update_xml` system table.

Question 61

What is the purpose of the Guided Setup utility?

[ ] A) Teach advanced Python script syntax.

[x] B) Provide a step-by-step sequence of tasks to assist administrators in configuring platform applications and initial instance settings.

[ ] C) Schedule memory cache flush jobs.

[ ] D) Block untrusted IP connections.

Rationale: Guided Setup organizes baseline configuration activities into categorized task lists to streamline initial application deployments.

Question 62

What does a Skip Log entry indicate during a System Upgrade?

[ ] A) A critical system error forcing instance rollback.

[x] B) A record indicating that an out-of-box platform file update was skipped during upgrade because local administrators had previously customized it.

[ ] C) A list of users who failed to log in.

[ ] D) Undelivered email notification logs.

Rationale: Upgrades preserve local customizations by skipping out-of-box record updates when local record modifications exist, logging them in the Upgrade Skip Log.

Question 63

Why is reviewing the Upgrade History / Skip Log essential following a ServiceNow family release upgrade?

[ ] A) Delete inactive user accounts.

[x] B) Evaluate skipped customized records and decide whether to retain local customizations or revert to the newly updated out-of-box version.

[ ] C) Reset REST API authorization keys.

[ ] D) Rebuild database index structures.

Rationale: Post-upgrade review allows administrators to resolve conflicts using the Upgrade Assistant, choosing to revert or merge skipped records.

Question 64

What capability does the Automated Test Framework (ATF) provide?

[ ] A) Perform network stress testing on hardware routers.

[x] B) Create and execute automated functional tests on forms, portals, and workflows to validate platform stability following upgrades or changes.

[ ] C) Send automated customer feedback surveys.

[ ] D) Benchmark fulfiller typing speed.

Rationale: ATF enables automated regression testing of forms, REST APIs, and portal features, reducing manual testing effort

Domain 5: Platform Administration, Management & Upgrades (Continued)

Question 66

What primary purpose does App Engine Studio (AES) / ServiceNow Studio fulfill?

[ ] A) Edit audio and video multimedia files.

[x] B) Provide an integrated development environment (IDE) to design, build, and manage custom scoped applications, data schemas, flows, and interfaces.

[ ] C) Manage corporate payroll accounting.

[ ] D) Monitor corporate Wi-Fi hardware performance.

Rationale: Studio and App Engine Studio provide consolidated IDE interfaces for low-code and pro-code custom application development.

Question 67

How can an administrator restrict visibility of modules or application menus in the All Menus / Application Navigator?

[ ] A) Delete the module code files from the server.

[x] B) Configure the Roles field on the Application Menu or Module record to specify required user roles for visibility.

[ ] C) Adjust display screen monitor resolution settings.

[ ] D) Hide the browser vertical scrollbar.

Rationale: Application Navigator access is role-gated; adding roles to Application Menu or Module definitions restricts visibility to authorized users.

Question 68

What primary function do Notifications serve in ServiceNow?

[ ] A) Display desktop antivirus alerts.

[x] B) Trigger automated email messages, SMS, or push notifications to users based on system events or record updates.

[ ] C) Increase font display size on form views.

[ ] D) Prevent duplicate ticket creation.

Rationale: Notifications inform users when records are created, assigned, updated, or when specific system event triggers fire.

Question 69

What are Events in the platform event queue (`sysevent`)?

[ ] A) User conference events hosted by ServiceNow.

[x] B) Special system markers generated by scripts or database activities indicating notable occurrences that can trigger notifications or script actions.

[ ] C) Fatal database exceptions halting system operations.

[ ] D) Personal calendar entries.

Rationale: Events act as message flags logged in the event queue, acting as triggers for email notifications or Event Management Script Actions.

Question 70

How is Priority calculated by default on Task records in ServiceNow?

[ ] A) Manually chosen without relationship to other fields.

[x] B) Derived automatically through a mapping matrix combining Impact and Urgency values.

[ ] C) Determined by the requester job title level.

[ ] D) Generated randomly by the database server.

Rationale: Priority is automatically populated based on a standardized priority lookup matrix evaluating Impact and Urgency values.

Domain 5: Platform Administration, Management & Upgrades (Continued)

Question 72

What is a Metric in ServiceNow platform reporting?

[ ] A) The total lines of code compiled in a script file.

[x] B) A definition used to measure and track the duration of time a record remains in a specific state or holds a particular field value.

[ ] C) Network download latency speeds.

[ ] D) Form button click counters.

Rationale: Metrics gather duration metrics over time (e.g., tracking how long an Incident remains in "Awaiting Caller" status).

Question 73

What purpose do Dashboards fulfill in ServiceNow?

[ ] A) Provide real-time instant messaging between users.

[x] B) Centralize reports, Key Performance Indicators (KPIs), and Performance Analytics widgets into customizable visual canvases.

[ ] C) Store backup copies of system tables.

[ ] D) Replace password authentication methods.

Rationale: Dashboards aggregate operational metrics, reports, and interactive analytics widgets on a single screen for real-time monitoring.

Question 74

What role do Data Collectors play in Performance Analytics?

[ ] A) Import email contacts from external servers.

[x] B) Execute scheduled background jobs to query, collect, and aggregate historical indicator snapshot data for trend analysis.

[ ] C) Clean duplicate user accounts.

[ ] D) Check user password expiration dates.

Rationale: Data Collectors harvest periodic metric snapshots from database records to enable historical trend analysis and forecasting.

Question 75

What does the System Localization module allow administrators to configure?

[ ] A) Track device geographic GPS positions.

[x] B) Configure translation strings, date/time formats, currency symbols, and localized system messages across global regions.

[ ] C) Relocate cloud data center host servers.

[ ] D) Change server script execution languages.

Rationale: System Localization provides internationalization capabilities, allowing multi-language support, regional currencies, and local date formatting.

Question 76

What function do Web Services (REST / SOAP) fulfill in ServiceNow?

[ ] A) A browser web navigation plugin for portal pages.

[x] B) Provide standardized programmatic API endpoints that allow external applications to query, insert, update, or delete data automatically.

[ ] C) Dial-up modem connectivity protocols.

[ ] D) Automated paper printing drivers.

Rationale: Web Services enable external system integrations to exchange data programmatically with ServiceNow via REST or