Artifact

Eduardo Oliveira

March 9, 2025

1 Open Science Platform

1.1 Overview

Traditional centralized systems often exhibit data silos, limited verifiability, and susceptibility to manipulation, impeding the openness and reliability of scientific practices. The decentralized model introduced in this work is designed to mitigate these challenges by enabling efficient data sharing, fostering collaboration, and enhancing the validation of research outputs, thereby strengthening reproducibility and transparency.

This chapter details the design and implementation of the Open Science Platform, a decentralized system that integrates blockchain, IPFS, and smart contracts to improve research reproducibility. By leveraging immutable records and decentralized storage, the platform ensures transparent and verifiable research artifact management. Additionally, extended services are incorporated to facilitate file indexing, metadata extraction, and search functionality. The proposed platform aligns with Open Science principles by providing verifiable and persistently traceable access to research artifacts.

1.2 Technology Stack

The Open Science Platform is developed using a hybrid architecture that combines decentralized and off-chain technologies to ensure secure, traceable, and efficient data management.

1.3 Core Services

The core services of the Open Science Platform provide the fundamental infrastructure for secure and verifiable research artifact management.

• Hyperledger Iroha v1 Blockchain: Acts as the core infrastructure for managing user and project accounts, recording transactions, and enforcing business rules via smart contracts to ensure secure and transparent data exchange.




Figure 1: System context diagram for the Open Science Platform

• InterPlanetary File System (IPFS): Provides decentralized, tamperproof storage for research artifacts and metadata, ensuring persistent and verifiable access to shared data.

1.4 Extended Services

The extended services enhance the platform's features by improving file and metadata processing.

- Apache Tika: Extracts metadata from uploaded files, enhancing artifact organization and searchability.
- Whoosh: Facilitates efficient indexing and keyword-based search for stored artifacts.

1.5 User Interface, integration and execution

• Jupyter Notebooks (Python): Powers the front-end interface, facilitating the automation and display of the execution steps. Blockchain interactions are managed via the Iroha v1 Python library, while communication with the IPFS network is handled through the HTTPS client library.




Figure 2: Container diagram for the Open Science Platform

1.6 System Components and Interactions in the Open Science Platform

The Open Science Platform consists of multiple interconnected components, each serving a distinct role in ensuring secure, verifiable, and reproducible research data management. The primary components include Jupyter Server, the blockchain Hyperledger Iroha v1 and the InterPlanetary File System (IPFS). Each of these elements are encapsulated within a Docker container to provide modularity, ease of deployment and reproducibility.

1.6.1 Jupyter Server

The Jupyter Server acts as the primary interface for users interacting with the platform. This component provides a Python kernel for the execution environment that integrates the Iroha v1 Library, the IPFS HTTPS client, Apache Tika for metadata handling, and the Woosh Indexer and Search system. It enables users to:

- Execute Python scripts to submit transactions and queries to the blockchain via smart contracts.
- Upload and retrieve files and metadata (JSON objects) stored in IPFS.
- Process and index research data using Apache Tika and Woosh for enhanced searchability.
- Access and visualize blockchain-stored metadata for Open Science applications.

1.6.2 Blockchain

The blockchain runs based on a Hyperledger Iroha v1 network and acts as a distributed ledger for recording transactions. It ensures immutability, transparency, and verifiability of stored research metadata. This component:

- Receives transactions from the Jupyter Server via a gRPC API.
- Stores metadata references, ensuring that uploaded research artifacts can be authenticated.
- Interacts with PostgreSQL for structured storage of blockchain metadata.
- Supports smart contracts through the integration of Hyperledger Burrow, which provides a modular blockchain client with a permissioned smart contract interpreter partially developed to the specification of the Ethereum Virtual Machine (EVM).

1.6.3 Storage

The InterPlanetary File System (IPFS) is a decentralized storage solution that manages the research outputs. This component:

- Stores digital research artifacts in a content-addressed manner.
- Allows the Jupyter Server to upload and retrieve files via an HTTPS API.
- Ensures long-term availability of scientific data through distributed storage principles.

1.6.4 Relational Database (PostgreSQL)

The PostgreSQL database provides structured storage for blockchain-related data. It is used exclusively and managed by Iroha v1 to:

- Maintain an efficient and queryable record of transactions.
- Ensure that research metadata stored on the blockchain can be retrieved and verified.
- Support blockchain operations requiring fast access to structured data.


1.6.5 Component Interactions

The components interact in aseamless and decentralized manner:

- 1. **User Interaction**: The user submits transactions, uploads files, and queries research data through the Jupyter Server.
- 2. **Blockchain Transactions**: Jupyter Server sends and retrieves research metadata to the Iroha blockchain via gRPC API.
- Metadata Storage: Iroha stores data in the PostgreSQL database for efficient retrieval.
- 4. **Decentralized Storage**: Research artifacts are stored in IPFS, with their unique file identifiers recorded on the blockchain.
- 5. **File Retrieval**: Users can retrieve files from IPFS using their content identifiers (CID), ensuring authenticity and reproducibility.

This architecture guarantees trustworthy and reproducible scientific research by leveraging blockchain for integrity, IPFS for decentralized storage, and Jupyter as an accessible research environment.

Component Diagram for Open Science Platform



Legend

person system container component

1.7 Platform Operations

The platform supports a set of core operations that regulate user interactions with projects and data management.

- User Self-Enrollment A user self-enrolls on the platform by providing a private key that complies with the ED25519 or SHA-3 standards and identity information, including full name, institution, email, ORCID, and role. An account is created for the user in the blockchain. All data provided in the enrollment is structured in key/value pairs into a JSON object and uploaded to IPFS, with the corresponding Content Identifier (CID) recorded on the blockchain attributes of the user account.
- Project Registration Users can register a project by specifying a descriptive name, an abstract, relevant keywords, start and end dates, funding agency, and location. Upon registration, a blockchain account is created. This data is structured in key/value pairs into a JSON object and uploaded to IPFS, with the corresponding Content Identifier (CID) recorded on the blockchain attributes of the project account.
- User and Project Accounts Linkage Once both user and project accounts are created, the system updates their attributes to establish a bidirectional association. This ensures that querying a user account reveals linked project accounts, and vice versa, facilitating traceability and efficient project management.

Open Science Platform - User Enrollment and Project Registering




Figure 4: User enrollment and project registering for the Open Science Platform

1.8 Artifact Management

• File Upload – A user may upload research artifacts, including papers, datasets, and images. Each file is stored on IPFS, generating a unique

Content Identifier (CID) that ensures traceability and integrity. The CID is then recorded on the blockchain attributes of the project, establishing a verifiable reference to the artifact.

- Metadata Extraction and Storage After the upload, the file available metadata is extracted. The extracted metadata is structured in key/value pairs into a JSON object and uploaded to IPFS, with the corresponding Content Identifier (CID) recorded on the attributes of the project account in the blockchain, ensuring metadata provenance and verification.
- Indexing To facilitate efficient retrieval, the system indexes the metadata of every uploaded file, including full text indexing for text based files.
- **Searching** Users can perform keyword-based searches to locate relevant research artifacts, with search results displaying metadata details, including descriptions, subject and authorship.




Figure 5: File operations diagram for the Open Science Platform

1.9 Validation and Download

- File Validation To ensure data integrity and authenticity, the platform verifies whether the CID of a file stored on IPFS matches the CID recorded on the blockchain. A discrepancy between these identifiers signals potential tampering or corruption.
- File Download The system retrieves and downloads validated files from IPFS to the user local file system for later usage.

Open Science Platform - Search and Validation




Figure 6: keyword search, file validation and download

1.10 Data Model for the Open Science Platform

The entity-relationship model for the Open Science Platform defines the logical structure of users and research projects, capturing the associations between these entities. The primary entities in this model are User and Project, which are connected through an ownership relationship.

1.11 User Entity

The User entity represents an individual interacting with the platform. Each user is uniquely identified by an account ID and has attributes that describe personal and institutional information. The attributes of the User entity are listed in Table 1.

1.12 Project Entity

The Project entity represents a research project registered in the platform. It contains essential metadata to describe the project and facilitate discovery and collaboration. The attributes of the Project entity are listed in Table 2.

1.13 Ownership Relationship

A User owns one or more Project entities, establishing a one-to-many relationship. This means that a single user can be responsible for multiple projects, but each project is owned by exactly one user. This relationship is crucial for




Figure 7: File validation and download

Open Science Platform Entity-relationship model




Figure 8: Entity-relationship model for the Open Science Platform

Table 1: User Entity Attributes

Attribute	Description
account_id	A unique identifier assigned to the user.
full_name	The complete name of the user.
email	The email address used for communication.
institution	The organization to which the user is affiliated.
orcid	The Open Researcher and Contributor ID.
role	The role of the user within the research project.
linked_project	The research project the user is assigned to.

Table 2: Project Entity Attributes

Attribute	Description
project_id	A unique identifier assigned to the project.
name	The official name of the project.
abstract	A brief summary outlining the research objectives.
keywords	A list of relevant keywords associated with the project.
startDate	The date when the project officially begins.
endDate	The date when the project was concluded or is expected to conclude.
city	The city where the project is primarily conducted.
country	The country associated with the research project.
linked_user	The user linked to the project.

managing project access, ensuring accountability, and maintaining provenance of research activities. This model ensures a structured representation of research projects and their associated users, supporting an organized approach to data management in the Open Science Platform.

1.14 Data Model for Hyperledger Iroha v1

The entity-relationship (ER) model of Hyperledger Iroha defines the core entities, attributes, and relationships that facilitate role-based access control, asset management, and multi-signature security. While Iroha v1 includes a broader set of entities, this research focuses solely on the account and domain related classes and attributes.

2 Core Entities and Their Attributes

2.1 Account Entity

The account entity represents a user or system account registered on the blockchain. Table ?? lists its attributes.

Attribute	Description
$account_id$	Unique identifier of the account
domain_id	Links the account to a specific domain
quorum	Required number of signatories for multi-signature transactions
data	Stores additional metadata in JSON format

2.2 Domain Entity

The domain entity organizes accounts within logical boundaries. A domain can have multiple accounts.

Attribute	Description	
domain_id	Unique identifier for the domain	
default_role	Default role assigned to accounts created in the domain	

This ER model follows Hyperledger Iroha's permissioned blockchain structure. It ensures fine-grained access control, multi-signature security, and domain-based account management.

2.3 Relationship Between the Open Science Platform ER Model and the Iroha v1 ER Model

The Open Science Platform ER model leverages the entity structure of the Iroha v1 ER model, particularly the account entity, to represent both the User and Project entities. In this approach, instead of introducing separate entities for users and projects, the account entity in the Iroha v1 ER model serves as a general-purpose representation, encapsulating all necessary attributes in a structured format.

The attributes specific to users and projects, which are not natively present in the Iroha v1 account entity, are stored as JSON objects within the data field of the account entity. This design provides a flexible and scalable means of extending the entity's attributes without modifying the core schema of the Iroha blockchain.

From a relational perspective, the account entity maintains its standard associations with roles, permissions, and assets as defined in the Iroha v1 ER

Hyperledger Iroha v1 Entity-relationship model(subset)




Figure 9: Subset of the Iroha v1 Entity-relationship model

model. This ensures that user accounts and project accounts can both participate in the blockchain's permissioning system, asset ownership model, and role-based access control without requiring modifications to the underlying structure.

By reusing the account entity, the Open Science Platform ER model ensures compatibility with Iroha's existing mechanisms for identity management, cryptographic signing, and permission delegation. Additionally, this approach aligns with the decentralized and immutable nature of blockchain, ensuring that both user and project entities benefit from the security and transparency features inherent to the Iroha v1 framework.

2.4 The role of metadata and ontologies in the Open Science Platform

Metadata plays a crucial role in both the Account and Project classes within the Open Science platform. It is used to capture and represent essential information about the user and the research project, providing context and structure to their respective data. This metadata is stored in JSON format, following established semantic web standards and leveraging ontologies to enhance data interoperability and accessibility.




Figure 10: Comparison of the Entintiy-relationship models

2.5 Selected Ontologies

An ontology is a formal representation of knowledge as a set of concepts within a domain and the relationships between those concepts. In the context of the Open Science platform, ontologies help structure data in a way that promotes interoperability, consistency, and clarity. The use of ontologies such as FOAF, Schema.org, and Dublin Core ensures that data is standardized and can be easily shared and understood across different systems.

These ontologies were chosen because of their widespread adoption, their ability to standardize data across different systems, and their support for rich, machine-readable representations. By aligning with these ontologies, the platform ensures that its metadata is compatible with other Open Science initiatives and services, facilitating seamless integration and data exchange.

2.6 Account Metadata

The metadata for the Account class describes the attributes associated with a user on the platform. This metadata is structured using multiple ontologies, primarily FOAF (Friend of a Friend) and Schema.org, to provide detailed and interoperable information about the user. The key attributes in the Account metadata include the user's name, email, organizational affiliation, unique identifier (ORCID), role, public key, and linked project.

These attributes ensure that the user's profile is rich, structured, and semantically linked to relevant data across different systems. By employing these

Ontology	Description
FOAF (Friend of a Friend)	A vocabulary used to describe people, their activities, and their relationships to other people and objects. It is used to describe the User entity, including attributes like name, email, and organization.
Schema.org	A collaborative initiative that provides a structured vocabulary for data markup on the web. It is used for describing both User and Project metadata, ensuring compatibility with web standards and promoting data discoverability.
Dublin Core (DC)	A metadata standard used for describing a wide range of resources, for describing the abstract, keywords, and other descriptive elements of the Project entity.

Table 3: Ontologies used in the Open Science Platform

ontologies, the platform ensures that user data can be easily shared and understood by external systems, enabling better integration with other Open Science platforms.

2.7 Project Metadata

The metadata for the Project class provides essential details about the research project hosted on the platform. Similar to the user metadata, the project metadata is structured using Schema.org and Dublin Core (dc) ontologies. This structure allows for a comprehensive description of the project, including its name, abstract, keywords, timeline, funding details, and location.

This metadata not only captures the essential details of the project but also ensures that these details are linked to the user's profile, making it easier to track the relationship between users and their associated research efforts.

2.8 Conclusion

In summary, metadata plays a vital role in the Open Science platform by enabling the structured and interoperable representation of user and project information. The use of ontologies like FOAF, Schema.org, and Dublin Core enhances the platform's ability to share and integrate data, ensuring that the platform contributes effectively to the broader Open Science ecosystem.

Attribute	Description
foaf:name	The name of the user.
foaf:mbox	The email address of the user.
foaf:organization	The organization the user is affiliated with, described as an instance of the foaf:Organization class.
schema:identifier	A unique identifier for the user, such as an OR-CID identifier.
foaf:holdsAccount	The user's account details, including their role and public key.
schema:linked_project	The project associated with the user.

Table 4: Account Metadata Attributes

3 Account Metadata JSON

The following JSON structure describes the metadata for an Account in the Open Science platform:

```
{
    "@context": {
        "schema": "http://schema.org/",
        "foaf": "http://xmlns.com/foaf/0.1/"
    },
    "@graph": [
        {
            "@type": "foaf:Person",
            "foaf:name": "Zealous Ptolemy",
            "foaf:mbox": "zealous_ptolemy@email.com",
            "foaf:organization": {
                "@type": "foaf:Organization",
                "foaf:name": "Ashkelon Academic College"
            },
            "schema:identifier": {
                "@type": "PropertyValue",
                "propertyID": "ORCID",
                "value": "6153-7096-0437-X"
            },
            "foaf:holdsAccount": {
                "schema:identifier": "zealous_ptolemy@test",
                "schema:roleName": "reviewer",
                "schema:publicKey": "ca4c00c0a43bbd2caf070ab780886906ebb70e2c3d975972ccab4e
            },
            "schema:linked_project": "02226@test"
```

Attribute	Description
schema:name	The name of the research project.
dc:abstract	A brief abstract describing the project's objectives and focus.
schema:keywords	Keywords associated with the project, such as "precision agriculture" and "global supply chains."
schema:startDate	The start date of the project.
schema:endDate	The end date of the project.
schema:funding	The funding organization for the project, described as an instance of the schema:Organization class.
schema:location	The physical location where the project is based, described as an instance of the schema:Place class.
schema:metadataCID	A unique identifier for the metadata of the project.
schema:linked_user	The user associated with the project.

Table 5: Project Metadata Attributes

```
}
}
```

{

4 Project Metadata JSON

The following JSON structure describes the metadata for a Project in the Open Science platform:

```
"dc:abstract": "This research focuses on the benefits and challenges posed
                "schema:keywords": [
                    "precision agriculture",
                    "global supply chains",
                    "disease prevention"
                ],
                "schema:startDate": "2023-12-18",
                "schema:endDate": "2027-01-02",
                "schema:funding": {
                    "@type": "schema:Organization",
                    "schema:name": "World Wildlife Fund"
                },
                "schema:location": {
                    "@type": "schema:Place",
                    "schema:name": "Los Angeles, California, USA"
                }
            },
            "schema:metadataCID": "Qmay4cDaxUaZaHoJKqzN69XkiX8wMx17aG4VMmwmkLcL1a",
            "schema:linked_user": "zealous_ptolemy@test"
        }
   ]
}
```

4.1 Smart Contract

The platform deploys standard Ethereum EVM contracts in Solidity for account creation and detail setting. These contracts are deployed through the Iroha v1 Python Library.

4.2 Benefits

The Open Science platform offers numerous benefits for researchers and members of the scientific community, including:

- Secure data sharing: By utilizing blockchain technology and IPFS, the platform ensures tamper-proof data exchange.
- Transparent data management: The use of smart contracts and decentralized storage guarantees transparency in data access and modification history.
- Collaborative research environment: The platform enables researchers to collaborate on projects, share artifacts and results, and track progress.

4.3 Challenges

The Open Science platform faces several challenges, including:

- Scalability: As the number of users increases, the platform needs to be able to handle a growing amount of data and transactions efficiently.
- Interoperability: Ensuring seamless integration with existing research platforms and tools is crucial for widespread adoption.
- User Adoption: Educating researchers about the benefits of decentralized technologies and the Open Science platform can be an uphill battle.

4.4 Future Work

The Open Science platform has several areas for future development, including:

- Integration with existing research platforms: Collaborations with established research platforms to expand the platform's reach and user base.
- Enhanced security measures: Implementing additional security protocols to protect against potential threats and maintain the integrity of shared information.
- User interface improvements: Enhancing the web interface to make it more user-friendly and accessible for researchers from diverse backgrounds.

5 Conclusion

The Open Science platform is a comprehensive solution for secure, transparent, traceable, and tamper-proof data sharing and collaboration. By leveraging decentralized technologies, the platform empowers researchers to share project artifacts and data in a reliable and trustworthy manner.