

1. Description

1.1. Project

Project Name	OpenPowerCount
Board Name	custom
Generated with:	STM32CubeMX 6.3.0
Date	02/09/2022


1.2. MCU

MCU Series	STM32F0
MCU Line	STM32F0x0 Value Line
MCU name	STM32F030F4Px
MCU Package	TSSOP20
MCU Pin number	20

1.3. Core(s) information

Core(s)	Arm Cortex-M0

2. Pinout Configuration




3. Pins Configuration

Pin Number TSSOP20	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
1	воото	Boot		
4	NRST	Reset		
5	VDDA	Power		
6	PA0 *	I/O	GPIO_Input	RESET
8	PA2	I/O	USART1_TX	
9	PA3	I/O	USART1_RX	
10	PA4 *	I/O	GPIO_Output	TimesCount_OK
11	PA5 *	I/O	GPIO_Output	TimesCount
12	PA6 *	I/O	GPIO_Output	dayControl
13	PA7 *	I/O	GPIO_Output	Buzz
14	PB1 *	I/O	GPIO_Output	BlinkLed
15	VSS	Power		
16	VDD	Power		
19	PA13	I/O	SYS_SWDIO	
20	PA14	I/O	SYS_SWCLK	

^{*} The pin is affected with an I/O function

4. Clock Tree Configuration



5. Software Project

5.1. Project Settings

Name	Value	
Project Name	OpenPowerCount	
Project Folder	/Users/oliver/STM32CubeIDE/workspace_1.4.0/OpenPowerCount	
Toolchain / IDE	STM32CubeIDE	
Firmware Package Name and Version	STM32Cube FW_F0 V1.11.3	
Application Structure	Advanced	
Generate Under Root	Yes	
Do not generate the main()	No	
Minimum Heap Size	0x200	
Minimum Stack Size	0x400	

5.2. Code Generation Settings

Name	Value
STM32Cube MCU packages and embedded software	Copy only the necessary library files
Generate peripheral initialization as a pair of '.c/.h' files	Yes
Backup previously generated files when re-generating	No
Keep User Code when re-generating	Yes
Delete previously generated files when not re-generated	Yes
Set all free pins as analog (to optimize the power consumption)	No
Enable Full Assert	No

5.3. Advanced Settings - Generated Function Calls

Rank Function Name		Peripheral Instance Name	
1	SystemClock_Config	RCC	
2 MX_GPIO_Init		GPIO	
3	MX_USART1_UART_Init	USART1	

6. Power Consumption Calculator report

6.1. Microcontroller Selection

Series	STM32F0
Line	STM32F0x0 Value Line
MCU	STM32F030F4Px
Datasheet	DS9773_Rev2

6.2. Parameter Selection

Temperature	25
Vdd	3.6

6.3. Battery Selection

Battery	Li-SOCL2(A3400)
Capacity	3400.0 mAh
Self Discharge	0.08 %/month
Nominal Voltage	3.6 V
Max Cont Current	100.0 mA
Max Pulse Current	200.0 mA
Cells in series	1
Cells in parallel	1


6.4. Sequence

0.	G: 4	0. 0
Step	Step1	Step2
Mode	RUN	STOP
Vdd	3.6	3.6
Voltage Source	Battery	Battery
Range	No Scale	No Scale
Fetch Type	FLASH	n/a
CPU Frequency	48 MHz	0 Hz
Clock Configuration	HSE PLL All IPs ON	Regulator LP
Clock Source Frequency	8 MHz	0 Hz
Peripherals		
Additional Cons.	0 mA	0 mA
Average Current	23.46 mA	7.9 µA
Duration	0.1 ms	0.9 ms
DMIPS	0.0	0.0
Та Мах	98.58	105
Category	In DS Table	In DS Table

6.5. Results

Sequence Time	1 ms	Average Current	2.35 mA
Battery Life	1 month, 29 days,	Average DMIPS	0.0 DMIPS
	16 hours		

6.6. Chart



7. Peripherals and Middlewares Configuration

7.1. RCC

7.1.1. Parameter Settings:

System Parameters:

VDD voltage (V) 3.3
Prefetch Buffer Enabled

Flash Latency(WS) 0 WS (1 CPU cycle)

RCC Parameters:

HSI Calibration Value 16
HSE Startup Timout Value (ms) 100
LSE Startup Timout Value (ms) 5000

7.2. SYS

mode: Debug Serial Wire Timebase Source: SysTick

7.3. **USART1**

Mode: Asynchronous7.3.1. Parameter Settings:

Basic Parameters:

Baud Rate 115200 *

Word Length 8 Bits (including Parity)

Parity None Stop Bits 1

Advanced Parameters:

Data Direction Receive and Transmit

Over Sampling 16 Samples
Single Sample Disable

Advanced Features:

Auto Baudrate Disable

TX Pin Active Level Inversion Disable

RX Pin Active Level Inversion Disable

Data Inversion Disable

TX and RX Pins Swapping Disable

Overrun Enable

DMA on RX Error	Enable
MSB First	Disable

* User modified value

8. System Configuration

8.1. GPIO configuration

IP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
SYS	PA13	SYS_SWDIO	n/a	n/a	n/a	
	PA14	SYS_SWCLK	n/a	n/a	n/a	
USART1	PA2	USART1_TX	Alternate Function Push Pull	No pull-up and no pull-down	High *	
	PA3	USART1_RX	Alternate Function Push Pull	No pull-up and no pull-down	High *	
GPIO	PA0	GPIO_Input	Input mode	Pull-up *	n/a	RESET
	PA4	GPIO_Output	Output Push Pull	Pull-up *	Low	TimesCount_OK
	PA5	GPIO_Output	Output Push Pull	Pull-up *	Low	TimesCount
	PA6	GPIO_Output	Output Push Pull	Pull-up *	Low	dayControl
	PA7	GPIO_Output	Output Push Pull	Pull-up *	Low	Buzz
	PB1	GPIO_Output	Output Push Pull	Pull-up *	Low	BlinkLed

8.2. DMA configuration

nothing configured in DMA service

8.3. NVIC configuration

8.3.1. NVIC

Interrupt Table	Enable	Preenmption Priority	SubPriority
Non maskable interrupt	true	0	0
Hard fault interrupt	true	0	0
System service call via SWI instruction	true	0	0
Pendable request for system service	true	0	0
System tick timer	true	3	0
Flash global interrupt	unused		
RCC global interrupt	unused		
USART1 global interrupt	unused		


8.3.2. NVIC Code generation

Enabled interrupt Table	Select for init	Generate IRQ	Call HAL handler
	sequence ordering	handler	
Non maskable interrupt	false	true	false
Hard fault interrupt	false	true	false
System service call via SWI instruction	false	true	false
Pendable request for system service	false	true	false
System tick timer	false	true	true

^{*} User modified value

9. System Views

- 9.1. Category view
- 9.1.1. Current



10. Docs & Resources

Type Link

Datasheet http://www.st.com/resource/en/datasheet/DM00088500.pdf

Reference http://www.st.com/resource/en/reference_manual/DM00091010.pdf

manual

Programming http://www.st.com/resource/en/programming_manual/DM00051352.pdf

manual

Errata sheet http://www.st.com/resource/en/errata_sheet/DM00091791.pdf

Application note http://www.st.com/resource/en/application_note/CD00160362.pdf

Application note http://www.st.com/resource/en/application_note/CD00167594.pdf

Application note http://www.st.com/resource/en/application_note/CD00211314.pdf

Application note http://www.st.com/resource/en/application_note/CD00249778.pdf

Application note http://www.st.com/resource/en/application_note/CD00259245.pdf

Application note http://www.st.com/resource/en/application_note/CD00264342.pdf

Application note http://www.st.com/resource/en/application_note/CD00264379.pdf

Application note http://www.st.com/resource/en/application_note/DM00024853.pdf

Application note http://www.st.com/resource/en/application_note/DM00025071.pdf

Application note http://www.st.com/resource/en/application_note/DM00042534.pdf

Application note http://www.st.com/resource/en/application_note/DM00052530.pdf

Application note http://www.st.com/resource/en/application_note/DM00053084.pdf

Application note http://www.st.com/resource/en/application_note/DM00072315.pdf

Application note http://www.st.com/resource/en/application_note/DM00073742.pdf

Application note http://www.st.com/resource/en/application_note/DM00080497.pdf

Application note http://www.st.com/resource/en/application_note/DM00085385.pdf

Application note http://www.st.com/resource/en/application_note/DM00087593.pdf

Application note http://www.st.com/resource/en/application_note/DM00089834.pdf

Application note http://www.st.com/resource/en/application_note/DM00129215.pdf

Application note http://www.st.com/resource/en/application_note/DM00145318.pdf

Application note http://www.st.com/resource/en/application_note/DM00160482.pdf

Application note http://www.st.com/resource/en/application_note/DM00188145.pdf http://www.st.com/resource/en/application_note/DM00210690.pdf Application note Application note http://www.st.com/resource/en/application_note/DM00220769.pdf Application note http://www.st.com/resource/en/application_note/DM00226326.pdf http://www.st.com/resource/en/application_note/DM00236305.pdf Application note Application note http://www.st.com/resource/en/application_note/DM00257177.pdf http://www.st.com/resource/en/application note/DM00315319.pdf Application note Application note http://www.st.com/resource/en/application note/DM00327191.pdf Application note http://www.st.com/resource/en/application note/DM00354244.pdf Application note http://www.st.com/resource/en/application note/DM00355687.pdf Application note http://www.st.com/resource/en/application_note/DM00380469.pdf Application note http://www.st.com/resource/en/application_note/DM00395696.pdf Application note http://www.st.com/resource/en/application_note/DM00445657.pdf Application note http://www.st.com/resource/en/application_note/DM00483659.pdf http://www.st.com/resource/en/application_note/DM00493651.pdf Application note Application note http://www.st.com/resource/en/application_note/DM00536349.pdf Application note http://www.st.com/resource/en/application_note/DM00725181.pdf