Guilherme Goes Arjona - 822146232

Andrey de Oliveira Cavalcante - 821231127


Breno Sganzerla - 822144984

Matheus Afonso Batista - 822154497

Fernando Fukunaga Sant'Anna - 821232457

Enrico Sganzerla – 824214414

Desenho do autômato



```
<?xml version="1.0" encoding="UTF-8" standalone="no"?><!--Created with JFLAP 7.1.--
><structure>&#13;
       <type>fa</type>&#13;
       <automaton>&#13;
              <!--The list of states.-->&#13;
              <state id="0" name="Start">&#13;
                     <x>503.0</x>&#13;
                     <y>438.0</y>&#13;
                     <initial/>&#13;
              </state>&#13;
              <state id="1" name="0,25">&#13;
                     <x>621.0</x>&#13;
                     <y>790.0</y>&#13;
              </state>&#13;
              <state id="2" name="0,50">&#13;
                     <x>338.0</x>&#13;
                     <y>1246.0</y>&#13;
              </state>&#13;
              <state id="3" name="1">&#13;
                     <x>865.0</x>&#13;
                     <y>820.0</y>&#13;
              </state>&#13;
              <state id="4" name="1,50">&#13;
                     <x>678.0</x>&#13;
                     <y>1480.0</y>&#13;
              </state>&#13;
              <state id="5" name="1,75">&#13;
                     <x>1164.0</x>&#13;
```

<y>1471.0</y>

```
</state>&#13;
<state id="6" name="2,25">&#13;
       <x>1500.0</x>&#13;
       <y>1206.0</y>&#13;
</state>&#13;
<state id="7" name="1,25">&#13;
       <x>1093.0</x>&#13;
       <y>1147.0</y>&#13;
</state>&#13;
<state id="8" name="0,75">&#13;
       <x>615.0</x>&#13;
       <y>1186.0</y>&#13;
</state>&#13;
<state id="9" name="2">&#13;
       <x>1298.0</x>&#13;
       <y>886.0</y>&#13;
</state>&#13;
<state id="10" name="2,50">&#13;
       <x>1523.0</x>&#13;
       <y>1707.0</y>&#13;
</state>&#13;
<state id="11" name="2,75">&#13;
       <x>1804.0</x>&#13;
       <y>1662.0</y>&#13;
</state>&#13;
<state id="13" name="3">&#13;
       <x>1781.0</x>&#13;
       <y>945.0</y>&#13;
</state>&#13;
<state id="14" name="3,25">&#13;
       <x>2114.0</x>&#13;
```

```
<y>1192.0</y>&#13;
</state>&#13;
<state id="15" name="3,50">&#13;
       <x>2151.0</x>&#13;
       <y>1735.0</y>&#13;
</state>&#13;
<state id="16" name="3,75">&#13;
       <x>2509.0</x>&#13;
       <y>1639.0</y>&#13;
</state>&#13;
<state id="17" name="4">&#13;
       <x>2385.0</x>&#13;
       <y>1040.0</y>&#13;
</state>&#13;
<state id="18" name="4,25">&#13;
       <x>2388.0</x>&#13;
       <y>1350.0</y>&#13;
</state>&#13;
<state id="19" name="4,50">&#13;
       <x>2835.0</x>&#13;
       <y>1840.0</y>&#13;
</state>&#13;
<state id="20" name="4,75">&#13;
       <x>2987.0</x>&#13;
       <y>1481.0</y>&#13;
</state>&#13;
<state id="21" name="5">&#13;
       <x>2825.0</x>&#13;
       <y>1059.0</y>&#13;
</state>&#13;
<state id="22" name="Fanta Uva">&#13;
```

```
<x>1220.0</x>&#13;
       <y>669.0</y>&#13;
       <final/>&#13;
</state>&#13;
<state id="23" name="Coca Cola Zero">&#13;
       <x>2825.0</x>&#13;
       <y>897.0</y>&#13;
       <final/>&#13;
</state>&#13;
<state id="24" name="Coca Cola">&#13;
       <x>2106.0</x>&#13;
       <y>1906.0</y>&#13;
       <final/>&#13;
</state>&#13;
<state id="25" name="Sprite">&#13;
       <x>1742.0</x>&#13;
       <y>689.0</y>&#13;
       <final/>&#13;
</state>&#13;
<state id="26" name="Fanta Laranja">&#13;
       <x>1448.0</x>&#13;
       <y>1887.0</y>&#13;
       <final/>&#13;
</state>&#13;
<!--The list of transitions.-->&#13;
<transition>&#13;
       <from>9</from>&#13;
       <to>13</to>&#13;
       <read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
```

```
<from>7</from>&#13;
       <to>5</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>0</from>&#13;
       <to>1</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>18</from>&#13;
       <to>19</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>2</from>&#13;
       <to>3</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>11</from>&#13;
       <to>13</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>18</from>&#13;
       <to>20</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>4</from>&#13;
```

```
<to>10</to>&#13;
       <read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>9</from>&#13;
       <to>10</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>6</from>&#13;
       <to>11</to>&#13;
       <read> 0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>16</from>&#13;
       <to>20</to>&#13;
       <read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>15</from>&#13;
       <to>16</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>4</from>&#13;
       <to>9</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>11</from>&#13;
       <to>16</to>&#13;
```

```
<read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>6</from>&#13;
       <to>10</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>10</from>&#13;
       <to>13</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>0</from>&#13;
       <to>3</to>&#13;
       <read>1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>16</from>&#13;
       <to>18</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>21</from>&#13;
       <to>23</to>&#13;
       <read> Coca Cola Zero</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>1</from>&#13;
       <to>7</to>&#13;
       <read> 1</read>&#13;
```

```
</transition>&#13;
<transition>&#13;
       <from>7</from>&#13;
       <to>4</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>13</from>&#13;
       <to>14</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>5</from>&#13;
       <to>6</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>5</from>&#13;
       <to>9</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>9</from>&#13;
       <to>22</to>&#13;
       <read> Fanta Uva</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>17</from>&#13;
       <to>18</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
```

```
<transition>&#13;
       <from>14</from>&#13;
       <to>15</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>20</from>&#13;
       <to>21</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>19</from>&#13;
       <to>21</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>5</from>&#13;
       <to>11</to>&#13;
       <read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>3</from>&#13;
       <to>7</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>15</from>&#13;
       <to>17</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
```

```
<from>8</from>&#13;
       <to>3</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>7</from>&#13;
       <to>6</to>&#13;
       <read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>16</from>&#13;
       <to>17</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>14</from>&#13;
       <to>18</to>&#13;
       <read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>0</from>&#13;
       <to>2</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>11</from>&#13;
       <to>14</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>14</from>&#13;
```

```
<to>16</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>4</from>&#13;
       <to>5</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>10</from>&#13;
       <to>26</to>&#13;
       <read> Fanta Laranja</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>1</from>&#13;
       <to>8</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>2</from>&#13;
       <to>8</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>13</from>&#13;
       <to>17</to>&#13;
       <read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>6</from>&#13;
       <to>14</to>&#13;
```

```
<read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>17</from>&#13;
       <to>19</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>13</from>&#13;
       <to>25</to>&#13;
       <read> Sprite</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>8</from>&#13;
       <to>7</to>&#13;
       <read>0,50</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>1</from>&#13;
       <to>2</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>2</from>&#13;
       <to>4</to>&#13;
       <read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>19</from>&#13;
       <to>20</to>&#13;
       <read>0,25</read>&#13;
```

```
</transition>&#13;
<transition>&#13;
       <from>9</from>&#13;
       <to>6</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>10</from>&#13;
       <to>11</to>&#13;
       <read>0,25</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>10</from>&#13;
       <to>15</to>&#13;
       <read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>15</from>&#13;
       <to>24</to>&#13;
       <read> Coca Cola</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>8</from>&#13;
       <to>5</to>&#13;
       <read> 1</read>&#13;
</transition>&#13;
<transition>&#13;
       <from>15</from>&#13;
       <to>19</to>&#13;
       <read> 1</read>&#13;
</transition>&#13;
```

```
<transition>&#13;
                     <from>3</from>&#13;
                     <to>9</to>&#13;
                     <read> 1</read>&#13;
             </transition>&#13;
             <transition>&#13;
                     <from>3</from>&#13;
                     <to>4</to>&#13;
                     <read>0,50</read>&#13;
             </transition>&#13;
             <transition>&#13;
                     <from>13</from>&#13;
                     <to>15</to>&#13;
                     <read>0,50</read>&#13;
             </transition>&#13;
             <transition>&#13;
                     <from>17</from>&#13;
                     <to>21</to>&#13;
                     <read> 1</read>&#13;
             </transition>&#13;
      </automaton>&#13;
</structure>
```

Código Front operacional:

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@400;600;700&di
splay=swap');
        body {
            font-family: 'Poppins', sans-serif;
            display: flex;
            justify-content: center;
            align-items: center;
            min-height: 100vh;
            margin: 0;
            background-image: url('https://mipetit.com.br/wp-
content/uploads/2019/10/img_foto-blog-011.jpg');
            background-size: cover;
            background-position: center;
            background-attachment: fixed;
        .vending-machine {
            background: linear-gradient(145deg, #e63946, #d62839);
            padding: 30px;
            border-radius: 20px;
            box-shadow: 0 10px 30px rgba(0, 0, 0, 0.5),
                        inset 0 0 20px rgba(255, 255, 255, 0.2);
            width: 320px;
            text-align: center;
            border: 8px solid #333;
            position: relative;
        }
        .vending-machine:before {
            content: "";
            position: absolute;
            top: -15px;
            left: -15px;
            right: -15px;
            bottom: -15px;
            border: 3px solid rgba(255, 255, 255, 0.3);
            border-radius: 28px;
            pointer-events: none;
        }
        h1 {
            color: white;
            margin: 0 0 20px 0;
            text-shadow: 2px 2px 4px rgba(0, 0, 0, 0.5);
            font-size: 28px;
```

```
.balance-display {
    background: #333;
   color: #f1faee;
   padding: 15px;
   border-radius: 10px;
   margin-bottom: 20px;
   font-size: 18px;
   box-shadow: inset 0 0 10px rgba(0, 0, 0, 0.5);
   border: 3px solid #f1faee;
}
.money-btns, .candy-btns {
   margin: 20px 0;
   display: flex;
   flex-wrap: wrap;
   justify-content: center;
   gap: 10px;
}
.money-btn {
   width: 80px;
   height: 40px;
   border-radius: 5px;
   font-weight: bold;
   display: flex;
   align-items: center;
   justify-content: center;
   transition: transform 0.2s;
   box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
   border: none;
   cursor: pointer;
.money-btn:hover {
   transform: translateY(-3px);
}
.money-btn:active {
   transform: translateY(1px);
}
.btn-1real {
   background: linear-gradient(135deg, #FFD700, #D4AF37);
   color: #333;
.btn-2reais {
   background: linear-gradient(135deg, #C0C0C0, #A8A8A8);
   color: #333;
```

```
}
        .btn-5reais {
            background: linear-gradient(135deg, #8B4513, #A0522D);
            color: white;
        .candy-btn {
            padding: 12px;
            margin: 5px;
            border: none;
            border-radius: 50px;
            cursor: pointer;
            transition: all 0.3s;
            font-weight: bold;
            width: 120px;
            box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
            position: relative;
            overflow: hidden;
        .candy-btn:before {
            content: "";
            position: absolute;
            top: -10px;
            left: -10px;
            right: -10px;
            bottom: -10px;
            background: radial-gradient(circle, rgba(255,255,255,0.8) 0%,
rgba(255,255,255,0) 70%);
            opacity: 0;
            transition: opacity 0.3s;
        .candy-btn:hover:before {
            opacity: 0.3;
        .candy-btn:disabled {
            background: #cccccc !important;
            cursor: not-allowed;
            color: #666;
            box-shadow: none;
        }
        .candy-btn:disabled:before {
            display: none;
```

```
#candyA {
            background: linear-gradient(135deg, #FF9E9E, #FF6B6B);
            color: white;
        #candyB {
            background: linear-gradient(135deg, #A0E7E5, #4ECDC4);
            color: white;
        #candyC {
            background: linear-gradient(135deg, #B5EAD7, #82D8A0);
            color: white;
        }
        .output {
            margin-top: 25px;
            padding: 15px;
            border-radius: 10px;
            background-color: rgba(255, 255, 255, 0.9);
            min-height: 50px;
            display: flex;
            align-items: center;
            justify-content: center;
            font-size: 16px;
            box-shadow: inset 0 0 10px rgba(0, 0, 0, 0.1);
            border: 2px solid #f1faee;
        .coin-slot {
            width: 40px;
            height: 10px;
            background: #333;
            margin: 10px auto;
            border-radius: 5px;
            box-shadow: inset 0 0 5px rgba(0, 0, 0, 0.5);
        .candy-icon {
            margin-right: 8px;
           font-size: 18px;
    </style>
</head>
<body>
    <div class="vending-machine">
        <h1>Máquina de Doces!</h1>
        <div class="coin-slot"></div>
```

```
<div class="balance-display">
            Saldo Atual: <span id="currentBalance">R$ 0,00</span>
        </div>
        <div class="money-btns">
            <button class="money-btn btn-1real" onclick="insertMoney(1)">
                <span style="margin-right: 5px;">R$</span>1,00
            </button>
            <button class="money-btn btn-2reais"</pre>
onclick="insertMoney(2)">
                 <span style="margin-right: 5px;">R$</span>2,00
            <button class="money-btn btn-5reais"</pre>
onclick="insertMoney(5)">
                 <span style="margin-right: 5px;">R$</span>5,00
            </button>
        </div>
        <div class="candy-btns">
            <button id="candyA" class="candy-btn" onclick="buyCandy('A',</pre>
6)" disabled>
                 <span class="candy-icon">@</span> Pirulito (R$ 6,00)
            </button>
            <button id="candyB" class="candy-btn" onclick="buyCandy('B',</pre>
7)" disabled>
                 <span class="candy-icon">⟨^</span> Kinder Ovo (R$ 7,00)
            <button id="candyC" class="candy-btn" onclick="buyCandy('C',</pre>
8)" disabled>
                <span class="candy-icon"> <> /span> Chocolate (R$ 8,00)
            </button>
        </div>
        <div class="output" id="output">Insira dinheiro para
comecar!</div>
    </div>
    <script>
        let currentBalance = 0;
        function formatCurrency(value) {
            return value.toFixed(2).replace('.', ',');
        function updateUI() {
            document.getElementById('currentBalance').textContent = `R$
${formatCurrency(currentBalance)}`;
```

```
document.getElementById('candyA').disabled = currentBalance <</pre>
6;
            document.getElementById('candyB').disabled = currentBalance <</pre>
7;
            document.getElementById('candyC').disabled = currentBalance <</pre>
8;
        }
        function insertMoney(amount) {
            currentBalance += amount;
            updateUI();
            let moneyName = '';
            if (amount === 1) moneyName = 'uma moeda de R$ 1,00';
            else if (amount === 2) moneyName = 'uma nota de R$ 2,00';
            else moneyName = 'uma nota de R$ 5,00';
            document.getElementById('output').textContent = `Você inseriu
${moneyName}.`;
            console.log('Som de moeda caindo: clink!');
        }
        function buyCandy(candy, price) {
            if (currentBalance >= price) {
                let change = currentBalance - price;
                currentBalance = 0;
                updateUI();
                let candyName = '';
                let candyEmoji = '';
                if (candy === 'A') {
                    candyName = 'Pirulito';
                    candyEmoji = '@';
                } else if (candy === 'B') {
                    candyName = 'Kinder Ovo';
                    candyEmoji = '♦';
                } else {
                    candyName = 'Chocolate';
                    candyEmoji = '**';
                }
                let message = `${candyEmoji} Você comprou ${candyName}!
${candyEmoji}`;
                if (change > 0) {
                    message += ` Seu troco é de R$
${formatCurrency(change)}.`;
```