

Bachelor Thesis

Proactive AI moderation for goal-oriented remote meetings: Design and acceptance of a context-sensitive system to support convergent decision-making processes

Bachelor thesis in the department of Computer Science by Oliver Hönig

Date of submission: 22.10.2026

1. Review: Prof. Dr. Jan Gugenheimer

2. Review: Yanni Mei

Darmstadt



TECHNISCHE
UNIVERSITÄT
DARMSTADT

Computer Science
Department

HCI

Human Computer
Interaction

Note on the Use of Artificial Intelligence

Bei der sprachlichen Überarbeitung dieses Beitrags wurden KI-Anwendungen eingesetzt. Inhalt, Argumentation und fachliche Bewertung wurden von dem Autor eigenständig erarbeitet.

Für die Vorbereitung dieser Arbeit wurden KI-Anwendungen zur Rechercheunterstützung eingesetzt. Die fachliche Prüfung, Auswahl und Einordnung der Inhalte erfolgten durch den Autor.

Für die Implementierung des Prototyps wurde in Absprache mit den Prüfenden KI-gestützt programmiert. (Eine genauere Differenzierung ist in Kapitel 4 zu finden)

Da Englisch nicht die Muttersprache des Autors ist, wurde stellenweise DeepL [**DeepLAIPlatform**] genutzt, um deutsche Textabschnitte, welche von dem Autor selber geschrieben wurden ins Englisch zu übersetzen.

Contents

1	Introduction	6
1.1	Background and Motivation	6
1.1.1	Inefficiencies in remote meetings: Challenges in convergent decision-making processes	6
1.1.2	Potential of AI-driven facilitation to enhance goal orientation . . .	7
1.2	Research Problem and Gap	8
1.2.1	Limitations of existing moderation tools in remote settings	8
1.2.2	Need for context-sensitive, proactive AI systems	8
1.3	Research Objectives and Questions	9
1.3.1	RQ1: Facilitating strategies and challenges in goal-oriented remote meetings	9
1.3.2	RQ2: Design requirements for an AI-based moderation system . . .	9
1.3.3	RQ3: Perception of the meeting with a proactive AI moderator . . .	10
2	Theoretical Foundations	11
2.1	Remote Meetings	11
2.1.1	Meetings in Modern Work: Trends and Context	11
2.1.2	Key challenges: Off-topic discussions, unequal participation, lack of structure	12
2.2	Facilitation Strategies for Remote Collaboration (RQ1)	13
2.2.1	Empirical evidence on effective techniques (e.g., timeboxing, role assignment)	13
2.2.2	Technological and social dynamics in virtual teams	14
2.3	Convergent Decision-Making in Groups	14
2.3.1	Divergent and Convergent Thinking in Meetings	14
2.3.2	Hidden profiles and biased information exchange	15
2.3.3	Implications for facilitation and AI support	17
2.4	AI in Meeting Support Systems (RQ2)	17
2.4.1	Overview of existing Meeting AI Tools	17



2.4.2	Research Approaches to AI-Supported Meeting-Systems	17
2.4.3	AI-Agents in General	18
2.4.4	Building blocks for AI-Agents	18
2.4.5	Frameworks to design LLM-based Meeting AI-Agents	18
2.4.6	Proactive AI-Interactions: Timing and triggers for Human-AI-Interaction- Systems	19
2.4.7	Theoretical frameworks: Human-AI Interaction (HAI), Explainable AI (XAI)	20
2.5	Technology Acceptance and Usability	20
2.5.1	Technology Acceptance Model (TAM)	20
2.5.2	System Usability Scale (SUS) and psychological effects	20
3	Empirical Analysis of Facilitating Strategies (RQ1)	21
3.1	Methodology: Expert Interviews	21
3.1.1	Sampling: Purposeful selection of 5 facilitating experts	22
3.1.2	Data Collection: Conduction of semi-structured interviews (30 min)	22
3.1.3	Analysis: Thematic coding	22
3.2	Results: Facilitating Strategies and Challenges	23
3.2.1	Comparison with literature (Chapter 2)	23
3.3	Implications for AI System Design	23
3.3.1	Derived requirements for RQ2	23
4	System Design and Implementation (RQ2)	24
4.1	Requirements Analysis	24
4.1.1	Functional Requirements	24
4.1.2	Non-Functional Requirements	25
4.2	System Architecture	25
4.2.1	Components: Transcription, Analysis, and Intervention Modules	25
4.2.2	Technology Stack: NLP Libraries, Backend/Frontend Frameworks	25
4.3	Prototype Development	25
4.3.1	Implementation Details	25
4.3.2	Limitations of the Prototype	25
5	Empirical Prototype Validation (RQ2 and RQ3)	26
5.1	Methodology: Hidden-Profile Scenario and Questionnaire Instrument	26
5.1.1	Study Design	26
5.1.2	Sample	28
5.1.3	Data Collection	28



5.2	Results	28
5.2.1	Usability (SUS Scores and Analysis)	28
5.2.2	Acceptance (TAM: Perceived Usefulness, Ease of Use, Psychological Effects)	28
5.3	Discussion	28
5.3.1	Implications for System Design	28
5.3.2	Theoretical Contributions	28
5.3.3	Practical Impact for Organizations	28
6	Conclusion	29
6.1	Summary of Findings	29
6.2	Limitations	29
6.3	Future Work	29
7	Appendix	33
7.1	Semi-Structured Interview Guide for Expert Interviews with Facilitators . .	33

1 Introduction

Online meetings have become an integral part of the modern workplace in many industries. Since the start of the COVID-19 pandemic, there has been a massive increase in the use of video conferencing (VC) tools such as Zoom [1]. Despite their growing prevalence, meetings still often suffer from inefficiencies, particularly in convergent decision-making processes such as prioritization, problem-solving, and consensus-building. Research by Atlassian shows that up to 72% of meetings are considered ineffective, with common problems including off-topic discussions, uneven participation, and a lack of structure. [2]

Although traditional facilitation strategies are effective, their practical implementation is limited by the fact that not every team has permanent access to a trained facilitator. Professional training and external consulting are valuable, but costly and not continuously available.

Current meeting tools focus primarily on transcribing the content, reviewing and extracting action items and next steps. Very few tools attempt to increase efficiency during the meeting itself.

Yet an AI system capable of providing context-sensitive support in real time has the potential to democratize best-practice facilitation and therefore counteract common mistakes in the convergent phases of a meeting through proactive ai-moderation.

1.1 Background and Motivation

1.1.1 Inefficiencies in remote meetings: Challenges in convergent decision-making processes

Convergent decision-making in remote meetings faces unique obstacles:

-
- Off-topic discussions: Studies show that 30–50% of meeting time is spent on irrelevant tangents, derailing progress [Rogelberg et al., 2006]. [3]
 - Unequal participation: Dominant voices can overshadow quieter team members, leading to groupthink and suboptimal outcomes [Nunamaker et al., 1991].
 - Lack of structure: Without clear facilitation, meetings often lack timeboxing, role assignment, or explicit decision criteria, reducing efficiency [Schwartz, 2016].

Traditional solutions—such as hiring professional facilitators or training team members—are cost-prohibitive or scalability-limited. For example, a certified facilitator may charge €100–300/hour [International Association of Facilitators, 2024], making continuous support impractical for most organizations. Furthermore, not every team has permanent access to trained personnel, and ad-hoc facilitation often fails to address systemic issues like dysfunctional team dynamics or blind spots in group perception [Edmondson, 1999].

1.1.2 Potential of AI-driven facilitation to enhance goal orientation

AI can bridge this gap by:

- Automating real-time analysis: Natural Language Processing (NLP) can transcribe and semantically analyze discussions to identify deviations from the meeting's goal [Bommasani et al., 2021].
- Providing adaptive interventions: Context-sensitive prompts (e.g., "Let's return to the agenda: prioritizing the top 3 solutions") can refocus conversations without human intervention.
- Democratizing participation: AI can nudge underrepresented voices (e.g., "Alex, you haven't shared your perspective yet—would you like to add anything?") or summarize key points to ensure alignment.

Pilot studies on AI moderation tools (e.g., Humley's AI meeting assistant) report 20–30% reductions in meeting duration and improved participant satisfaction [Humley, 2023]. However, these tools often lack proactivity—reacting to issues rather than preventing them—and customization for specific use cases like convergent decision-making.

1.2 Research Problem and Gap

1.2.1 Limitations of existing moderation tools in remote settings

Current tools fall short in three key areas:

- **Passive functionality:** Most AI tools (e.g., Zoom AI Companion, Google Meet’s recaps) focus on post-meeting summaries or transcription, not real-time moderation [Zoom, 2024; Google, 2023].
- **Generic interventions:** Solutions like Miro’s AI facilitator provide template-based guidance but fail to adapt to the meeting’s context or user preferences [Miro, 2024].
- **Lack of empirical validation:** Few studies evaluate user acceptance of proactive AI moderation, particularly in high-stakes decision-making scenarios [Benbasat and Barki, 2007].

1.2.2 Need for context-sensitive, proactive AI systems

To address these gaps, this thesis proposes a proactive AI moderation system that:

- Detects thematic deviations in real time using NLP and meeting goal tracking.
- Intervenes constructively with personalized, non-intrusive prompts (e.g., private messages to individuals or group reminders).
- Validates design choices through user studies focusing on usability (SUS) and acceptance (TAM).

Such a system could reduce meeting fatigue, improve decision quality, and lower the barrier to effective facilitation—but its success hinges on user trust and perceived usefulness, which remain underexplored in literature.

1.3 Research Objectives and Questions

This thesis addresses the inefficiencies in goal-oriented remote meetings through a structured approach that integrates three complementary research objectives. The first objective (RQ1) investigates facilitating strategies and challenges in remote meetings to establish a foundation based on real-world practices and pain points. The second objective (RQ2) focuses on designing an AI-based moderation system that translates these insights into technical requirements, ensuring the system is context-aware and goal-oriented. The third objective (RQ3) examines how knowledge workers perceive a convergent remote meeting when a proactive AI moderator is present.

The work bridges the gap between theoretical facilitation techniques and practical AI-driven solutions, ensuring that the system is both technically robust and user-centric.

1.3.1 RQ1: Facilitating strategies and challenges in goal-oriented remote meetings

Which facilitating strategies are suitable for the goal-oriented management of remote meetings with convergent objectives (such as decision-making, prioritization, problem-solving)? What specific challenges typically arise in this context?

The first research question aims to identify effective strategies for managing convergent remote meetings, such as decision-making, prioritization, and problem-solving, while also analyzing the specific challenges that arise. To achieve this, the thesis conducts expert interviews with certified facilitators, agile coaches, and team leads to gather empirical insights. It also analyzes literature on facilitation techniques, including timeboxing and role assignment, as well as the dynamics of remote collaboration. The findings are compared with existing research to derive best practices and identify pain points, such as off-topic discussions and unequal participation, which AI could potentially address.

1.3.2 RQ2: Design requirements for an AI-based moderation system

How should an AI-based moderation system be designed that autonomously detects thematic deviations based on a predefined meeting goal and real-time transcript analysis and promotes goal orientation through constructive, context-sensitive interventions?

The second research question focuses on developing a proactive AI system that detects thematic deviations in real time and intervenes contextually to maintain goal orientation. This objective is addressed by defining functional requirements, such as real-time transcript analysis and adaptive interventions, and non-functional requirements, including privacy, latency, and scalability. A system architecture is then designed with components for transcription, NLP-based analysis, and intervention logic, incorporating mechanisms for private nudges or group reminders. A prototype is implemented using NLP libraries like Hugging Face Transformers, and its technical feasibility is evaluated.

1.3.3 RQ3: Perception of the meeting with a proactive AI moderator

How do knowledge workers perceive a goal-oriented remote meeting in which a proactive AI moderator intervenes, with regard to communication, quality of discussion, status effects, teamwork, and efficiency, and how do they experience the agent's contributions?

The third research question investigates how knowledge workers experience a convergent remote meeting that is supported by the prototype. The evaluation uses a hidden-profile hiring simulation in which relevant information is distributed asymmetrically, so that a well-founded group decision depends on sharing unique information. Meeting outcomes are measured with the questionnaire instrument revalidated by Davison, covering communication, quality of discussion, status effects, teamwork, and efficiency. Because that instrument was developed for earlier group support systems, additional items address how participants experience the agent's interventions, including timing, context-appropriateness, and whether feedback from the AI is more comfortable than equivalent feedback from a group member.

2 Theoretical Foundations

This chapter presents the theoretical foundations and the current state of research. These form the basis for the subsequent work. Based on a systematic literature review, five key challenges in the context of meetings were identified (2.1.2). These serve as the starting point for the in-depth analysis in the following expert interviews (see Chapter 3) and provide indicators of what to focus on during the subsequent requirements gathering process (see Chapter 4.1).

2.1 Remote Meetings

Definition Meeting (Abgrenzung zu WS und Meetings -> Eigentlich das gleiche)

Was sind remote Meetings?

2.1.1 Meetings in Modern Work: Trends and Context

The Doolde Report "State of Meetings 2023" finds that 40% of meetings are scheduled 1–4 weeks in advance (55% in North America). In contrast, the Mirsooft report reveals that most meetings (57%) are ad hoc, without formal invitations. [4]

Welche Arten von Meetings gibt es?

2.1.2 Key challenges: Off-topic discussions, unequal participation, lack of structure

A clear issue with goal-oriented meetings is the absence or unclear communication of objectives. It seems plausible that a significant number of meetings are scheduled without a defined goal or agenda (as discussed in section 2.1.1). A lack of structure in meetings is therefore one of the key challenges. While an agenda can serve as the foundation for such structure, it alone does not guarantee a successful meeting. Meeting goals are often dynamic and may need to be adjusted as the meeting progresses, due to the associated uncertainties [3, chap 4.1]. Although the agenda can outline a path to achieving the overall meeting goal [5, chap 2.1], without linked sub-goals, it guarantees neither the success of the meeting nor a timely conclusion. [3, chap 4.1] Discussions can nevertheless get out of hand if participants do not know what to prioritize. [3, chap 4.1] An agenda was identified by many respondents (67%) as a key element for successful meetings in Doodle's State of Meetings Report 2019. Only the setting of clear meeting objectives (72%) was cited even more frequently. [6, p. 11]

Based on this, the following summary challenge statement was derived:

Challenge 1: Clear goal-setting and structure. Goal-oriented meetings frequently lack clearly communicated objectives and a reliable structure, so that discussions lose focus and the meeting neither succeeds nor concludes on time.

Chen et al. noted, as a secondary finding, that individuals in higher hierarchical positions tended to intervene more frequently and maintain focus on meeting objectives when a clear list of goals was provided. Conversely, those in lower hierarchical positions felt less obligated to intervene, even when they observed deviations from the main topic. [3] Doodle's State of Meetings Report 2019 identified a correlation between salary and self-perceived participation in meetings. Respondents with higher salaries were more likely to describe themselves as active participants. [6, p. 6] This may stem from inexperience, hierarchical constraints, group dynamics, or a lack of error culture, where dissent risks loss of face. Low participation can narrow solution spaces, yield monotonous outcomes, and reduce meeting effectiveness.

Dysfunctional communication—such as complaining, criticizing, and digressing—reduces effectiveness. [7, p. 130]

-> Unausgeglichen / geringe participation -> Unvorhergesehen veränderungen im Meeting (flach Annahmen, meetingziel ändert sich) -> technische Probleme: Instabile internetverbindungen, Störungen etc. (nicht im scope dieser arbeit aber dennoch relevant)

Graph der zeigt das sich diese challenges alle gegenseitig beeinflussen können. (z.B. wenn nicht nicht alle ansichten geführt wurde, kann es später dazu kommen das wenn man eigentlich eine entscheidung treffen möchte (convergent thinking) wieder zurück in divergent thinking fällt, was zu zirkulären diskussionen führen kann.)

Umgekehrt, kann ein zu langes verweilen in der konvergenz zone dazu führen, dass keine entscheidung getroffen wird und kein fortschritt wahrgenommen wird.

Kultur und hierarchie beeinflussen ebenfalls die offen teilnehmer ideen teilen und wer welche ideen wie bewertet.

2.2 Facilitation Strategies for Remote Collaboration (RQ1)

Recherche was sind eigentlich die aufgaben eines Facilitators? was macht ein facilitator?

Welche rolle spielen collaborations tools wie white boards (Google Jamboard, Miro, etc.) in der facilitation?

2.2.1 Empirical evidence on effective techniques (e.g., timeboxing, role assignment)

The book *Facilitation Fundamentals* by AJ&Smart [8], one of the leading companies in the field of facilitation and facilitator training, introduces the 4C framework. This framework classifies methods that can be used in meetings or workshops into four key categories:

- Collect: Suitable for systematically gathering and visualizing information within a team.
- Choose: Narrows down a large number of ideas or content to a few selected elements.
- Create: Uses design thinking methods to develop new approaches to solutions.
- Commit: Ensures the team's binding agreement on the decisions made and the results achieved.

As outlined in the chapter “Convergent and Divergent Thinking,” a clear distinction between the divergent and convergent phases is crucial. The 4C framework, which many facilitators rely on, enables the implementation of these best practices.

2.2.2 Technological and social dynamics in virtual teams

2.3 Convergent Decision-Making in Groups

2.3.1 Divergent and Convergent Thinking in Meetings

Divergent thinking is the process of generating new ideas and concepts [TODO: QUELLE]. Convergent thinking is the process of evaluating and selecting the best ideas from a set of options. [TODO: QUELLE]

According to Anne Manning, generating new ideas and evaluating them are two fundamentally different processes. However, she says that in meetings, people often try to carry out both steps at the same time. [9, min 02:30] Immediately evaluating and weighing an idea hinders the creative process of generating ideas.

A predominance of divergent thinking without sufficient integration of convergent thought processes can lead to unreflective and excessive modifications. [cropleyPraiseConvergentThinking2006] Corply [cropleyPraiseConvergentThinking2006] further argues that both a lack and an excess of convergent or divergent thinking have adverse effects on creativity.

In the context of facilitation, the terms “Convergence Zone / Phase” and “Divergence Zone / Phase” are widely recognized. A recurring framework in this domain is the group process map, developed by facilitator Sam Kaner, commonly referred to as “Diamond of Participatory Decision-Making” or “Kaner’s Diamond”. [kanerFacilitatorsGuideParticipatory2014] Kaner’s Diamond model describes typical phases that groups go through in the decision-making process. The left side represents the Divergent Zone, where diverse perspectives are expressed and disagreements are explored. The right side embodies the Convergent Zone, where opinions align and the process moves toward closure. At the center of the Diamond lies the “Groan Zone”, a transitional phase where the tension between divergence and convergence often manifests.

2.3.2 Hidden profiles and biased information exchange

die Besonderheit bei Meetings ist, dass die verschiedenen Teilnehmer oft unterschiedliche Informationen halten. Dieses Phänomen wird in der Literatur als Hidden Profiles bekannt. Bei für das Finden einer idealen Lösung ist man oft darauf angewiesen, dass die teilnehmenden erkennen, welche Informationen relevant sind bzw. eine Umgebung geschaffen ist, in der die Beteiligten bereit sind, diese Informationen zu teilen. Man spricht von einer asymmetrischen Verteilung der Informationen.

Informationen, die nur von einem Teilnehmer bekannt sind, gehen oft in Diskussionen unter. Auch wenn dieser die Information teilt, tendieren Menschen dazu, Informationen, die von mehreren Leuten validiert werden können, eher zu vertrauen.

Geteilte vs. Unterteilte Informationen: Das Hidden Profil

Ein typisches Experiment, um Entscheidungsprozesse in Gruppen zu untersuchen, sieht folgendermaßen aus: Ein Team hat die Aufgabe, aus unterschiedlichen BewerberInnen den Besten oder die Beste auszuwählen. Dazu erhält jedes Team-Mitglied Informationen über die einzelnen BewerberInnen. Einen Teil der Information erhalten alle Teammitglieder. Diese Informationen sind also im Team geteilte Informationen. Einen anderen Teil der Informationen erhält jeweils nur ein Team-Mitglied. Diese Informationen sind also ungeteilt. Die Aufgabe ist nun so konstruiert, dass sich das Team nur dann für den richtigen Bewerber entscheiden kann, wenn alle Informationen – geteilte und ungeteilte – berücksichtigt werden. Werden lediglich die geteilten Informationen berücksichtigt, trifft das Team eine falsche Entscheidung.

Eine Vielzahl von Studien mit dieser oder ähnlichen Aufgaben zeigt, dass Teams meist nicht in der Lage sind, ein solches Hidden-Profile zu lösen: Geteilte Informationen werden ausgetauscht und diskutiert, ungeteilte Informationen fallen unter den Tisch. Erklärungen für das Phänomen Hidden Profile

Es gibt unterschiedliche Erklärungen dafür, warum in Gruppendiskussionen eher über geteilte Informationen gesprochen wird:

Wahrscheinlichkeit: Mehr Personen verfügen über die gleiche geteilte Information. Deshalb ist die Wahrscheinlichkeit höher, dass geteilte Informationen in der Gruppe diskutiert werden, im Vergleich zu Informationen, über die nur eine einzelne Person verfügt (ungeteilte Informationen). Selbstwerterhaltung: Menschen achten darauf, ein positives Selbstwertgefühl zu erhalten. Wird eine geteilte Information der Gruppe mitgeteilt, werden andere Personen in der Gruppe dieser Information zustimmen, bei ungeteilten

Informationen steigt die Gefahr, kritisiert zu werden. Das gefährdet ein positives Selbstwertgefühl, weshalb eher ohnehin schon geteilte Informationen der Gruppe mitgeteilt werden. Group Think: Jedes Gruppenmitglied hat das Bedürfnis, sich der Meinung der Gruppe anzuschließen. Die Gruppe als Ganzes strebt nach Konsens. Das kann dazu führen, dass kritische oder widersprüchliche Informationen nicht ausreichend berücksichtigt werden.

Lösungsstrategien für das Hidden Profil

Die Forschung zu Hidden-Profiles basiert auf eher künstlichen Gruppensituationen. Dennoch lassen sich aus den Ergebnissen Strategien ableiten, Gruppenentscheidungen zu verbessern.

Effekt kennen: Wer die Anfälligkeit von Gruppen kennt, ungeteilte Informationen zu vernachlässigen, kann gezielt gegensteuern. Eine Möglichkeit ist z. B. nachzufragen, ob alle Informationen berücksichtigt wurden, oder ob es Informationen gibt, die nicht ins Bild passen. Expertise transparent machen: In einer heterogenen Gruppe hilft es, die unterschiedlichen Fach- und Wissensgebiete der einzelnen Mitglieder transparent zu machen. So wird klar, dass unterschiedliches Wissen und unterschiedliche Meinungen zu erwarten sind. Technische Unterstützung: Technische Werkzeuge, die Informationen visualisieren oder strukturieren, helfen insbesondere bei komplexen Entscheidungen, alle Informationen zu berücksichtigen. Erst suchen, dann bewerten: Eine weitere Strategie ist es, das Sammeln und das Bewerten von Informationen als zwei Prozesse voneinander zu trennen. So wird verhindert, dass Informationen, die wichtig sein könnten, direkt abgewertet werden. Hierarchien vermeiden: Oft teilen insbesondere Mitglieder mit niedrigem Status ihr ungeteiltes Wissen nicht, wohingegen geteiltes Wissen, das Mitglieder mit hohem Status eingebracht haben, detailliert diskutiert wird. Eine Lösungsstrategie ist deshalb, dass sich die Gruppenleitung oder Mitglieder mit hohem Status zunächst mit einer eigenen Bewertung zurückhalten.

2.3.3 Implications for facilitation and AI support

2.4 AI in Meeting Support Systems (RQ2)

2.4.1 Overview of existing Meeting AI Tools

There is a wide variety of AI-based tools that provide support for meetings. Most of these tools focus on transcribing meeting content. Well-known examples include fireflies.ai [10], Otter.ai [11], and Jamie [12]. AI transcription features are also integrated into established meeting platforms such as Google Meet [13], Zoom [14], and Microsoft Teams. [15] More advanced features include the automatic extraction of action items. Depending on the tool, these features are available in real time or only after the meeting has ended. Microsoft Teams specifically offers a feature called “Facilitator,” [16] which provides additional capabilities beyond the features already mentioned (transcription, identification of action items): For example, it can edit the agenda if instructed to do so by a user with the appropriate permissions. It also displays a timeline to track topics and the flow of the meeting, and sends reminders to manage time. (Once halfway through the meeting and again shortly before it ends.) These interactions take place via the integrated chat. Google Meet, for example, also offers a live speech translation feature. [17]

2.4.2 Research Approaches to AI-Supported Meeting-Systems

in der literatur finden sich einige anbieten welche ähnliche ansätze verfolgen. so haben z.B. Houtti et al. einen AI-Agent für inklusive Meetings designt. ihre rechte stütze sich auf einem quantitativen design interview mit potenziellen meeting teilnehmer (nicht wie in dieser arbeit mit facilitating Experten)

In study by Houtti et al.[18, p. 5], in which participants were asked to design virtual co-hosts during semi-structured design sessions, a widespread tendency emerged to design the co-host to be interactive rather than to let it act entirely automatically. Common design patterns involved the co-host providing prompts in response to explicit instructions (e.g., when explicitly asked or when a pin was set). The authors conclude that interactivity could help prevent mistrust.

Aus anderen studien zeigen eine tendenz dass welche systeme eher interaktiv gestaltet sein sollten.

2.4.3 AI-Agents in General

zunächste soll geklärt werden was unter KI-Agenten verstanden wird. Letztlich sind KI-Agenten system um teilaufgaben zu automatisieren. Um ein präziseres Verständnis zu bekommen lohnt es sich daher eine abgrenzung zu klassen worklof automatisierungen zu machen.

Programmatische Prozessautomatisierung bezeichnet die regelbasierte Automatisierung von Abläufen, bei der festgelegte Bedingungen und strukturierte Entscheidungslogiken genutzt werden, um Prozesse effizient, zuverlässig und wiederholbar auszuführen. Techniken die hier zum einsatz kommen sind robotic Process Automation, Skripting und Markos.

LLMs können kontext dabei helfen unstrukturierte aufgaben zu lösen. anthropic whält folgende Defintion bz von Agenten welche KI-Agneten von Workflos abgrenzt. Workflows are systems where LLMs and tools are orchestrated through predefined code paths. Agents, on the other hand, are systems where LLMs dynamically direct their own processes and tool usage, maintaining control over how they accomplish tasks.

2.4.4 Building blocks for AI-Agents

Augmented LLM

Prompt chaining

Routing

Parallelization

Orchestrator-workers

Evaluator-optimizer

2.4.5 Frameworks to design LLM-based Meeting AI-Agents

The Observe, Ask, Intervene Framework for designing AI Agents for more inclusive Meetings

What? When? Who? Framework for Goal relecting (Are we on track?)

2.4.6 Proactive AI-Interactions: Timing and triggers for Human-AI-Interaction-Systems

To reduce the need for explicit prompts, an AI agent should be able to proactively recognize when it is its turn in an interaction sequence. In dyadic human-AI interactions, pauses or so-called “stop words” are often used for this purpose to identify a change in speaker. In multi-party scenarios (e.g., group conversations), however, this becomes significantly more complex and leads to the “multi-party turn-taking problem”. [19]

Some approaches model the problem as a machine learning task by attempting to predict the next speaker based on previous speaker changes. [20] Bayer et al. employ traditional algorithms such as Maximum Likelihood Estimation (MLE) and Support Vector Machines (SVMs), as well as deep learning architectures including Convolutional Neural Networks (CNN) and Long Short-Term Memory (LSTM) networks. They distinguish two primary paradigms: agent-only models, which rely solely on speaker history, and agent-and-content models, which additionally incorporate conversational context. Both paradigms have been trained and evaluated across diverse, topic-oriented and chit-chat corpora using these varied algorithms. The empirical findings indicate that while simple agent-only models are sufficient for small, highly focused dialogues, incorporating conversational content becomes crucial in goal- and topic-oriented interactions characterized by complex, irregular turn-taking patterns. [20, p. 2]

With these approaches, however, it remains unclear why an agent should interact at a specific point in time. Due to the design of the ML algorithms, the timing of the interaction is decoupled from its cause or is only implicitly included in the model, but cannot be explicitly explained. (Example: We know that it is now the time for the agent to interact now -> But why? Whats the reason its like that he should talk? What should he say?)

Die über die letzten Jahre stattgefundenen Entwicklungen bei LLMs ermöglichen neue Ansätze um dieses Problem zu modellieren. Neues Paradigma von LLM-basierten Agentischen Systemen. Was ist das? -> Hier beschreiben was KI-Agenten sind (Anthropic Definition finden und verwenden) LLM-basierte AI-Agenten mit einer LLM Pipeline welche intrinsische Gedanken simuliert, könnte ein viel versprechender Ansatz sein.

Liu et al. verfolgen diesen Ansatz um einen proactiven conversational Agent mit inner Thoughts zu modellieren. [21]

Y verfolgen diesen ansatz um eine proaktiven Chatbot zu modellieren und schlussfolgern, dass

Classic Workflow

2.4.7 Theoretical frameworks: Human-AI Interaction (HAI), Explainable AI (XAI)

2.5 Technology Acceptance and Usability

2.5.1 Technology Acceptance Model (TAM)

2.5.2 System Usability Scale (SUS) and psychological effects

3 Empirical Analysis of Facilitating Strategies (RQ1)

3.1 Methodology: Expert Interviews

To complement the findings from the literature review on the challenges in meetings—particularly in decision-making processes—with practical experience, a qualitative study was conducted. Semi-structured expert interviews were chosen as the method. This type of interview allows for in-depth insights into the respondents' perspectives through open-ended questions and flexible follow-ups, while at the same time ensuring a thematic focus through a guide.

Expert interviews are particularly suitable because experts, through their specialized knowledge and practical experience, provide efficient access to specific areas of knowledge [22, p. 877]. The definition of an expert is context-dependent and must be determined on a case-by-case basis depending on the research topic [22, p. 877]. In this study, only individuals with verifiable professional experience in the field of facilitation and who are professionally active in this context were interviewed. Therefore, the interviews conducted can be classified as semi-structured expert interviews.

Laut Cornelia Helfferich [22, p. 877] könne davon ausgegangen werden, dass Personen die für eine Interview bereit sind die Wahrheit sagen. Dies subjektive Wahrheit sei allerdings kann durch die Erzählpraktiken (z.B. ausschmücken und verkürzen) des zu interviewten gepärgt werden.

Von der Methodik unterscheidet sich Experteninterviews nicht zu

3.1.1 Sampling: Purposeful selection of 5 facilitating experts

Für diese Studie wurden 5 Experten befragt.

3.1.2 Data Collection: Conduction of semi-structured interviews (30 min)

Wann wurden die interviews geführt? Inwlechn Zeitraum? Es wurden nie mehr als 2 Interviews pro Tag geführt. Es gab einen Interviewer, nämlich den Autor dieser Arbeit. Obwohl die Interviews leicht variiert haben, haben diese im Schnitt ca. 30min gedauert. Die Interviews haben über Zoom stattgefunden und wurden, um diese später besser zu transkribieren aufgezeichnet. Jedes Interview startet mit einer kurzen Einleitung in der erklärt wurde, was der Zweck des Interviews ist, wofür die Datenerhebungen werden und wie diese verarbeitet werden. Anschließend wurde die Interviewten gefragt, ob diese mit dieser Verarbeitung und insbesondere der Aufnahme einverstanden sind. Dem haben alle zugestimmt.

Zu Beginn bereits Kontext zu liefern, hat dabei geholfen klar einzuordnen, worum es in dem Interview gehen soll.

Through these measures and also through the choice of the interview channel, a certain closeness could be created, which is helpful in obtaining the views and opinions of the interviewee 31 (Meyen et al., 2019).

Nach dem das Interview beendet wurde, wurden sich direkt Notizen gemacht und erste Gedanken festgehalten, während die Eindrücke nach den Interviews noch frisch waren.

3.1.3 Analysis: Thematic coding

Deductive Coding kann missen auf wertvolle Einsichten. Während induktives Codieren besser für untersuchte neue Ideen oder Konzepte ist. Da allerdings bereits eine Literaturrecherche vorausgesetzt wurde, besteht zumindest ein Verständnis darüber, welche Themenkomplexe in den Interviews zu erwarten sind bzw. welche explizit abgedeckt werden sollen, um genauere Informationen von den Experten zu erlangen. Aus diesem Grund wurde ein Kategorisierungssystem basierend auf den Literaturrecherchen erstellt. Und daraufhin wurde im Anschluss allerdings ein induktives Codieren der Interviewergebnisse durchgeführt. Dieser Ansatz sollte es ermöglichen einen klaren Rahmen für die Interviews zu schaffen.

aber dennoch offengenug zu sein um neue, noch nicht in der Recherche identifizierten Informationen aufnehmen zu können.

Somit wurde ein hybrider coding ansatz gewählt. bei dem die codes iterativ verfeinert wurden. Auch die überkategorien wurden dann im nachgang weiterfeinert.

3.2 Results: Facilitating Strategies and Challenges

3.2.1 Comparison with literature (Chapter 2)

3.3 Implications for AI System Design

3.3.1 Derived requirements for RQ2

4 System Design and Implementation (RQ2)

4.1 Requirements Analysis

4.1.1 Functional Requirements

-> es gibt zwei haupt unterschieden die man treffen kann: procativ system und reactive systeme. In are we on track wurden zwei verscheidene system design (aktiv und passiv) beiee hatte vor und nachteile. (Welche) Sind aber beide relevant. Daher Plattform, welche beides kann, agenda live verfolgen und agent kann selbst einschreiten.

Im allgmeien gibt es zwei ansätze ein solches system umzusetzen: 1) Intergration im bestehende Meeting-Tools wie z.B ms Zoom, Teams etc 2) Protoyp neu entwickeln mit einger video conference funtkionalität

variante ein hat den vorteil, dass sich ledeglich auf das design und die implementeirung des KI-Agent fokussiert werden muss.allerdings ist mn+an limiert durch die integrationsmöglichkeiten, welch die planfromen über die API bereitstellen. Dies varriert je nach platrfom. es ist erschwer mölglich anpasseungen an dem vorgeben UI der Konferenzen forzuhenhemn oder sogar unmöglich. somit ist der lösungsruam f+r den prototyp limiert.

Variante 2) Vorteil komplett frei, nachtiel user nicht vertraun mti interfa

4.1.2 Non-Functional Requirements

4.2 System Architecture

4.2.1 Components: Transcription, Analysis, and Intervention Modules

4.2.2 Technology Stack: NLP Libraries, Backend/Frontend Frameworks

4.3 Prototype Development

4.3.1 Implementation Details

4.3.2 Limitations of the Prototype

5 Empirical Prototype Validation (RQ2 and RQ3)

5.1 Methodology: Hidden-Profile Scenario and Questionnaire Instrument

5.1.1 Study Design

The empirical evaluation of the proactive AI assistant required a group task that resembles the convergent organizational decisions this thesis addresses and that can generate situations in which facilitation — by a human moderator or by an AI agent — may become relevant.

Houtti et al.[18] evaluated their virtual co-host with the Lost at Sea activity, in which participants rank 15 items by importance for survival after a shipwreck. They selected this task in part because it does not require equal participation and can be completed individually [18]. For the present study, these properties are a limitation. A ranking of a static, commonly known list does not require participants to pool unique information. As a result, the discussion is unlikely to produce the information-related difficulties that characterize many organizational decision meetings, and therefore few moments in which an intervention would be necessary in order to reach a well-founded group decision.

As discussed in Chapter 2, relevant knowledge in organizational collaboration is often distributed asymmetrically across participants. An adequate solution in a convergent decision process then depends on the group recognizing, sharing, and integrating information that is initially held by only some members. Hidden-profile experiments operationalize this asymmetry. There are different forms of hidden-profile experiments. What these designs have in common is that no member's individual information set is sufficient to identify the superior option; that option becomes apparent only when the distributed information

is disclosed and combined in the joint discussion. In some designs, the information that is public from the outset is additionally constructed so as to favor a suboptimal alternative; in others, this directional bias is not imposed. In classic hidden-profile experiments in which the group has access to shared, given information that suggests a inferior choice, while the split information suggests a better choice, groups typically tend toward the inferior alternative. [arkesInformationExchangeGroup2009]

The evaluation uses the hidden-profile hiring simulation published by Baker [bakerEnhancingGroupDecision. In this scenario, participants receive differently distributed information about three candidates, and the information that is initially shared favors a suboptimal choice. They must jointly decide whom they consider most suitable. The task is therefore expected to elicit the interaction patterns a proactive moderator should detect: premature consensus, unique information that remains unmentioned, unbalanced participation, and a drift of the discussion towards commonly known talking points. This specific scenario was selected for three further reasons:

- **Feasibility in a remote meeting.** The task can be administered in groups of four and completed in a compact session of approximately 30 minutes. The materials can be distributed digitally, which allows the discussion to be conducted remotely.
- **Fit with the intended intervention situations.** The information structure of the task is expected to produce the patterns described above and thus occasions on which the prototype might intervene.
- **Replicability.** Baker provides the full experimental materials with the article, including role information, participant-specific information sheets, and evaluation forms, so that the scenario can be reused in the present study.

Meeting success was assessed with the questionnaire instrument revalidated by Davison for the systematic measurement of meeting outcomes [23]. The instrument covers five dimensions: communication, quality of discussion, status effects (power structures and hierarchies), teamwork, and efficiency. These dimensions correspond to the aspects of group interaction that the hidden-profile task is intended to place under strain.

The technology-related items of the instrument, however, were formulated for Group Support Systems of that period, that is, for largely passive, computer-supported collaboration tools. They do not address autonomous, proactive AI agents. In addition, Houtti et al. found that participants rated meetings with their virtual co-host more positively overall, yet tended to rationalize or ignore its critical feedback [18]. Items on interaction with a proactive AI agent were therefore added:

-
- **Intrusiveness and timing.** The AI agent's contributions came at moments when they did not disrupt the conversational flow but supported it.
 - **Context-appropriateness.** The agent seemed to understand what we were currently discussing.
 - **AI-mediated social comfort.** It was more comfortable for me to receive this feedback from the AI than if another group member had pointed it out to me directly.

5.1.2 Sample

5.1.3 Data Collection

5.2 Results

5.2.1 Usability (SUS Scores and Analysis)

5.2.2 Acceptance (TAM: Perceived Usefulness, Ease of Use, Psychological Effects)

5.3 Discussion

5.3.1 Implications for System Design

5.3.2 Theoretical Contributions

5.3.3 Practical Impact for Organizations



6 Conclusion

6.1 Summary of Findings

6.2 Limitations

6.3 Future Work

Bibliography

- [1] Rishi Iyengar. *Zoom's Revenue Soars 169% as People Flock to Service during Pandemic* | *CNN Business*. CNN. URL: <https://www.cnn.com/2020/06/02/tech/zoom-earnings-coronavirus> (visited on 08/26/2026).
- [2] Atlassian. *Workplace Woes: Meetings*. Inside Atlassian. URL: <https://www.atlassian.com/blog/workplace-woes-meetings> (visited on 08/26/2026).
- [3] Xinyue Chen et al. "Are We On Track? AI-Assisted Active and Passive Goal Reflection During Meetings". In: *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems*. CHI 2025: CHI Conference on Human Factors in Computing Systems. Yokohama Japan: ACM, Apr. 26, 2025, pp. 1–22. ISBN: 979-8-4007-1394-1. DOI: 10.1145/3706598.3714052. URL: <https://dl.acm.org/doi/10.1145/3706598.3714052> (visited on 02/26/2026).
- [4] Rea Bobby. *Doodle: State of Meetings Report 2023*. Doodle: State of Meetings Report 2023. Aug. 11, 2026. URL: <https://doodle.com/en/state-of-meetings-report-2023/> (visited on 08/26/2026).
- [5] Ava Elizabeth Scott, Lev Tankelevitch, and Sean Rintel. "Mental Models of Meeting Goals: Supporting Intentionality in Meeting Technologies". In: *Proceedings of the CHI Conference on Human Factors in Computing Systems*. CHI '24: CHI Conference on Human Factors in Computing Systems. Honolulu HI USA: ACM, May 11, 2024, pp. 1–17. ISBN: 979-8-4007-0330-0. DOI: 10.1145/3613904.3642670. URL: <https://dl.acm.org/doi/10.1145/3613904.3642670> (visited on 08/26/2026).
- [6] *Doodle: State of Meetings Report 2019*. 2019. URL: https://drive.google.com/file/d/1DX7Zhi1ymnh_Yz7pks5ahKlw2-5DdYog/view?usp=sharing&usp=embed_facebook (visited on 08/26/2026).

-
-
- [7] Simone Kauffeld and Nale Lehmann-Willenbrock. “Meetings Matter: Effects of Team Meetings on Team and Organizational Success”. In: *Small Group Research* 43.2 (Apr. 2012), pp. 130–158. ISSN: 1046-4964, 1552-8278. DOI: 10.1177/1046496411429599. URL: <https://journals.sagepub.com/doi/10.1177/1046496411429599> (visited on 08/26/2026).
- [8] AJ&Smart. *Facilitation Fundamentals Workbook*.
- [9] *Convergent vs. Divergent Thinking*. Jan. 5, 2024. URL: <https://www.youtube.com/watch?v=kh4c3R9mSkg> (visited on 08/30/2026).
- [10] *Fireflies.Ai | #1 AI Teammate for Meetings, Email, Chat & CRM*. Fireflies.ai. URL: <https://fireflies.ai> (visited on 08/30/2026).
- [11] otterai. *Otter Meeting Agent - AI Notetaker, Transcription, Insights*. URL: <https://otter.ai> (visited on 08/30/2026).
- [12] jamieai. *Jamie - Your Personal AI Note Taker*. Jamie. URL: <https://www.meetjamie.ai> (visited on 08/30/2026).
- [13] Google Workspace. *Google Meet: Telefon- und Videokonferenzen online*. Google Workspace. URL: <https://workspace.google.com/intl/de/products/meet/> (visited on 08/30/2026).
- [14] Zoom. *KI-Notizentool: Ihr KI-Meeting-Assistent*. Zoom. URL: <https://www.zoom.com/de/products/ai-assistant/features/ai-note-taking/> (visited on 08/30/2026).
- [15] Microsoft. *Videokonferenzen, Besprechungen, Anrufe | Microsoft Teams*. URL: <https://www.microsoft.com/de-de/microsoft-teams/group-chat-software> (visited on 08/30/2026).
- [16] Microsoft. *Set up Facilitator in Microsoft Teams - Microsoft Teams*. URL: <https://learn.microsoft.com/en-us/microsoftteams/facilitator-teams> (visited on 08/30/2026).
- [17] Google. *Learn about Speech Translation - Computer - Google Meet Help*. URL: <https://support.google.com/meet/answer/16221730?hl=en&co=GENIE.Platform%3DDesktop> (visited on 08/30/2026).
- [18] Mo Houtti et al. “Observe, Ask, Intervene: Designing AI Agents for More Inclusive Meetings”. In: *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems*. CHI 2025: CHI Conference on Human Factors in Computing Systems. Yokohama Japan: ACM, Apr. 26, 2025, pp. 1–18. ISBN: 979-8-4007-1394-1. DOI: 10.1145/3706598.3713838. URL: <https://dl.acm.org/doi/10.1145/3706598.3713838> (visited on 02/24/2026).

-
-
- [19] Harvey Sacks, Emanuel A. Schegloff, and Gail Jefferson. “A Simplest Systematics for the Organization of Turn-Taking for Conversation”. In: *Language* 50.4 (Dec. 1974), pp. 696–735. ISSN: 0097-8507, 1535-0665. DOI: 10.2307/412243. URL: https://www.cambridge.org/core/product/identifier/S0097850774121670/type/journal_article (visited on 08/26/2026).
- [20] Maira Gatti Bayser et al. *Learning Multi-Party Turn-Taking Models from Dialogue Logs*. July 3, 2019. DOI: 10.48550/arXiv.1907.02090. arXiv: 1907.02090 [cs.CL]. URL: <http://arxiv.org/abs/1907.02090> (visited on 08/26/2026). Pre-published.
- [21] Xingyu Bruce Liu et al. “Proactive Conversational Agents with Inner Thoughts”. In: *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems*. CHI 2025: CHI Conference on Human Factors in Computing Systems. Yokohama Japan: ACM, Apr. 26, 2025, pp. 1–19. ISBN: 979-8-4007-1394-1. DOI: 10.1145/3706598.3713760. URL: <https://dl.acm.org/doi/10.1145/3706598.3713760> (visited on 02/24/2026).
- [22] Nina Baur and Jörg Blasius, eds. *Handbuch Methoden der empirischen Sozialforschung*. 3., vollständig überarbeitete und erweiterte Auflage. Wiesbaden, Germany: Springer VS, 2022. 1 p. ISBN: 978-3-658-37985-8.
- [23] Robert Davison. “An Instrument for Measuring Meeting Success: Revalidation and Modification”. In: *Information & Management* 36.6 (Dec. 1, 1999), pp. 321–328. ISSN: 0378-7206. DOI: 10.1016/S0378-7206(99)00026-9. URL: <https://www.sciencedirect.com/science/article/pii/S0378720699000269> (visited on 08/30/2026).

7 Appendix

7.1 Semi-Structured Interview Guide for Expert Interviews with Facilitators

Einstiegstext (sinngemäß)

Vielen Dank, dass Sie sich die Zeit nehmen. Ich untersuche, wie zielorientierte Remote-Meetings so moderiert werden, dass die Gruppe beim vereinbarten Ziel bleibt und zu einem verbindlichen Ergebnis kommt, also zu einer Entscheidung im engeren Sinn.

Gemeint sind damit Entscheidungssituationen, in denen die Gruppe zu einer Festlegung darüber gelangen muss, wie es weitergeht. Die Art der Entscheidung kann dabei sehr vielfältig sein. Typische Fälle sind zum Beispiel:

- Priorisierung: z.B. Feature-Festlegung, Entscheidung welche Vorhaben / welche Strategie am vielversprechendsten ist
- Commitment: z.B. das Setzen eines ideal Team-Ziels, oder für das Team optimale Arbeitsweisen
- Oder Sonstiges in diesem Bereich

Entscheidend ist, dass aus dem Meeting eine gemeinsame Festlegung folgt, an der sich die weitere Arbeit orientiert.

Diese und andere Interviews dienen als Grundlage, um Anforderungen für ein KI-Gestütztes Meetingssystem abzuleiten, welches Meeting-Teilnehmenden dabei unterstützt sich in konvergenter Zone des Meetings an das Ziel zu halten.

Das Gespräch ist ein semi-strukturiertes Interview. Das heißt, dass ich bei Bedarf Nachfragen stelle, um detailliertere Informationen zu erhalten. Es gibt dabei aber keine richtigen

oder falschen Antworten; mich interessiert Ihre Einschätzung basierend auf ihre beruflichen Praxis. Das Interview dauert etwa 30 Minuten, wird über Zoom geführt und aufgezeichnet um späteres transkribiert zu ermöglichen. Das Interview wird in anonymisierte bzw. pseudonymisierter Form in Rahmen dieser Arbeit ausgewertet.

Die Aufnahme wird nicht an Dritte weitergegeben. Sind Sie mit der Aufzeichnung und dieser Verarbeitung einverstanden?

Bitte um klare Bestätigung, welche mit Aufgezeichnet wird.

Beruflicher Kontext

Funktion: Sampling-Validierung (Ca. 3 Minuten)

1.1 Bitte beschreiben Sie kurz Ihre Erfahrungen im Bereich Moderation bzw. Facilitating, insbesondere in Situation in denen die Gruppe das Ziel hatte eine Entscheidung, wie z.B. das Festlegung nächster Schritte, Priorisierung oder Einigung über z.B. gemeinsame Vereinbarungen (z.B. Gemeinsame Arbeitsweisen, Verhaltens regeln) zu treffen.

- *Optional:* Seit wann sind Sie in diesem Bereich tätig, und welche Teams oder Organisationen begleiten sie typischerweise?

Herausforderungen in zielorientierten Remote-Meetings (RQ1)

Funktion: Verdichtung der in Kapitel 2 identifizierten Herausforderungen (Ca. 6 Minuten)

2.1 Wenn Sie an klassische Remote-Meetings denken, in denen eine Entscheidung getroffen werden soll: Was läuft dort Ihrer Erfahrung nach häufig schief?

- *Falls nicht von selbst thematisiert:* Zielklarheit und Struktur; Abschweifen vom Thema; ungleiche Beteiligung oder hierarchische Dynamiken; Zeitdruck; Ziele, die sich während des Meetings verschieben.
- Welche dieser Schwierigkeiten sind für Sie spezifisch für das Remote-Setting und welche würden auch in Präsenz auftreten?

2.2 Woran erkennen Sie diese kritischen Momente in denen die Gruppe den Faden verliert? Können Sie das möglichst an konkreten Beobachtungen festmachen z.B. daran wie gesprochen wird oder wer spricht oder schweigt oder sonstige Zeichen?

- *Optional, nicht als Messzwang formulieren:* Gibt es Anzeichen, die sich für Sie vergleichsweise zuverlässig wiederholen, sodass Sie fast schon sagen könnten: Jetzt muss ich eingreifen?

Facilitating Strategien (RQ1)

Funktion: Rekonstruktion bewährter Praktiken (Methoden, Strukturen, Gewohnheiten) (Ca. 6 Minuten)

3.1 Wie gehen Sie vor, damit ein solches Meeting zielorientiert bleibt und die Gruppe zu einer Entscheidung kommt? Beschreiben Sie gerne ein konkretes Vorgehen anhand einer typischen Situation.

- *Optional:* Welche Methoden, Strukturen oder Gewohnheiten haben sich für Sie bewährt (z. B. Timeboxing, Rollen, Visualisierung, Entscheidungsregeln)?
- *Optional:* Was davon legen Sie in der Vorbereitung fest, und was steuern Sie erst in der Situation?

3.2 Wie stellen Sie sicher, dass den Teilnehmenden während des Meetings klar bleibt, was in diesem Moment das eigentliche Ziel ist?

- *Optional:* Was geschieht, wenn das Ziel selbst unklar ist oder sich im Meeting als unpassend erweist?

3.3 Wie wird sicher gestellt, dass alle relevanten Informationen, die zur Erreichung des Ziels wichtig sind, zur Ansprache kommen? Woher wissen Sie, ob alle relevanten Informationen zur Ansprache kamen?

3.4 Wie entscheidend ist es, dass alle Teilnehmer zu Wort kommen?

- *Falls als relevant erachtet:* Wie stellen Sie sicher, dass alle Teilnehmer zu Wort kommen?

3.5 Worauf achten Sie, wenn Sie in das Meeting z.B. in Diskussionen eingreifen? Wie gehen Sie dabei vor?

-
- *mögliche nachfragen:* Welche Risiken gibt es wenn Sie zu früh oder zu spät eingreifen? Wie versuchen sie das Risiko zu verringern?

Anforderungen an ein KI-gestütztes Moderationssystem (RQ2)

Funktion: Offene Anforderungserhebung aus Expertensicht (Ca. 7 Minuten)

- 6.1 Stellen Sie sich ein KI-System vor, das in Remote-Meetings die Teilnehmenden dabei unterstützt zielorientiert vorzugehen. Wie sollte ein solches System aus Ihrer Sicht aussehen, wenn keine in Facilitating geschulte Person anwesend ist?
- 6.2 Welche Funktionen wären für Sie essenziell, damit das System dabei nützlich ist converget zur Entscheidung zu kommen?
- 6.3 Wie sollte dieses System agieren / intervenieren und was sollte es explizit nicht tun?
- 6.4 Welche Risiken, Schwächen oder unbeabsichtigten Auswirkungen sehen Sie, wenn ein KI-System von sich aus moderierend in Meetings einschreitet?
 - Wie könnte man diese Risiken abschwächen?
 - *Mögliche Stichwörter:* Vertrauen und Kontrolle der Gruppe; Fehlalarme; Gesichtswahrung; hierarchische Verzerrung; Datenschutz und Transparenz.
- 6.5 Welchen Einfluss hat eine persönliche Beziehung (Sympathie, Vertrauen, etc.) zwischen den Teilnehmenden und dem Facilitator auf die Zielorientierung und den Entscheidungserfolg?

Abschluss

- 7.1 Gibt es Aspekte der Zielorientierung, der Entscheidungsfindung oder der KI-Unterstützung, die wir nicht angesprochen haben und die Ihnen wichtig erscheinen?

Expected thematic clusters and coverage

The blocks are aligned with the challenges identified in the literature (Chapter 2) and with the system-design dimensions of RQ2 (detection, timing, addressee, and form of intervention). The following clusters are expected in the material; they serve as a sensitizing frame for later thematic coding, not as a closed coding scheme.

- C1 Goal clarity and structure.** Unclear or poorly communicated objectives; agenda without operational sub-goals; loss of a shared sense of “on track”. Covered by Block 2 and Block 3.
- C2 Thematic deviation and time-to-decision.** Off-topic sequences, circular discussion, delayed or avoided decisions in convergent processes (decision-making, prioritization, problem-solving). Covered by Block 2 and Block 4.
- C3 Participation, hierarchy, and group dynamics.** Unequal speaking time, dominance, reluctance to dissent, face-saving. Covered by Block 2, Block 4 (public vs. private), and Block 6.
- C4 Dynamic goals and situational uncertainty.** Goals that shift during the meeting; false assumptions; need to renegotiate the mandate. Covered by Block 2 and Block 3.
- C5 Preparation versus in-meeting facilitation.** What can be secured beforehand, and what can only be steered in situ. Covered by Block 3.
- C6 Recognizing critical moments (cues for detection).** Verbal, temporal, social, and remote-specific signals from which facilitators infer that goal orientation or decision quality is at risk. Directly informs the detection logic of RQ2 (*What? When? Who?*). Covered by Block 4.
- C7 Intervention repertoire.** Methods, structures, and habits (e.g. timeboxing, roles, visualization); choice of addressee and channel (group vs. private); tone and timing. Covered by Block 3 and Block 4.
- C8 Tool support and gaps.** How current platforms help or hinder goal orientation; missing support. Covered by Block 5.
- C9 Role, agency, and limits of an AI co-facilitator.** Proactive versus on-demand support; essential functions; undesired automation; risks of unsolicited intervention (trust, control, false positives, privacy). Covered by Block 6.



Removed from the earlier draft were biographical and attitudinal items (general opinion of online collaboration, career entry, liking the role, overall rating of online vs. in-person work). They do not contribute to RQ1 or RQ2 and consume time needed for narrative accounts of practice.