## CS4115 Project: Graph Algorithms Programming Assignment

**DueDate**: 18.00, Wed, Week13 (28<sup>th</sup> April),

**Objective:** The objective of this project is to demonstrate understanding of, and competence using, graph algorithms as discussed in lectures. Using data you have already seen from the OpenStreetMap (OSM) project that represents road distances you will be asked to answer some initially basic graph queries culminating in measuring the shortest distance between two specified nodes.

I will run your program twice: firstly on a small dataset and then on a very large dataset that will test the efficiency of your choice of data structures and algorithms. The assignment will count for 20% of your semester grade; it will be marked out of 100. For reference the marking scheme is given below.

Category	Query	Marks
File submitted		5
Clean compilation		15
Order and Size (n, m)	1	10
Degree:		
- Largest	2	5
- Average	3	5
Neighbors:		
- edge-distance 1	4	5
- edge-distance $k$	5	15
Distance:		
- Shortest Path	6	20
- Shortest Edge Count	7	20
Total		100

Table 1: Marking scheme for assignment.

Your job: The road data will be given to you in two files, country.osm.graph and country.osm.xyz. These will be exactly as the format of those referred to in Lab06's write-up. With these data you should answer the questions above.

**Data Format:** The data in the .xyz file comprises x-y coordinates<sup>1</sup> where the i<sup>th</sup> line represents the coordinates of vertex i. After comment lines at the top of country.osm.graph

<sup>&</sup>lt;sup>1</sup>Actually, z values, too, but you can ignore it.

the first line of useful data specifies the number of nodes and edges in the road network. The remainder of that file is made up of edge lists: one for each vertex, in the order 1 to n. Note that some vertices might have no neighbors.

The data was pulled from OpenStreetMap – hence the .osm in the file names – and, they appear to be all undirected. That is, both of the edges (u, v) and (v, u) are listed, once on u's adjacency list and again, later, on v's.

You should represent your graph in the *formatz* representation. That is, instead of thinking of representing the graph as n  $n \times n$ -matrix where almost all of the entries are unused, use *formatz*. Each vertex can store its neighbors as a linked list and since every vertex will have *some* neighbors you can do this with a vector. So the graph is represented as a vector of linked lists  $\grave{a}$  la formatz.

You should then open for reading the files country.osm.graph and country.osm.xyz where country will have been read from standard input (the keyboard). Be prepared for this string to be a file path such as something like /home/cs4115/labs/lab06/italy, to which you would append .osm.graph and .osm.xyz.

**Graph Queries:** Having read the graph and represented it internally you are now ready to answer the above questions. Some queries require input, either a vertex (for the two "Neighbors" and "Distance" queries) and an additional value k for collecting vertices edge-distance k away. Read these as ints from stdin as you need them. So the input to the program could be

```
/home/cs4115/labs/lab06/italy
34  # vertex 34
27 4  # nbrs of vertex 27, 4 hops away
29 11  # SP(29,11)
38 6  # SP(38,6) but by edges, not xy dist
```

Some points regarding the expected output. You should

- answer them in the exact order you see above with no directions from the user
- no extraneous output text<sup>2</sup>, just the facts
- for outputs requiring floating point values (average degree and shortest path are the only two) please round them to 6 decimal places
- for outputs requiring lists (neighbors, etc.) please order the output smallest to largest sorry, handin again.

Sample Data: In the class directory ~cs4115/proj/proj1 you will find streets, a sample executable. This will be the reference for any questions regarding formatting of output. Match streets' output and you will be marked correct by handin. There are several tests cases in this directory, also. They are all named with the .in suffix; the corresponding output is in a file with suffix .out.

As time proceeds I will be posting and updating a FAQ that answers **your** questions. Good luck.

<sup>&</sup>lt;sup>2</sup>I'm hoping to automate the grading of these using something akin to handin.