Orthogonal Transformations

- spatial relationships in 3D

Def – An $n \times n$ matrix A is an orthogonal transformation I.F.F (if and only if)

- It has n mutually perpendicular rows or columns with unit length
  - $\perp$ rows must be independent (can't be multiples of each other)

ex $\begin{bmatrix} 1 & 2 \\ 3 & 6 \end{bmatrix}$ → linearly dependent

$\begin{bmatrix} 1 & 2 \\ 2 & 6 \end{bmatrix}$ → independent but not $\perp$

  - to be perpendicular, the dot product must be 0

dot product: $x \cdot y = \sum_{i=1}^{n} x_i y_i$

$x \cdot y = 0 \longleftrightarrow x \perp y$ (perp.)

  - rows/colums must have unit length

↳ $\|x\| = \sqrt{\sum_i^n x_i^2} = \sqrt{x \cdot x}$

- The rows or columns of A form an orthonormal basis of $\mathbb{R}^n$
  - basic for space – set of vectors that can combine to create any vector in a space
  - basically first point with more words

- $AA^T = A^T A = I$ ⇝ transpose $[\,]^T$ switches the rows and columns
- $A^{-1} = A^T$

ex: $\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix}^T = \begin{bmatrix} 1 & 4 \\ 2 & 5 \\ 3 & 6 \end{bmatrix}$

* More about transpose on next page


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39

This is written in pencil

Also sharpie

Red pen

Black pen

Green pen

Mechanical pencil

Dull Pencil