



Comment	Description Generic Capacitor,	Designator	Footprint	LibRef	Quantity
	credits for 3D models: Mike			CMP- e3upc6arffzvpl01p	
10*uF	Tripoli	C1	C0603	іуу-8	
	Generic Capacitor,	C2, C3, C4, C7, C8,		CMP-	
	credits for 3D models: Mike	C11, C12, C14, C15, C17, C20,		e3upc6qrffzvpl01p	
0.1*uF	Tripoli 1uF Solid MnO2	C23, C24, C26, C27	C0603	iyy-8	'
	Tantalum Electrolytic				
KEMET	Capacitor; 35 V dc +/-10%; T491		PCB- rufcymyklsjsmb7p	CMP- adcf64c4c6c97208-	
T491B105K035AT	Series Capacitor;	C5, C6	hwvw-1	1	
	Aluminum Electrolytic; Cap				
Panasonic EEU-	470uF; Tol 20%; Vol-Rtg 25 VDC;			CMP- 6b23a0732647b4e	
FM1E471L	Radial	C9, C18, C21	Capacitor	4-2	
	Generic Capacitor, credits for 3D models: Mike			CMP-	
100*nF	Tripoli	C10, C16, C22, C28, C31	C0603	e3upc6qrffzvpl01p iyy-8	
	Generic Capacitor, credits for 3D			CMP-	
22*nF	models: Mike Tripoli	C13, C19, C25	C0603	e3upc6qrffzvpl01p iyy-8	
	Generic Capacitor, credits for 3D			CMP-	
22*uF	models: Mike Tripoli	C29, C32	C1206	e3upc6qrffzvpl01p iyy-8	
	Generic Capacitor, credits for 3D			CMP-	
10*uF	models: Mike Tripoli	C30, C33	C1206	e3upc6qrffzvpl01p iyy-8	
	Проп	con1, con2, con3,	PCB-	CMP-	
connection pad 2X3mm	pad 2x3 mm	con4, con5, con6, con7, con8	iixc5vzsv9s8qf0jyea m-1	n8eq51q9ya5cjkg6 imn5-3	
	Led; 0603 Smt Led,				
	Green, Alingap, Water Clear Lens,		PCB-	CMP-	
Dialight 598-8070- 107F	140 Deg Viewing Angle	D1, D2, D3	9uwk2xd6chnjs8e hct7l-1	ec4c254b98bc338b 4	
	Conn Micro USB				
	RCP 5 POS 0.65mm Solder RA SMD 5		PCB-	CMP-	
FCI 10118192- 0001LF	Terminal 1 Port		y6z8giaxv9oe4jobi	5fe6964cc67c8021-	
0001LF	Embossed T/R Inductor Power	21	fng-1	,	
	Shielded/Molded Wirewound 5.6uH				
	20% 100KHz Powdered Iron		PCB-	CMP-	
Bourns SRP5030T- 5R6M	4.25A 63mOhm DCR T/R	L1	hdjvyscrw6xn5uzu 8eff-1	6d6ca5f0d7c8b2ab 1	
	Conn FEC				
	Connector F 4 POS 1.27mm Solder ST		PCB-	CMP-	
TE Connectivity / AMP 215079-4	Thru-Hole Automotive Reel	P1, P3, P4, P5, P6	rkob87su0l0zzh8rv	6d83a490a6f7b244	
	CLEAR GLOVE BX	F1, F3, F4, F3, F0		3	
Samtec FTSH-105- 01-L-D	100 M - More Details	P2	PINHEAD_2X05_12 7	CMP-667845-3	
	MOSFET Transistor, P				
ON Semiconductor	Channel, -40 A, - 30 V, 0.014 ohm, -		INF-PG-TO252-3-	CMP- 1302df0e83a1ccc5-	
FDD6685	10 V, -1.8 V Generic Resistor,	Q1	11_M	2	
	EU symbol, credits for 3D models:			CMP- rbfzudi508nk54pa	
5.1K	Mike Tripoli Generic Resistor,	R1, R2, R19	R0603	np5s-4	
	EU symbol, credits for 3D models:	R3, R7, R8, R12,		CMP- rbfzudi508nk54pa	
10K	Mike Tripoli	R18	R0603	np5s-4	
	Generic Resistor, EU symbol, credits			CMP- rbfzudi508nk54pa	
100K	for 3D models: Mike Tripoli	R4, R5, R9, R10, R13, R14	R0603	np5s-4	
	Generic Resistor, EU symbol, credits			CMP-	
1.5K	for 3D models: Mike Tripoli	R6, R11, R15	R0603	rbfzudi508nk54pa np5s-4	
	Generic Resistor, EU symbol, credits			CMP-	
30	for 3D models: Mike Tripoli	R16	R0603	rbfzudi508nk54pa np5s-4	
-	Generic Resistor, EU symbol, credits	ļ -		CMP-	
52.3K	for 3D models: Mike Tripoli	R17	R0603	rbfzudi508nk54pa	
JE.JR	500 mA Low	/		np5s-4	
LM2937IMP-	Dropout Regulator, 4-pin	L	l		
5.0/NOPB	SOT-223, Pb-Free USBLC6 Series 2	U1	MP04A_L	CMP-0062-01757-3	
	Line 6 V Uni / Bi- Directional ESD			CMP-	
STMicroelectronics USBLC6-2SC6	Protection - SOT- 23-6	U2	SOT95P280X145- 6N	756ebe39126caaa9 8	
	High Speed, Robust FMC Six-				
Texas Instruments	Channel Digital Isolators 16-SOIC -		PCB- tizc0j283js4s37wu	CMP- 7f8db395d75da04	
ISO7760DWR	55 to 125	U3	a64-1	a-1	
	2 ?A Low-Dropout Positive Voltage				
	Regulator, 3-Pin SOT-23A,				
MCP1701AT-	Industrial Temperature, Tape and Reel	l	L		
3302I/CB	Mainstream Arm	U4	SOT-23A-CB3_L PCB-	CMP-1501331-2 CMP-	
STMicroelectronics STM32G431K8T6	CORTEX-M4 Core Wi	U5	roa9pse9auixlf5bq 7cm-1	333afc1f6528ecfd- 2	
31113204311010					
	38-V, 6-A H-bridge				
	motor driver with integrated current		ncn.	cur.	
Texas Instruments	sensing & feedback 16-	L	PCB- 45171vetpwtrcknir	CMP- 1fd4d0c2f6c9c013-	
DRV8874PWPR	HTSSOP -40 to 125 General Purpose	U6, U7, U8	443-1	/	
	tal Isolator 2500Vrms 2				
	Channel 150Mbps 35kV/µs CMTI 8-		PCB-	CMP-	
SYM-		i .	426hnsna86ae4ms	11cfd913bf49ce08-	1
SYM- 11cfd913bf49ce08- 1	SOIC (0.154 , 3.90mm Width)	U9	1a3g5-1	1	









LOGANG FOR LIFE <3

1 1

LOGANG FOR LIFE <3

1 1

