TITLE

Steph Reinke, Olivia Fu, Srika Gopal

October 19, 2025

- 1 Background and Motivation
- 2 Data and Exploratory Analysis
- 3 Model Rationale, Implementation, and Evaluation
- 3.1 Rationale & Selection
- 3.2 Implementation
- 3.3 Evaluation
- 4 Results
- 5 Limitations and Conclusion

6 Appendix




Figure 1: CAPTION


Table 1: CAPTION

term	estimate	std.error	statistic	p.value	conf.low	conf.high
(Intercept)	-1.077	0.104	-10.400	0.000	-1.284	-0.877
ScenarioS2	-0.099	0.148	-0.667	0.505	-0.390	0.192
ScenarioS3	-1.037	0.179	-5.810	0.000	-1.394	-0.693
ScenarioS4	-1.195	0.186	-6.413	0.000	-1.568	-0.836


Table 2: CAPTION

Scenario	predicted_prob
S1	0.254
S2	0.236
S3	0.108
S4	0.093

Residuals



Random Effects



Residuals vs Fitted ValuesResiduals by Scenario Residuals by Region 2 2 2 Residuals Residuals Residuals -2 -2 -2 -500500 S1 S2 S3 **S4** Central North South Fitted values Scenario Region

```
Scenario emmean
                      SE df lower.CL upper.CL t.ratio p.value
                                -67.0
                                         24.80
                                                -0.909 0.3650
##
   S1
              -21.1 23.2 140
   S2
               64.6 24.1 140
                                 16.9
                                        112.36
                                                 2.679 0.0083
##
   S3
              -41.1 25.8 140
                                -92.1
                                                -1.591 0.1138
                                          9.95
              110.7 26.9 140
                                 57.5
##
   S4
                                        163.87
                                                 4.113 0.0001
##
## Results are averaged over the levels of: region
## Degrees-of-freedom method: containment
## Results are given on the ( (not the response) scale.
## Confidence level used: 0.95
## region = Central:
                      SE df lower.CL upper.CL t.ratio p.value
##
   Scenario emmean
               93.5 39.0 142
                                 16.4
                                           171
                                                 2.397 0.0178
##
   S2
                                 85.3
##
              164.5 40.1 142
                                           244
                                                 4.105 0.0001
##
   S3
              120.9 41.2 142
                                 39.4
                                           202
                                                 2.932 0.0039
   S4
              237.5 41.8 142
                                154.8
                                           320
                                                 5.677
##
                                                        <.0001
##
## region = North:
                      SE df lower.CL upper.CL t.ratio p.value
   Scenario emmean
##
##
             -462.4 51.7 140
                               -564.7
                                          -360
                                                -8.943 <.0001
##
   S2
             -292.3 54.6 140
                               -400.2
                                          -184
                                                -5.353 <.0001
##
   S3
             -477.7 52.7 140
                               -582.0
                                          -373
                                                -9.059
                                                       <.0001
             -292.9 56.1 140
                               -403.7
                                          -182 -5.224 <.0001
##
   S4
##
## region = South:
```

Scenario emmean

SE df lower.CL upper.CL t.ratio p.value

```
305.6 25.6 140
                               255.0
                                          356 11.942 <.0001
##
    S1
##
    S2
              321.8 25.6 140
                               271.1
                                          372 12.560 <.0001
              233.6 38.9 140
                               156.7
                                                6.008 <.0001
    S3
##
                                          310
##
    S4
              387.4 40.3 140
                               307.8
                                          467
                                                9.616 <.0001
```

Degrees-of-freedom method: containment

Results are given on the ((not the response) scale.

Confidence level used: 0.95

