TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Male
Time variable:            timetodeath_rev
Response variable:        instrumental_bi
Response distribution:    Binary (Logistic)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        5
Degree for splines:       3
Number of observations used:         27484
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Pseudo log-likelihood (less negative=better fit):         -75357.534
Pseudo-likelihood AIC (smaller=better fit):               150737.068
Pseudo-likelihood BIC (smaller=better fit):               150827.499
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	5.5441	0.5385


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
6
4
2
0
-2
-250
-200
-150
-100
-50
0
timetodeath_rev


Odds Ratio and 95% Confidence Band for Covariate: intercept
Odds Ratio of intercept
300
200
100
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                   WORK.Male
Time variable:             timetodeath_rev
Response variable:         instrumental_bi
Response distribution:     Binary (Logistic)
Random effects:            Intercept
Time-varying effects:      intercept
Knots for splines:         4
Degree for splines:        3
Number of observations used:         27484
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Pseudo log-likelihood (less negative=better fit):         -75342.502
Pseudo-likelihood AIC (smaller=better fit):               150705.003
Pseudo-likelihood BIC (smaller=better fit):               150787.214
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	5.5412	0.5381


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
6
4
2
0
-2
-250
-200
-150
-100
-50
0
timetodeath_rev


Odds Ratio and 95% Confidence Band for Covariate: intercept
Odds Ratio of intercept
250
200
150
100
50
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                   WORK.Male
Time variable:             timetodeath_rev
Response variable:         instrumental_bi
Response distribution:     Binary (Logistic)
Random effects:            Intercept
Time-varying effects:      intercept
Knots for splines:         3
Degree for splines:        3
Number of observations used:         27484
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Pseudo log-likelihood (less negative=better fit):         -75304.506
Pseudo-likelihood AIC (smaller=better fit):               150627.012
Pseudo-likelihood BIC (smaller=better fit):               150701.002
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	5.5268	0.5365


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
4
2
0
-2
-250
-200
-150
-100
-50
0
timetodeath_rev


Odds Ratio and 95% Confidence Band for Covariate: intercept
Odds Ratio of intercept
200
150
100
50
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Male
Time variable:            timetodeath_rev
Response variable:        instrumental_bi
Response distribution:    Binary (Logistic)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        2
Degree for splines:       3
Number of observations used:         27484
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Pseudo log-likelihood (less negative=better fit):         -75198.025
Pseudo-likelihood AIC (smaller=better fit):               150412.050
Pseudo-likelihood BIC (smaller=better fit):               150477.820
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	5.5165	0.5350


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
4
2
0
-2
-250
-200
-150
-100
-50
0
timetodeath_rev


Odds Ratio and 95% Confidence Band for Covariate: intercept
Odds Ratio of intercept
125
100
75
50
25
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                   WORK.Male
Time variable:             timetodeath_rev
Response variable:         instrumental_bi
Response distribution:     Binary (Logistic)
Random effects:            Intercept
Time-varying effects:      intercept
Knots for splines:         1
Degree for splines:        3
Number of observations used:         27484
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Pseudo log-likelihood (less negative=better fit):         -75151.293
Pseudo-likelihood AIC (smaller=better fit):               150316.586
Pseudo-likelihood BIC (smaller=better fit):               150374.134
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	5.4808	0.5310


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
4
2
0
-2
-250
-200
-150
-100
-50
0
timetodeath_rev


Odds Ratio and 95% Confidence Band for Covariate: intercept
Odds Ratio of intercept
80
60
40
20
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Male
Time variable:            timetodeath_rev
Response variable:        intrinsic3
Response distribution:    Normal (Gaussian)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        5
Degree for splines:       3
Number of observations used:         27265
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Log-likelihood (less negative=better fit):                -95522.461
AIC (smaller=better fit):                                 191066.922
BIC (smaller=better fit):                                 191157.266
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	139.15	12.3230
2	Residual		61.5394	0.5297


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
80
60
40
20
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Male
Time variable:            timetodeath_rev
Response variable:        intrinsic3
Response distribution:    Normal (Gaussian)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        4
Degree for splines:       3
Number of observations used:         27265
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Log-likelihood (less negative=better fit):                -95520.242
AIC (smaller=better fit):                                 191060.484
BIC (smaller=better fit):                                 191142.614
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	139.15	12.3235
2	Residual		61.5269	0.5296


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
80
60
40
20
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Male
Time variable:            timetodeath_rev
Response variable:        intrinsic3
Response distribution:    Normal (Gaussian)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        3
Degree for splines:       3
Number of observations used:         27265
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Log-likelihood (less negative=better fit):                -95522.979
AIC (smaller=better fit):                                 191063.959
BIC (smaller=better fit):                                 191137.876
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	139.15	12.3236
2	Residual		61.5371	0.5297


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
80
60
40
20
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                   WORK.Male
Time variable:             timetodeath_rev
Response variable:         intrinsic3
Response distribution:     Normal (Gaussian)
Random effects:            Intercept
Time-varying effects:      intercept
Knots for splines:         2
Degree for splines:        3
Number of observations used:         27265
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Log-likelihood (less negative=better fit):                 -95530.992
AIC (smaller=better fit):                                  191077.983
BIC (smaller=better fit):                                  191143.688
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	139.20	12.3270
2	Residual		61.5714	0.5300


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
80
60
40
20
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                   WORK.Male
Time variable:             timetodeath_rev
Response variable:         intrinsic3
Response distribution:     Normal (Gaussian)
Random effects:            Intercept
Time-varying effects:      intercept
Knots for splines:         1
Degree for splines:        3
Number of observations used:         27265
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Log-likelihood (less negative=better fit):                 -95535.312
AIC (smaller=better fit):                                  191084.624
BIC (smaller=better fit):                                  191142.116
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	139.13	12.3216
2	Residual		61.5899	0.5301


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
100
80
60
40
20
0
-250
-200
-150
-100
-50
0
timetodeath_rev