TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Female
Time variable:            timetodeath_rev
Response variable:        instrumental_bi
Response distribution:    Binary (Logistic)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        5
Degree for splines:       3
Number of observations used:         55024
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Pseudo log-likelihood (less negative=better fit):        -178759.881
Pseudo-likelihood AIC (smaller=better fit):               357541.762
Pseudo-likelihood BIC (smaller=better fit):               357639.831
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	8.5952	0.6256


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
6
4
2
0
-2
-4
-250
-200
-150
-100
-50
0
timetodeath_rev


Odds Ratio and 95% Confidence Band for Covariate: intercept
Odds Ratio of intercept
1200
1000
800
600
400
200
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                   WORK.Female
Time variable:             timetodeath_rev
Response variable:         instrumental_bi
Response distribution:     Binary (Logistic)
Random effects:            Intercept
Time-varying effects:      intercept
Knots for splines:         4
Degree for splines:        3
Number of observations used:         55024
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Pseudo log-likelihood (less negative=better fit):        -178775.045
Pseudo-likelihood AIC (smaller=better fit):               357570.089
Pseudo-likelihood BIC (smaller=better fit):               357659.243
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	8.5883	0.6249


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
6
4
2
0
-2
-4
-250
-200
-150
-100
-50
0
timetodeath_rev


Odds Ratio and 95% Confidence Band for Covariate: intercept
Odds Ratio of intercept
1000
800
600
400
200
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                   WORK.Female
Time variable:             timetodeath_rev
Response variable:         instrumental_bi
Response distribution:     Binary (Logistic)
Random effects:            Intercept
Time-varying effects:      intercept
Knots for splines:         3
Degree for splines:        3
Number of observations used:         55024
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Pseudo log-likelihood (less negative=better fit):        -178707.630
Pseudo-likelihood AIC (smaller=better fit):               357433.260
Pseudo-likelihood BIC (smaller=better fit):               357513.499
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	8.5785	0.6238


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
6
4
2
0
-2
-4
-250
-200
-150
-100
-50
0
timetodeath_rev


Odds Ratio and 95% Confidence Band for Covariate: intercept
Odds Ratio of intercept
800
600
400
200
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                   WORK.Female
Time variable:             timetodeath_rev
Response variable:         instrumental_bi
Response distribution:     Binary (Logistic)
Random effects:            Intercept
Time-varying effects:      intercept
Knots for splines:         2
Degree for splines:        3
Number of observations used:         55024
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Pseudo log-likelihood (less negative=better fit):        -178697.154
Pseudo-likelihood AIC (smaller=better fit):               357410.307
Pseudo-likelihood BIC (smaller=better fit):               357481.631
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	8.5412	0.6207


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
6
4
2
0
-2
-4
-250
-200
-150
-100
-50
0
timetodeath_rev


Odds Ratio and 95% Confidence Band for Covariate: intercept
Odds Ratio of intercept
600
500
400
300
200
100
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Female
Time variable:            timetodeath_rev
Response variable:        instrumental_bi
Response distribution:    Binary (Logistic)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        1
Degree for splines:       3
Number of observations used:         55024
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Pseudo log-likelihood (less negative=better fit):        -178634.813
Pseudo-likelihood AIC (smaller=better fit):               357283.626
Pseudo-likelihood BIC (smaller=better fit):               357346.034
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	8.4929	0.6166


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
6
4
2
0
-2
-4
-250
-200
-150
-100
-50
0
timetodeath_rev


Odds Ratio and 95% Confidence Band for Covariate: intercept
Odds Ratio of intercept
500
400
300
200
100
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Female
Time variable:            timetodeath_rev
Response variable:        intrinsic3
Response distribution:    Normal (Gaussian)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        5
Degree for splines:       3
Number of observations used:         53782
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Log-likelihood (less negative=better fit):               -188543.973
AIC (smaller=better fit):                                 377109.945
BIC (smaller=better fit):                                 377207.763
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	151.45	9.9334
2	Residual		61.9282	0.3794


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
80
60
40
20
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Female
Time variable:            timetodeath_rev
Response variable:        intrinsic3
Response distribution:    Normal (Gaussian)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        4
Degree for splines:       3
Number of observations used:         53782
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Log-likelihood (less negative=better fit):               -188544.300
AIC (smaller=better fit):                                 377108.601
BIC (smaller=better fit):                                 377197.526
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	151.45	9.9330
2	Residual		61.9285	0.3794


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
80
60
40
20
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Female
Time variable:            timetodeath_rev
Response variable:        intrinsic3
Response distribution:    Normal (Gaussian)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        3
Degree for splines:       3
Number of observations used:         53782
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Log-likelihood (less negative=better fit):               -188551.516
AIC (smaller=better fit):                                 377121.032
BIC (smaller=better fit):                                 377201.065
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	151.48	9.9346
2	Residual		61.9447	0.3795


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
80
60
40
20
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Female
Time variable:            timetodeath_rev
Response variable:        intrinsic3
Response distribution:    Normal (Gaussian)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        2
Degree for splines:       3
Number of observations used:         53782
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Log-likelihood (less negative=better fit):               -188548.954
AIC (smaller=better fit):                                 377113.907
BIC (smaller=better fit):                                 377185.048
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	151.46	9.9334
2	Residual		61.9386	0.3794


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
80
60
40
20
0
-250
-200
-150
-100
-50
0
timetodeath_rev

TVEM Macro Output Summary

```
================================================================
Time-Varying Effects Modeling (TVEM) Macro Output
================================================================
Dataset:                  WORK.Female
Time variable:            timetodeath_rev
Response variable:        intrinsic3
Response distribution:    Normal (Gaussian)
Random effects:           Intercept
Time-varying effects:     intercept
Knots for splines:        1
Degree for splines:       3
Number of observations used:         53782
Internal computations in PROC GLIMMIX converged successfully.
================================================================
Log-likelihood (less negative=better fit):               -188561.042
AIC (smaller=better fit):                                 377136.085
BIC (smaller=better fit):                                 377198.333
================================================================
The estimated coefficient functions are stored in the dataset tvem_plot_data.
================================================================
```

Covariance Parameters

Obs	CovParm	Subject	Estimate	StdErr
1	Intercept	STUDYID	151.72	9.9505
2	Residual		61.9657	0.3796


Coefficient Curve and 95% Confidence Band for Covariate: intercept
Coefficient of intercept
80
60
40
20
0
-250
-200
-150
-100
-50
0
timetodeath_rev