Lab 8: Data Augmentation

Olivier Binette

Friday October 9, 2020

Agenda

- Problem statement
- Go through the lab's tasks
- Office hours

Problem statement

Problem statement

Data points $Y_1, Y_2, \ldots, Y_n$ coming from a **mixture model**:

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2).$$

What does this mean?

For every data point:

- let Z_i be a random variable such that $\mathbb{P}(Z_i = j) = w_j$ for $j = 1, 2, 3,$
- let $Y_i \mid Z_i \sim N(\mu_{Z_i}, \varepsilon^2)$.

Problem statement

Data points $Y_1, Y_2, \ldots, Y_n$ coming from a **mixture model**:

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2).$$

What does this mean?

For every data point:

- let Z_i be a random variable such that $\mathbb{P}(Z_i = j) = w_j$ for $j = 1, 2, 3$,
- let $Y_i \mid Z_i \sim N(\mu_{Z_i}, \varepsilon^2)$.

Problem statement

Data points $Y_1, Y_2, \ldots, Y_n$ coming from a **mixture model**:

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2).$$

What does this mean?

For every data point:

- let Z_i be a random variable such that $\mathbb{P}(Z_i = j) = w_j$ for $j = 1, 2, 3,$
- let $Y_i \mid Z_i \sim N(\mu_{Z_i}, \varepsilon^2)$.

Problem statement

Data points $Y_1, Y_2, \ldots, Y_n$ coming from a **mixture model**:

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2).$$

What does this mean?

For every data point:

- let Z_i be a random variable such that $\mathbb{P}(Z_i = j) = w_j$ for $j = 1, 2, 3$,
- let $Y_i \mid Z_i \sim N(\mu_{Z_i}, \varepsilon^2)$.

Problem statement

Data points $Y_1, Y_2, \ldots, Y_n$ coming from a **mixture model**:

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2).$$

What does this mean?

For every data point:

- let Z_i be a random variable such that $\mathbb{P}(Z_i = j) = w_j$ for $j = 1, 2, 3,$
- let $Y_i \mid Z_i \sim N(\mu_{Z_i}, \varepsilon^2)$.

Problem statement

Data points $Y_1, Y_2, \ldots, Y_n$ coming from a **mixture model**:

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2).$$

What does this mean?

For every data point:

- let Z_i be a random variable such that $\mathbb{P}(Z_i = j) = w_j$ for $j = 1, 2, 3,$
- let $Y_i \mid Z_i \sim N(\mu_{Z_i}, \varepsilon^2)$.

Problem statement

In other words:

$$p(Y_i \mid w_{1:3}, \mu_{1:3}, \varepsilon^2) = \sum_{j=1}^{3} w_j N(Y_i; \mu_j, \varepsilon^2)$$

and

$$p(Y_i \mid Z_i, w_{1:3}, \mu_{1:3}, \varepsilon^2) = N(Y_i; \mu_{Z_i}, \varepsilon^2)$$

Problem statement

Let's see what this mixture model could look like in an example.

Let $\mu_1 = -5$, $\mu_2 = 0$ and $\mu_3 = 5$, and let $\varepsilon = 1$. Let $w_j = 1/3$ for $j = 1, 2, 3$.

Now let's generate data from the mixture model:

```
n = 100
mu = c(-5, 0, 5)

Z = sample(1:3, size=n, replace=TRUE)
Y = rnorm(n, mean=mu[Z], sd=1)

hist(Y, breaks=20)
```

Problem statement

Let's see what this mixture model could look like in an example.

Let $\mu_1 = -5$, $\mu_2 = 0$ and $\mu_3 = 5$, and let $\varepsilon = 1$. Let $w_j = 1/3$ for $j = 1, 2, 3$.

Now let's generate data from the mixture model:

```
n = 100
mu = c(-5, 0, 5)

Z = sample(1:3, size=n, replace=TRUE)
Y = rnorm(n, mean=mu[Z], sd=1)

hist(Y, breaks=20)
```

Problem statement

Let's see what this mixture model could look like in an example.

Let $\mu_1 = -5$, $\mu_2 = 0$ and $\mu_3 = 5$, and let $\varepsilon = 1$. Let $w_j = 1/3$ for $j = 1, 2, 3$.

Now let's generate data from the mixture model:

```r
n = 100
mu = c(-5, 0, 5)

Z = sample(1:3, size=n, replace=TRUE)
Y = rnorm(n, mean=mu[Z], sd=1)

hist(Y, breaks=20)
```

Problem statement



Problem statement

We have the model

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2),$$

now we need priors on the unknown parameters μ_j, w_j and ε.

Priors

For the means:

$$\begin{aligned} \mu_j \mid \mu_0, \sigma_0 &\sim N(\mu_0, \sigma_0^2) \\ \mu_0 &\sim N(0, 3) \\ \sigma_0^2 &\sim IG(2, 2) \end{aligned}$$

and recall that $\sigma_0^2 \sim IG(2, 2)$ means that $\phi_0 = 1/\sigma_0^2 \sim \text{Gamma}(2, 2)$.

Problem statement

We have the model

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2),$$

now we need priors on the unknown parameters μ_j, w_j and ε.

Priors

For the means:

$$\begin{aligned} \mu_j \mid \mu_0, \sigma_0 &\sim N(\mu_0, \sigma_0^2) \\ \mu_0 &\sim N(0, 3) \\ \sigma_0^2 &\sim IG(2, 2) \end{aligned}$$

and recall that $\sigma_0^2 \sim IG(2, 2)$ means that $\phi_0 = 1/\sigma_0^2 \sim \text{Gamma}(2, 2)$.

Problem statement

We have the model

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2),$$

now we need priors on the unknown parameters μ_j, w_j and ε.

Priors

For the means:

$$\mu_j \mid \mu_0, \sigma_0 \sim N(\mu_0, \sigma_0^2)$$
$$\mu_0 \sim N(0, 3)$$
$$\sigma_0^2 \sim IG(2, 2)$$

and recall that $\sigma_0^2 \sim IG(2, 2)$ means that $\phi_0 = 1/\sigma_0^2 \sim \text{Gamma}(2, 2)$.

Problem statement

We have the model

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2),$$

now we need priors on the unknown parameters μ_j, w_j and ε.

Priors

For the means:

$$\begin{aligned} \mu_j \mid \mu_0, \sigma_0 &\sim N(\mu_0, \sigma_0^2) \\ \mu_0 &\sim N(0, 3) \\ \sigma_0^2 &\sim IG(2, 2) \end{aligned}$$

and recall that $\sigma_0^2 \sim IG(2, 2)$ means that $\phi_0 = 1/\sigma_0^2 \sim \text{Gamma}(2, 2)$.

Problem statement

We have the model

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2),$$

now we need priors on the unknown parameters μ_j, w_j and ε.

Priors

For the means:

$$\begin{aligned} \mu_j \mid \mu_0, \sigma_0 &\sim N(\mu_0, \sigma_0^2) \\ \mu_0 &\sim N(0, 3) \\ \sigma_0^2 &\sim IG(2, 2) \end{aligned}$$

and recall that $\sigma_0^2 \sim IG(2, 2)$ means that
$\phi_0 = 1/\sigma_0^2 \sim \text{Gamma}(2, 2)$.

Problem statement

We have the model

$$Y_i \sim \sum_{j=1}^{n} w_j N(\mu_j, \varepsilon^2),$$

now we need priors on the unknown parameters μ_j, w_j and ε.

Priors

For the means:

$$\begin{aligned} \mu_j \mid \mu_0, \sigma_0 &\sim N(\mu_0, \sigma_0^2) \\ \mu_0 &\sim N(0, 3) \\ \sigma_0^2 &\sim IG(2, 2) \end{aligned}$$

and recall that $\sigma_0^2 \sim IG(2, 2)$ means that $\phi_0 = 1/\sigma_0^2 \sim \text{Gamma}(2, 2)$.

Problem statement

Priors

For the mixture weights:

$$(w_1, w_2, w_3) \sim \text{Dirichlet}(\mathbf{1})$$

which means that $p(w_1, w_2, w_3) \propto 1$.

Recall that, in general,

$$(w_1, w_2, w_3) \sim \text{Dirichlet}(\alpha_1, \alpha_2, \alpha_3)$$
$$\Rightarrow p(w_1, w_2, w_3) \propto w_1^{\alpha_1 - 1} w_2^{\alpha_2 - 1} w_3^{\alpha_3 - 1}.$$

Problem statement

Priors

For the mixture weights:

$$(w_1, w_2, w_3) \sim \text{Dirichlet}(\mathbf{1})$$

which means that $p(w_1, w_2, w_3) \propto 1$.

Recall that, in general,

$$(w_1, w_2, w_3) \sim \text{Dirichlet}(\alpha_1, \alpha_2, \alpha_3)$$
$$\Rightarrow p(w_1, w_2, w_3) \propto w_1^{\alpha_1 - 1} w_2^{\alpha_2 - 1} w_3^{\alpha_3 - 1}.$$

Problem statement

Priors

For the mixture weights:

$$(w_1, w_2, w_3) \sim \text{Dirichlet}(\mathbf{1})$$

which means that $p(w_1, w_2, w_3) \propto 1$.

Recall that, in general,

$$\begin{aligned} &(w_1, w_2, w_3) \sim \text{Dirichlet}(\alpha_1, \alpha_2, \alpha_3) \\ \Rightarrow &p(w_1, w_2, w_3) \propto w_1^{\alpha_1 - 1} w_2^{\alpha_2 - 1} w_3^{\alpha_3 - 1}. \end{aligned}$$

Problem statement

Priors

For the variance:

$$\varepsilon^2 \sim IG(2, 2)$$

This means that

$$\tau = 1/\varepsilon^2 \sim \text{Gamma}(2, 2)$$

Problem statement

Priors

For the variance:

$$\varepsilon^2 \sim IG(2, 2)$$

This means that

$$\tau = 1/\varepsilon^2 \sim \text{Gamma}(2, 2)$$

Problem statement

In summary,

$$
\begin{aligned}
p(Y_i|\mu_1, \mu_2, \mu_3, w_1, w_2, w_3, \tau) &= \sum_{j=1}^{3} w_i N(\mu_j, \tau^{-1}) \\
\mu_j|\mu_0, \sigma_0^2 &\sim N(\mu_0, \phi_0^{-1}) \\
\mu_0 &\sim N(0, 3) \\
\phi_0 &\sim \text{Gamma}(2, 2) \\
(w_1, w_2, w_3) &\sim \mathit{Dirichlet}(\mathbf{1}) \\
\tau &\sim \text{Gamma}(2, 2),
\end{aligned}
$$

for $i = 1, \ldots n$.

Task 1

Derive the joint posterior $p(w_1, w_2, w_3, \mu_1, \mu_2, \mu_3, \varepsilon^2, \mu_0, \sigma_0^2 | Y_{1:N})$ up to a normalizing constant.

Let's do the derivations using $\tau = 1/\varepsilon^2$ and $\phi_0 = 1/\sigma_0^2$.

The posterior distribution is always proportional to the full joint distribution:

$$
\begin{aligned}
& p(Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(w_{1:3}) p(\tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
=& \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau).
\end{aligned}
$$

Task 1

Derive the joint posterior $p(w_1, w_2, w_3, \mu_1, \mu_2, \mu_3, \varepsilon^2, \mu_0, \sigma_0^2 | Y_{1:N})$ up to a normalizing constant.

Let's do the derivations using $\tau = 1/\varepsilon^2$ and $\phi_0 = 1/\sigma_0^2$.

The posterior distribution is always proportional to the full joint distribution:

$$
\begin{aligned}
&p(Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=&p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=&p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(w_{1:3}) p(\tau) \\
=&p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
=&\left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0) p(\phi_0) p(\tau).
\end{aligned}
$$

Task 1

Derive the joint posterior $p(w_1, w_2, w_3, \mu_1, \mu_2, \mu_3, \varepsilon^2, \mu_0, \sigma_0^2 | Y_{1:N})$ up to a normalizing constant.

Let's do the derivations using $\tau = 1/\varepsilon^2$ and $\phi_0 = 1/\sigma_0^2$.

The posterior distribution is always proportional to the full joint distribution:

$$
\begin{aligned}
& p(Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(w_{1:3}) p(\tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
=& \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau).
\end{aligned}
$$

Task 1

Derive the joint posterior $p(w_1, w_2, w_3, \mu_1, \mu_2, \mu_3, \varepsilon^2, \mu_0, \sigma_0^2 | Y_{1:N})$ up to a normalizing constant.

Let's do the derivations using $\tau = 1/\varepsilon^2$ and $\phi_0 = 1/\sigma_0^2$.

The posterior distribution is always proportional to the full joint distribution:

$$
\begin{aligned}
&p(Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=&p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=&p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(w_{1:3}) p(\tau) \\
=&p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
=&\left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0) p(\phi_0) p(\tau).
\end{aligned}
$$

Task 1

Derive the joint posterior $p(w_1, w_2, w_3, \mu_1, \mu_2, \mu_3, \varepsilon^2, \mu_0, \sigma_0^2 | Y_{1:N})$ up to a normalizing constant.

Let's do the derivations using $\tau = 1/\varepsilon^2$ and $\phi_0 = 1/\sigma_0^2$.

The posterior distribution is always proportional to the full joint distribution:

$$
\begin{aligned}
& p(Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(w_{1:3}) p(\tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
=& \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau).
\end{aligned}
$$

Task 1

Derive the joint posterior $p(w_1, w_2, w_3, \mu_1, \mu_2, \mu_3, \varepsilon^2, \mu_0, \sigma_0^2 | Y_{1:N})$ up to a normalizing constant.

Let's do the derivations using $\tau = 1/\varepsilon^2$ and $\phi_0 = 1/\sigma_0^2$.

The posterior distribution is always proportional to the full joint distribution:

$$
\begin{aligned}
& p(Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(w_{1:3}) p(\tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
=& \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau).
\end{aligned}
$$

Task 1

Derive the joint posterior $p(w_1, w_2, w_3, \mu_1, \mu_2, \mu_3, \varepsilon^2, \mu_0, \sigma_0^2 | Y_{1:N})$ up to a normalizing constant.

Let's do the derivations using $\tau = 1/\varepsilon^2$ and $\phi_0 = 1/\sigma_0^2$.

The posterior distribution is always proportional to the full joint distribution:

$$
\begin{aligned}
& p(Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(w_{1:3}) p(\tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
=& \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau).
\end{aligned}
$$

Task 1

Derive the joint posterior $p(w_1, w_2, w_3, \mu_1, \mu_2, \mu_3, \varepsilon^2, \mu_0, \sigma_0^2 | Y_{1:N})$ up to a normalizing constant.

Let's do the derivations using $\tau = 1/\varepsilon^2$ and $\phi_0 = 1/\sigma_0^2$.

The posterior distribution is always proportional to the full joint distribution:

$$
\begin{aligned}
& p(Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(w_{1:3}) p(\tau) \\
=& p(Y_{1:n} \mid \mu_{1:3}, w_{1:3}, \tau) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
=& \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau).
\end{aligned}
$$

Task 1

The full joint:

$$\left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0)p(\phi_0)p(\tau).$$

And

$$p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) = \sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau),$$

$$p(\mu_j \mid \mu_0, \phi_0) = N(\mu_j; \mu_0, \phi_0^{-1}),$$

$$p(\mu_0) = N(\mu_0; 0, 3),$$

$$p(\phi_0) = \text{Gamma}(\phi_0; 2, 2),$$

$$p(\tau) = \text{Gamma}(\tau; 2, 2).$$

Task 1

The full joint:

$$\left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right)\left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0)p(\phi_0)p(\tau).$$

And

$$p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) = \sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau),$$

$$p(\mu_j \mid \mu_0, \phi_0) = N(\mu_j; \mu_0, \phi_0^{-1}),$$

$$p(\mu_0) = N(\mu_0; 0, 3),$$

$$p(\phi_0) = \text{Gamma}(\phi_0; 2, 2),$$

$$p(\tau) = \text{Gamma}(\tau; 2, 2).$$

Task 1

The full joint:

$$\left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0)p(\phi_0)p(\tau).$$

And

$$p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) = \sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau),$$

$$p(\mu_j \mid \mu_0, \phi_0) = N(\mu_j; \mu_0, \phi_0^{-1}),$$

$$p(\mu_0) = N(\mu_0; 0, 3),$$

$$p(\phi_0) = \text{Gamma}(\phi_0; 2, 2),$$

$$p(\tau) = \text{Gamma}(\tau; 2, 2).$$

Task 1

The full joint:

$$\left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right)\left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0)p(\phi_0)p(\tau).$$

And

$$p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) = \sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau),$$

$$p(\mu_j \mid \mu_0, \phi_0) = N(\mu_j; \mu_0, \phi_0^{-1}),$$

$$p(\mu_0) = N(\mu_0; 0, 3),$$

$$p(\phi_0) = \text{Gamma}(\phi_0; 2, 2),$$

$$p(\tau) = \text{Gamma}(\tau; 2, 2).$$

Task 1

The full joint:

$$\left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right)\left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0)p(\phi_0)p(\tau).$$

And

$$p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) = \sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau),$$

$$p(\mu_j \mid \mu_0, \phi_0) = N(\mu_j; \mu_0, \phi_0^{-1}),$$

$$p(\mu_0) = N(\mu_0; 0, 3),$$

$$p(\phi_0) = \mathrm{Gamma}(\phi_0; 2, 2),$$

$$p(\tau) = \mathrm{Gamma}(\tau; 2, 2).$$

Task 1

The full joint:

$$\left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right)\left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0)p(\phi_0)p(\tau).$$

And

$$p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) = \sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau),$$

$$p(\mu_j \mid \mu_0, \phi_0) = N(\mu_j; \mu_0, \phi_0^{-1}),$$

$$p(\mu_0) = N(\mu_0; 0, 3),$$

$$p(\phi_0) = \text{Gamma}(\phi_0; 2, 2),$$

$$p(\tau) = \text{Gamma}(\tau; 2, 2).$$

Task 2

Derive the full conditionals for all the parameters up to a normalizing constant.

$$
\begin{aligned}
&p(w_{1:3} \mid Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, \tau) \\
&\propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0)p(\phi_0)p(\tau) \\
&\propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) \\
&\propto \prod_{i=1}^{n} \left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau)\right)
\end{aligned}
$$

Task 2

Derive the full conditionals for all the parameters up to a normalizing constant.

$$
\begin{aligned}
& p(w_{1:3} \mid Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \\
\propto & \prod_{i=1}^{n} \left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau) \right)
\end{aligned}
$$

Task 2

Derive the full conditionals for all the parameters up to a normalizing constant.

$$
\begin{aligned}
& p(w_{1:3} \mid Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \\
\propto & \prod_{i=1}^{n} \left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau) \right)
\end{aligned}
$$

Task 2

Derive the full conditionals for all the parameters up to a normalizing constant.

$$
\begin{aligned}
& p(w_{1:3} \mid Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) \\
\propto & \prod_{i=1}^{n} \left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau)\right)
\end{aligned}
$$

Task 2

$$p(\mu_j \mid Y_{1:n}, \mu_{(-j)}, \mu_0, \phi_0, w_{1:3}, \tau)$$

$$\propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right)\left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0)p(\phi_0)p(\tau)$$

$$\propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) p(\mu_j \mid \mu_0, \phi_0)$$

$$\propto \left(\prod_{i=1}^{n} \left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau)\right)\right) p(\mu_j \mid \mu_0, \phi_0)$$

Task 2

$$
\begin{aligned}
&p(\mu_j \mid Y_{1:n}, \mu_{(-j)}, \mu_0, \phi_0, w_{1:3}, \tau) \\
&\propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
&\propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) p(\mu_j \mid \mu_0, \phi_0) \\
&\propto \left(\prod_{i=1}^{n} \left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau) \right) \right) p(\mu_j \mid \mu_0, \phi_0)
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\mu_j \mid Y_{1:n}, \mu_{(-j)}, \mu_0, \phi_0, w_{1:3}, \tau) \\
& \propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
& \propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) p(\mu_j \mid \mu_0, \phi_0) \\
& \propto \left(\prod_{i=1}^{n} \left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau) \right) \right) p(\mu_j \mid \mu_0, \phi_0)
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\mu_j \mid Y_{1:n}, \mu_{(-j)}, \mu_0, \phi_0, w_{1:3}, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) p(\mu_j \mid \mu_0, \phi_0) \\
\propto & \left(\prod_{i=1}^{n} \left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau) \right) \right) p(\mu_j \mid \mu_0, \phi_0)
\end{aligned}
$$

Task 2

$$
\begin{aligned}
&p(\tau \mid Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}) \\
&\propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right)\left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0)p(\phi_0)p(\tau) \\
&\propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) p(\tau) \\
&\propto \left(\prod_{i=1}^{n}\left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau)\right)\right) \tau^{2-1}\exp\{-2\tau\}.
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\tau \mid Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}) \\
& \propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
& \propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) p(\tau) \\
& \propto \left(\prod_{i=1}^{n} \left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau) \right) \right) \tau^{2-1} \exp\{-2\tau\}.
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\tau \mid Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) p(\tau) \\
\propto & \left(\prod_{i=1}^{n} \left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau) \right) \right) \tau^{2-1} \exp\{-2\tau\}.
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\tau \mid Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}) \\
& \propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
& \propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) p(\tau) \\
& \propto \left(\prod_{i=1}^{n} \left(\sum_{j=1}^{3} w_j N(Y_i; \mu_j, \tau) \right) \right) \tau^{2-1} \exp\{-2\tau\}.
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\mu_0 \mid Y_{1:n}, \mu_{1:3}, \phi_0, w_{1:3}, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) \\
\propto & \exp\left\{ -\frac{\phi_0}{2} \sum_{j=1}^{3} (\mu_j - \mu_0)^2 \right\} \exp\{\mu_0^2/6\} \\
\propto & \exp\left\{ -\frac{1}{2} \left[(3\phi_0 + \frac{1}{3})\mu_0^2 - 2\mu_0\phi_0 \sum_{j=1}^{3} \mu_j \right] \right\} \\
\Rightarrow & \mu_0 \mid - \sim N\left((3\phi_0 + \frac{1}{3})^{-1} \phi_0 \sum_{j=1}^{3} \mu_j, (3\phi_0 + \frac{1}{3})^{-1} \right).
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\mu_0 \mid Y_{1:n}, \mu_{1:3}, \phi_0, w_{1:3}, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0) \\
\propto & \exp\left\{-\frac{\phi_0}{2} \sum_{j=1}^{3} (\mu_j - \mu_0)^2\right\} \exp\{\mu_0^2/6\} \\
\propto & \exp\left\{-\frac{1}{2}\left[(3\phi_0 + \frac{1}{3})\mu_0^2 - 2\mu_0\phi_0 \sum_{j=1}^{3} \mu_j\right]\right\} \\
\Rightarrow & \mu_0 \mid - \sim N\left((3\phi_0 + \frac{1}{3})^{-1} \phi_0 \sum_{j=1}^{3} \mu_j, (3\phi_0 + \frac{1}{3})^{-1}\right).
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\mu_0 \mid Y_{1:n}, \mu_{1:3}, \phi_0, w_{1:3}, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) \\
\propto & \exp\left\{ -\frac{\phi_0}{2} \sum_{j=1}^{3} (\mu_j - \mu_0)^2 \right\} \exp\{\mu_0^2/6\} \\
\propto & \exp\left\{ -\frac{1}{2} \left[(3\phi_0 + \frac{1}{3})\mu_0^2 - 2\mu_0\phi_0 \sum_{j=1}^{3} \mu_j \right] \right\} \\
\Rightarrow & \mu_0 \mid - \sim N\left((3\phi_0 + \frac{1}{3})^{-1} \phi_0 \sum_{j=1}^{3} \mu_j, (3\phi_0 + \frac{1}{3})^{-1} \right).
\end{aligned}
$$

Task 2

$$
\begin{aligned}
&p(\mu_0 \mid Y_{1:n}, \mu_{1:3}, \phi_0, w_{1:3}, \tau) \\
&\propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
&\propto \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) \\
&\propto \exp\left\{ -\frac{\phi_0}{2} \sum_{j=1}^{3} (\mu_j - \mu_0)^2 \right\} \exp\{\mu_0^2/6\} \\
&\propto \exp\left\{ -\frac{1}{2} \left[(3\phi_0 + \frac{1}{3})\mu_0^2 - 2\mu_0\phi_0 \sum_{j=1}^{3} \mu_j \right] \right\} \\
&\Rightarrow \mu_0 \mid - \sim N\left((3\phi_0 + \frac{1}{3})^{-1} \phi_0 \sum_{j=1}^{3} \mu_j, (3\phi_0 + \frac{1}{3})^{-1} \right).
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\mu_0 \mid Y_{1:n}, \mu_{1:3}, \phi_0, w_{1:3}, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) \\
\propto & \exp\left\{ -\frac{\phi_0}{2} \sum_{j=1}^{3} (\mu_j - \mu_0)^2 \right\} \exp\{\mu_0^2/6\} \\
\propto & \exp\left\{ -\frac{1}{2} \left[(3\phi_0 + \frac{1}{3})\mu_0^2 - 2\mu_0 \phi_0 \sum_{j=1}^{3} \mu_j \right] \right\} \\
\Rightarrow & \mu_0 \mid - \sim N\left((3\phi_0 + \frac{1}{3})^{-1} \phi_0 \sum_{j=1}^{3} \mu_j, (3\phi_0 + \frac{1}{3})^{-1} \right).
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\mu_0 \mid Y_{1:n}, \mu_{1:3}, \phi_0, w_{1:3}, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0) \\
\propto & \exp\left\{-\frac{\phi_0}{2} \sum_{j=1}^{3} (\mu_j - \mu_0)^2\right\} \exp\{\mu_0^2/6\} \\
\propto & \exp\left\{-\frac{1}{2}\left[(3\phi_0 + \frac{1}{3})\mu_0^2 - 2\mu_0\phi_0 \sum_{j=1}^{3} \mu_j\right]\right\} \\
\Rightarrow & \mu_0 \mid - \sim N\left((3\phi_0 + \frac{1}{3})^{-1} \phi_0 \sum_{j=1}^{3} \mu_j, (3\phi_0 + \frac{1}{3})^{-1}\right).
\end{aligned}
$$

Task 2

$$p(\phi_0 \mid Y_{1:n}, \mu_{1:3}, \mu_0, w_{1:3}, \tau)$$

$$\propto \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right)\left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0)p(\phi_0)p(\tau)$$

$$\propto \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\phi_0)$$

$$\propto \left(\prod_{j=1}^{3} \sqrt{\frac{\phi_0}{2\pi}} \exp\left\{-\frac{\phi_0}{2}(\mu_0 - \mu_j)^2\right\}\right) \phi_0^{2-1} \exp\{-2\phi_0\}$$

$$\propto \phi_0^{7/2-1} \exp\left\{-\phi_0\left(2 + \frac{1}{2}\sum_{j=1}^{3}(\mu_0 - \mu_j)^2\right)\right\}$$

$$\Rightarrow \phi_0 \mid - \sim \text{Gamma}\left(7/2, 2 + \frac{1}{2}\sum_{j=1}^{3}(\mu_0 - \mu_j)^2\right)$$

Task 2

$$
\begin{aligned}
& p(\phi_0 \mid Y_{1:n}, \mu_{1:3}, \mu_0, w_{1:3}, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau)\right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0)\right) p(\phi_0) \\
\propto & \left(\prod_{j=1}^{3} \sqrt{\frac{\phi_0}{2\pi}} \exp\left\{-\frac{\phi_0}{2}(\mu_0 - \mu_j)^2\right\}\right) \phi_0^{2-1} \exp\{-2\phi_0\} \\
\propto & \phi_0^{7/2-1} \exp\left\{-\phi_0 \left(2 + \frac{1}{2}\sum_{j=1}^{3}(\mu_0 - \mu_j)^2\right)\right\} \\
\Rightarrow & \phi_0 \mid - \sim \text{Gamma}\left(7/2, 2 + \frac{1}{2}\sum_{j=1}^{3}(\mu_0 - \mu_j)^2\right)
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\phi_0 \mid Y_{1:n}, \mu_{1:3}, \mu_0, w_{1:3}, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\phi_0) \\
\propto & \left(\prod_{j=1}^{3} \sqrt{\frac{\phi_0}{2\pi}} \exp\left\{ -\frac{\phi_0}{2} (\mu_0 - \mu_j)^2 \right\} \right) \phi_0^{2-1} \exp\{-2\phi_0\} \\
\propto & \phi_0^{7/2-1} \exp\left\{ -\phi_0 \left(2 + \frac{1}{2} \sum_{j=1}^{3} (\mu_0 - \mu_j)^2 \right) \right\} \\
\Rightarrow & \phi_0 \mid - \sim \text{Gamma}\left(7/2, 2 + \frac{1}{2} \sum_{j=1}^{3} (\mu_0 - \mu_j)^2 \right)
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\phi_0 \mid Y_{1:n}, \mu_{1:3}, \mu_0, w_{1:3}, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\phi_0) \\
\propto & \left(\prod_{j=1}^{3} \sqrt{\frac{\phi_0}{2\pi}} \exp\left\{ -\frac{\phi_0}{2} (\mu_0 - \mu_j)^2 \right\} \right) \phi_0^{2-1} \exp\{-2\phi_0\} \\
\propto & \phi_0^{7/2-1} \exp\left\{ -\phi_0 \left(2 + \frac{1}{2} \sum_{j=1}^{3} (\mu_0 - \mu_j)^2 \right) \right\} \\
\Rightarrow & \phi_0 \mid - \sim \text{Gamma}\left(7/2, 2 + \frac{1}{2} \sum_{j=1}^{3} (\mu_0 - \mu_j)^2 \right)
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\phi_0 \mid Y_{1:n}, \mu_{1:3}, \mu_0, w_{1:3}, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\phi_0) \\
\propto & \left(\prod_{j=1}^{3} \sqrt{\frac{\phi_0}{2\pi}} \exp\left\{ -\frac{\phi_0}{2} (\mu_0 - \mu_j)^2 \right\} \right) \phi_0^{2-1} \exp\{-2\phi_0\} \\
\propto & \phi_0^{7/2-1} \exp\left\{ -\phi_0 \left(2 + \frac{1}{2} \sum_{j=1}^{3} (\mu_0 - \mu_j)^2 \right) \right\} \\
\Rightarrow & \phi_0 \mid - \sim \text{Gamma}\left(7/2, 2 + \frac{1}{2} \sum_{j=1}^{3} (\mu_0 - \mu_j)^2 \right)
\end{aligned}
$$

Task 2

$$
\begin{aligned}
& p(\phi_0 \mid Y_{1:n}, \mu_{1:3}, \mu_0, w_{1:3}, \tau) \\
\propto & \left(\prod_{i=1}^{n} p(Y_i \mid \mu_{1:3}, w_{1:3}, \tau) \right) \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \left(\prod_{j=1}^{3} p(\mu_j \mid \mu_0, \phi_0) \right) p(\phi_0) \\
\propto & \left(\prod_{j=1}^{3} \sqrt{\frac{\phi_0}{2\pi}} \exp\left\{ -\frac{\phi_0}{2} (\mu_0 - \mu_j)^2 \right\} \right) \phi_0^{2-1} \exp\{-2\phi_0\} \\
\propto & \phi_0^{7/2-1} \exp\left\{ -\phi_0 \left(2 + \frac{1}{2} \sum_{j=1}^{3} (\mu_0 - \mu_j)^2 \right) \right\} \\
\Rightarrow & \phi_0 \mid - \sim \text{Gamma}\left(7/2, 2 + \frac{1}{2} \sum_{j=1}^{3} (\mu_0 - \mu_j)^2 \right)
\end{aligned}
$$

Task 3

Where necessary, (re)-derive the full conditionals under the data augmentation scheme.

Data augmentation scheme:

- Same priors as before, but we decompose the likelihood:

$$Z_i \mid w_1, w_2, w_3 \sim Cat(3, \boldsymbol{w})$$
$$Y_i \mid Z_i, \mu_{1:3}, \tau \sim N(\mu_{Z_i}, 1/\tau)$$

- The marginal distribution of Y_i is **unchanged**.
- Using the variables Z_i helps derive full conditional distributions.

In other words

$$p(Y_i \mid Z_i, \mu_1, \mu_2, \mu_3, \varepsilon^2) = N(Y_i; \mu_{Z_i}, \varepsilon^2)$$
$$P(Z_i = j \mid w_{1:3}) = w_j.$$

Task 3

Where necessary, (re)-derive the full conditionals under the data augmentation scheme.

Data augmentation scheme:

- Same priors as before, but we decompose the likelihood:

$$Z_i \mid w_1, w_2, w_3 \sim Cat(3, \boldsymbol{w})$$
$$Y_i \mid Z_i, \mu_{1:3}, \tau \sim N(\mu_{Z_i}, 1/\tau)$$

- The marginal distribution of Y_i is **unchanged**.
- Using the variables Z_i helps derive full conditional distributions.

In other words

$$p(Y_i \mid Z_i, \mu_1, \mu_2, \mu_3, \varepsilon^2) = N(Y_i; \mu_{Z_i}, \varepsilon^2)$$
$$P(Z_i = j \mid w_{1:3}) = w_j.$$

Task 3

Where necessary, (re)-derive the full conditionals under the data augmentation scheme.

Data augmentation scheme:

- Same priors as before, but we decompose the likelihood:

$$Z_i \mid w_1, w_2, w_3 \sim Cat(3, \boldsymbol{w})$$
$$Y_i \mid Z_i, \mu_{1:3}, \tau \sim N(\mu_{Z_i}, 1/\tau)$$

- The marginal distribution of Y_i is **unchanged**.
- Using the variables Z_i helps derive full conditional distributions.

In other words

$$p(Y_i \mid Z_i, \mu_1, \mu_2, \mu_3, \varepsilon^2) = N(Y_i; \mu_{Z_i}, \varepsilon^2)$$
$$P(Z_i = j \mid w_{1:3}) = w_j.$$

Task 3

Where necessary, (re)-derive the full conditionals under the data augmentation scheme.

Data augmentation scheme:

- Same priors as before, but we decompose the likelihood:

$$Z_i \mid w_1, w_2, w_3 \sim Cat(3, \boldsymbol{w})$$
$$Y_i \mid Z_i, \mu_{1:3}, \tau \sim N(\mu_{Z_i}, 1/\tau)$$

- The marginal distribution of Y_i is **unchanged**.
- Using the variables Z_i helps derive full conditional distributions.

In other words

$$p(Y_i \mid Z_i, \mu_1, \mu_2, \mu_3, \varepsilon^2) = N(Y_i; \mu_{Z_i}, \varepsilon^2)$$
$$P(Z_i = j \mid w_{1:3}) = w_j.$$

Task 3

Where necessary, (re)-derive the full conditionals under the data augmentation scheme.

Data augmentation scheme:

- Same priors as before, but we decompose the likelihood:

$$Z_i \mid w_1, w_2, w_3 \sim Cat(3, \boldsymbol{w})$$
$$Y_i \mid Z_i, \mu_{1:3}, \tau \sim N(\mu_{Z_i}, 1/\tau)$$

- The marginal distribution of Y_i is **unchanged**.
- Using the variables Z_i helps derive full conditional distributions.

In other words

$$p(Y_i \mid Z_i, \mu_1, \mu_2, \mu_3, \varepsilon^2) = N(Y_i; \mu_{Z_i}, \varepsilon^2)$$
$$P(Z_i = j \mid w_{1:3}) = w_j.$$

Task 3

Where necessary, (re)-derive the full conditionals under the data augmentation scheme.

Data augmentation scheme:

- Same priors as before, but we decompose the likelihood:

$$Z_i \mid w_1, w_2, w_3 \sim Cat(3, \boldsymbol{w})$$
$$Y_i \mid Z_i, \mu_{1:3}, \tau \sim N(\mu_{Z_i}, 1/\tau)$$

- The marginal distribution of Y_i is **unchanged**.
- Using the variables Z_i helps derive full conditional distributions.

In other words

$$p(Y_i \mid Z_i, \mu_1, \mu_2, \mu_3, \varepsilon^2) = N(Y_i; \mu_{Z_i}, \varepsilon^2)$$
$$P(Z_i = j \mid w_{1:3}) = w_j.$$

Task 3

Where necessary, (re)-derive the full conditionals under the data augmentation scheme.

Data augmentation scheme:

- Same priors as before, but we decompose the likelihood:

$$Z_i \mid w_1, w_2, w_3 \sim Cat(3, \boldsymbol{w})$$
$$Y_i \mid Z_i, \mu_{1:3}, \tau \sim N(\mu_{Z_i}, 1/\tau)$$

- The marginal distribution of Y_i is **unchanged**.
- Using the variables Z_i helps derive full conditional distributions.

In other words

$$p(Y_i \mid Z_i, \mu_1, \mu_2, \mu_3, \varepsilon^2) = N(Y_i; \mu_{Z_i}, \varepsilon^2)$$
$$P(Z_i = j \mid w_{1:3}) = w_j.$$

Task 3

Now the full joint becomes:

$$
\begin{aligned}
&p(Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=&p(Y_{1:n} \mid Z_{1:n}, \mu_{1:3}, \tau)p(Z_{1:n})p(\mu_{1:3} \mid \mu_0, \phi_0)p(\mu_0)p(\phi_0)p(\tau) \\
=&\prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0)p(\mu_0)p(\phi_0)p(\tau)
\end{aligned}
$$

Task 3

Now the full joint becomes:

$$
\begin{aligned}
& p(Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=& p(Y_{1:n} \mid Z_{1:n}, \mu_{1:3}, \tau) p(Z_{1:n}) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
=& \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau)
\end{aligned}
$$

Task 3

Now the full joint becomes:

$$
\begin{aligned}
&p(Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
=&p(Y_{1:n} \mid Z_{1:n}, \mu_{1:3}, \tau) p(Z_{1:n}) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
=&\prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau)
\end{aligned}
$$

Task 3

Full conditional of $w_{1:3}$:

$$
\begin{aligned}
& p(w_{1:3} \mid Z_{1:n}, Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, \tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} w_{Z_i} \\
\propto & w_1^{N_1} w_2^{N_2} w_3^{N_3} \\
\Rightarrow & w_{1:3} \sim \text{Dirichlet}(N_1 + 1, N_2 + 1, N_3 + 1)
\end{aligned}
$$

where $N_j = \sum_{i=1}^{n} \mathbb{I}(Z_i = j)$.

Task 3

Full conditional of $w_{1:3}$:

$$
\begin{aligned}
& p(w_{1:3} \mid Z_{1:n}, Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, \tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} w_{Z_i} \\
\propto & w_1^{N_1} w_2^{N_2} w_3^{N_3} \\
\Rightarrow & w_{1:3} \sim \text{Dirichlet}(N_1 + 1, N_2 + 1, N_3 + 1)
\end{aligned}
$$

where $N_j = \sum_{i=1}^{n} \mathbb{I}(Z_i = j)$.

Task 3

Full conditional of $w_{1:3}$:

$$
\begin{aligned}
&p(w_{1:3} \mid Z_{1:n}, Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, \tau) \\
&\propto \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
&\propto \prod_{i=1}^{n} w_{Z_i} \\
&\propto w_1^{N_1} w_2^{N_2} w_3^{N_3} \\
&\Rightarrow w_{1:3} \sim \text{Dirichlet}(N_1 + 1, N_2 + 1, N_3 + 1)
\end{aligned}
$$

where $N_j = \sum_{i=1}^{n} \mathbb{I}(Z_i = j)$.

Task 3

Full conditional of $w_{1:3}$:

$$
\begin{aligned}
& p(w_{1:3} \mid Z_{1:n}, Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, \tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} w_{Z_i} \\
\propto & w_1^{N_1} w_2^{N_2} w_3^{N_3} \\
\Rightarrow & w_{1:3} \sim \text{Dirichlet}(N_1 + 1, N_2 + 1, N_3 + 1)
\end{aligned}
$$

where $N_j = \sum_{i=1}^{n} \mathbb{I}(Z_i = j)$.

Task 3

Full conditional of $w_{1:3}$:

$$
\begin{aligned}
& p(w_{1:3} \mid Z_{1:n}, Y_{1:n}, \mu_{1:3}, \mu_0, \phi_0, \tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} w_{Z_i} \\
\propto & w_1^{N_1} w_2^{N_2} w_3^{N_3} \\
\Rightarrow & w_{1:3} \sim \text{Dirichlet}(N_1 + 1, N_2 + 1, N_3 + 1)
\end{aligned}
$$

where $N_j = \sum_{i=1}^{n} \mathbb{I}(Z_i = j)$.

Task 3

Full conditional of μ_j:

$$p(\mu_j \mid Y_{1:n}, Z_{1:n}, \mu_{(-j)}, \mu_0, \phi_0, w_{1:3}, \tau)$$

$$\propto \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau)$$

$$\propto \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\mu_j \mid \mu_0, \phi_0)$$

$$\propto \exp \left\{ \frac{-\tau}{2} \sum_{i:Z_i=j} (Y_i - \mu_j)^2 \right\} \exp\{ \frac{-\phi_0}{2} (\mu_j - \mu_0)^2 \}$$

$$\propto \exp \left\{ \frac{-1}{2} \left[\mu_j^2 (\tau N_j + \phi_0) - 2\mu_j (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0) \mu_j \right] \right\}$$

$$\Rightarrow \mu_j \mid - \sim N((\tau N_j + \phi_0)^{-1} (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0), (\tau N_j + \phi_0)^{-1})$$

Task 3

Full conditional of μ_j:

$$
\begin{aligned}
& p(\mu_j \mid Y_{1:n}, Z_{1:n}, \mu_{(-j)}, \mu_0, \phi_0, w_{1:3}, \tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\mu_j \mid \mu_0, \phi_0) \\
\propto & \exp\left\{ \frac{-\tau}{2} \sum_{i:Z_i=j} (Y_i - \mu_j)^2 \right\} \exp\{ \frac{-\phi_0}{2} (\mu_j - \mu_0)^2 \} \\
\propto & \exp\left\{ \frac{-1}{2} \left[\mu_j^2 (\tau N_j + \phi_0) - 2\mu_j (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0) \mu_j \right] \right\} \\
\Rightarrow & \mu_j \mid - \sim N((\tau N_j + \phi_0)^{-1} (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0), (\tau N_j + \phi_0)^{-1})
\end{aligned}
$$

Task 3

Full conditional of μ_j:

$$
\begin{aligned}
& p(\mu_j \mid Y_{1:n}, Z_{1:n}, \mu_{(-j)}, \mu_0, \phi_0, w_{1:3}, \tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\mu_j \mid \mu_0, \phi_0) \\
\propto & \exp\left\{ \frac{-\tau}{2} \sum_{i:Z_i=j} (Y_i - \mu_j)^2 \right\} \exp\{ \frac{-\phi_0}{2} (\mu_j - \mu_0)^2 \} \\
\propto & \exp\left\{ \frac{-1}{2} \left[\mu_j^2 (\tau N_j + \phi_0) - 2\mu_j (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0) \mu_j \right] \right\} \\
\Rightarrow & \mu_j \mid - \sim N((\tau N_j + \phi_0)^{-1} (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0), (\tau N_j + \phi_0)^{-1})
\end{aligned}
$$

Task 3

Full conditional of μ_j:

$$
\begin{aligned}
& p(\mu_j \mid Y_{1:n}, Z_{1:n}, \mu_{(-j)}, \mu_0, \phi_0, w_{1:3}, \tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\mu_j \mid \mu_0, \phi_0) \\
\propto & \exp\left\{ \frac{-\tau}{2} \sum_{i:Z_i=j} (Y_i - \mu_j)^2 \right\} \exp\{ \frac{-\phi_0}{2} (\mu_j - \mu_0)^2 \} \\
\propto & \exp\left\{ \frac{-1}{2} \left[\mu_j^2 (\tau N_j + \phi_0) - 2\mu_j (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0) \mu_j \right] \right\} \\
\Rightarrow & \mu_j \mid - \sim N((\tau N_j + \phi_0)^{-1} (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0), (\tau N_j + \phi_0)^{-1})
\end{aligned}
$$

Task 3

Full conditional of μ_j:

$$
\begin{aligned}
& p(\mu_j \mid Y_{1:n}, Z_{1:n}, \mu_{(-j)}, \mu_0, \phi_0, w_{1:3}, \tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\mu_j \mid \mu_0, \phi_0) \\
\propto & \exp\left\{ \frac{-\tau}{2} \sum_{i:Z_i=j} (Y_i - \mu_j)^2 \right\} \exp\{ \frac{-\phi_0}{2} (\mu_j - \mu_0)^2 \} \\
\propto & \exp\left\{ \frac{-1}{2} \left[\mu_j^2 (\tau N_j + \phi_0) - 2\mu_j (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0) \mu_j \right] \right\} \\
\Rightarrow & \mu_j \mid - \sim N((\tau N_j + \phi_0)^{-1} (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0), (\tau N_j + \phi_0)^{-1})
\end{aligned}
$$

Task 3

Full conditional of μ_j:

$$
\begin{aligned}
& p(\mu_j \mid Y_{1:n}, Z_{1:n}, \mu_{(-j)}, \mu_0, \phi_0, w_{1:3}, \tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\mu_j \mid \mu_0, \phi_0) \\
\propto & \exp\left\{ \frac{-\tau}{2} \sum_{i:Z_i=j} (Y_i - \mu_j)^2 \right\} \exp\{ \frac{-\phi_0}{2} (\mu_j - \mu_0)^2 \} \\
\propto & \exp\left\{ \frac{-1}{2} \left[\mu_j^2 (\tau N_j + \phi_0) - 2\mu_j (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0) \mu_j \right] \right\} \\
\Rightarrow & \mu_j \mid - \sim N((\tau N_j + \phi_0)^{-1} (\tau \sum_{i:Z_i=j} Y_i + \phi_0 \mu_0), (\tau N_j + \phi_0)^{-1})
\end{aligned}
$$

Task 3

Full conditional for τ:

$$
\begin{aligned}
& p(\tau \mid Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\tau) \\
\propto & \tau^{n/2} \exp\left\{ \frac{-\tau}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 \right\} \tau^{2-1} \exp\{-2\tau\} \\
\propto & \tau^{2+n/2-1} \exp\{-\tau(2 + \frac{1}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2)\} \\
\Rightarrow & \tau \mid - \sim \text{Gamma}(2 + n/2, 2 + \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 / 2)
\end{aligned}
$$

Task 3

Full conditional for τ:

$$
\begin{aligned}
& p(\tau \mid Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\tau) \\
\propto & \tau^{n/2} \exp\left\{ \frac{-\tau}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 \right\} \tau^{2-1} \exp\{-2\tau\} \\
\propto & \tau^{2+n/2-1} \exp\{-\tau(2 + \frac{1}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2)\} \\
\Rightarrow & \tau \mid - \sim \text{Gamma}(2 + n/2, 2 + \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 / 2)
\end{aligned}
$$

Task 3

Full conditional for τ:

$$
\begin{aligned}
& p(\tau \mid Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\tau) \\
\propto & \tau^{n/2} \exp\left\{ \frac{-\tau}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 \right\} \tau^{2-1} \exp\{-2\tau\} \\
\propto & \tau^{2+n/2-1} \exp\{-\tau(2 + \frac{1}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2)\} \\
\Rightarrow & \tau \mid - \sim \text{Gamma}(2 + n/2, 2 + \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 / 2)
\end{aligned}
$$

Task 3

Full conditional for τ:

$$
\begin{aligned}
& p(\tau \mid Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\tau) \\
\propto & \tau^{n/2} \exp\left\{ \frac{-\tau}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 \right\} \tau^{2-1} \exp\{-2\tau\} \\
\propto & \tau^{2+n/2-1} \exp\{-\tau(2 + \frac{1}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2)\} \\
\Rightarrow & \tau \mid - \sim \text{Gamma}(2 + n/2, 2 + \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 / 2)
\end{aligned}
$$

Task 3

Full conditional for τ:

$$
\begin{aligned}
& p(\tau \mid Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\tau) \\
\propto & \tau^{n/2} \exp\left\{ \frac{-\tau}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 \right\} \tau^{2-1} \exp\{-2\tau\} \\
\propto & \tau^{2+n/2-1} \exp\{-\tau(2 + \frac{1}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2)\} \\
\Rightarrow & \tau \mid - \sim \text{Gamma}(2 + n/2, 2 + \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 / 2)
\end{aligned}
$$

Task 3

Full conditional for τ:

$$
\begin{aligned}
& p(\tau \mid Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) \right) p(\tau) \\
\propto & \tau^{n/2} \exp\left\{ \frac{-\tau}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 \right\} \tau^{2-1} \exp\{-2\tau\} \\
\propto & \tau^{2+n/2-1} \exp\{-\tau(2 + \frac{1}{2} \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2)\} \\
\Rightarrow & \tau \mid - \sim \text{Gamma}(2 + n/2, 2 + \sum_{i=1}^{n} (Y_i - \mu_{Z_i})^2 / 2)
\end{aligned}
$$

Task 3

Full conditional for Z_i:

$$
\begin{aligned}
& p(Z_i \mid Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \\
\Rightarrow & P(Z_i = j \mid -) \propto w_j N(Y_i; \mu_j, \tau^{-1}).
\end{aligned}
$$

Task 3

Full conditional for Z_i:

$$
\begin{aligned}
& p(Z_i \mid Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
\propto & \prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto & N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \\
\Rightarrow & P(Z_i = j \mid -) \propto w_j N(Y_i; \mu_j, \tau^{-1}).
\end{aligned}
$$

Task 3

Full conditional for Z_i:

$$
\begin{aligned}
&p(Z_i \mid Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
\propto &\prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto &N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \\
\Rightarrow &P(Z_i = j \mid -) \propto w_j N(Y_i; \mu_j, \tau^{-1}).
\end{aligned}
$$

Task 3

Full conditional for Z_i:

$$
\begin{aligned}
&p(Z_i \mid Y_{1:n}, Z_{1:n}, \mu_{1:3}, \mu_0, \phi_0, w_{1:3}, \tau) \\
\propto &\prod_{i=1}^{n} \left(N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \right) p(\mu_{1:3} \mid \mu_0, \phi_0) p(\mu_0) p(\phi_0) p(\tau) \\
\propto &N(Y_i; \mu_{Z_i}, \tau^{-1}) w_{Z_i} \\
\Rightarrow &P(Z_i = j \mid -) \propto w_j N(Y_i; \mu_j, \tau^{-1}).
\end{aligned}
$$