

Homework 12

Moshood A. Garuba

2025-05-03

```
library(shiny)
library(dplyr)
library(readr)

# Load the data
movies <- read_csv("movies.csv")

# Cleaned data
movies_clean <- movies %>%
  select(title, thtr_rel_year, audience_score, critics_score) %>%
  filter(!is.na(thtr_rel_year)) %>%
  distinct()

# Get sorted unique years
years <- sort(unique(movies_clean$thtr_rel_year))

# Define UI
ui <- fluidPage(
  titlePanel("Movie Scores by Year"),

  sidebarLayout(
    sidebarPanel(
      selectInput("year", "Select Release Year", choices = years),
      radioButtons("score_type", "Choose Score Type:",
        choices = c("Audience Score" = "audience_score",
          "Critic Score" = "critics_score"))
    ),

    mainPanel(
      tableOutput("top_movies")
    )
  )
)

# Define server
server <- function(input, output) {
  output$top_movies <- renderTable({
    req(input$year)
    movies_clean %>%
      filter(thtr_rel_year == input$year) %>%
      arrange(desc(.data[[input$score_type]])) %>%

```

```
      select(title, thtr_rel_year, all_of(input$score_type)) %>%  
      head(10)  
    })  
  }  
  
  # Run app  
  shinyApp(ui = ui, server = server)
```