

# STANDARD SIZE CONFIGURATIONS

RO Ht From Subfloor to Finished Opening for all **FD 72 & FD 73** Std Size Doors Is: **95 1/2"**

RO Ht From Subfloor to Finished Opening for all **FD 27** Std Size Doors is: **96"**

Rebate width with no screen:

**4 1/4"**

Rebate width with a screen:

**5 1/2"**

Sill Type:

**Recessed Track**

**All RO Ht. Dimensions assume 3/4" Flooring. If flooring thickness from subfloor is different than 3/4" then the RO Ht. needs to be adjusted equally.**

CONFIG		FD 72 and 73 Panel Width:	33 1/2"	FD 27 Panel Width:	33 15/16"
		FD72 & FD73 RO Width		FD 27 PVCU RO Width	
1+0	_/_	40 1/4		40 3/8	
1+1	_/_ \_	74 1/8		74 3/4	
2+0	_Λ _	72 15/16		73 9/16	
2+2	_Λ Λ_	145 1/2		-	
3+0	_N _	108		109 1/16	
3+1	_N \_	141 7/8		143 7/16	
3+3	_N \_ \_	209 5/8		-	
4+0	_M _	140 3/4		142 1/4	
4+4	_M M_	277 1/8		-	
5+0	_W _	175 3/4		177 3/4	
5+1	_W \_	209 5/8			
5+3	_W \_ \_	277 1/2		-	
5+5	_W W_	345 1/4		-	
6+0	_M M _	208 1/2			
6+6	_M M M_	416 3/4		-	
7+0	_W W _	243 1/2		-	
7+1	_W W \_	277 1/2		-	
8+0	_M M M _	276 1/4		-	
9+0	_M M W _	311 1/4		-	