

SELLER'S PROPERTY DISCLOSURE STATEMENT

Form SPD — Pennsylvania Association of REALTORS® | Required under Pennsylvania Real Estate Seller Disclosure Law (68 Pa. C.S. §7301 et seq.)

THIS STATEMENT IS A DISCLOSURE OF THE CONDITION OF THE ABOVE DESCRIBED PROPERTY IN COMPLIANCE WITH THE SELLER DISCLOSURE LAW. THIS STATEMENT IS NOT A WARRANTY OF ANY KIND BY THE SELLER OR ANY AGENT REPRESENTING ANY PARTY IN THIS TRANSACTION AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN.

Seller(s):	Patricia Thornton	Date Prepared:	April 18, 2026
Property Address:	847 Sycamore Lane	City/State/Zip:	Lansdale, PA 19446
Municipality:	Lansdale Borough	County:	Montgomery
Seller's Occupancy:	Owner-occupied since 2011	Year Built:	1987

SECTION 1 — SELLER'S KNOWLEDGE

Question	Y / N / U / NA	Comments/Explanation
1(a) Have you (Seller) occupied the property in the past year?	☒ Y ☐ N ☐ U ☐ NA	
1(b) Do you have any knowledge of defects or problems NOT disclosed in this form?	☐ Y ☒ N ☐ U ☐ NA	
1(c) Are there any conditions that materially affect the property that are NOT visible?	☐ Y ☒ N ☐ U ☐ NA	
1(d) Has any inspection of the property been performed in the past 4 years?	☒ Y ☐ N ☐ U ☐ NA	Home inspection 2022; radon test 2022

SECTION 2 — ROOF

Question	Y / N / U / NA	Comments/Explanation
2(a) Are you aware of any current leaks or water infiltration through the roof?	☐ Y ☒ N ☐ U ☐ NA	
2(b) Are you aware of any history of roof leaks or water infiltration?	☐ Y ☒ N ☐ U ☐ NA	
2(c) Has the roof been replaced or re-shingled?	☒ Y ☐ N ☐ U ☐ NA	Asphalt shingles replaced 2018 (GAF Timberline HD)
2(d) Is the roof under any warranty?	☒ Y ☐ N ☐ U ☐ NA	30-yr limited mfr warranty; transferable
2(e) Are there any skylights, solar panels, or roof-mounted equipment?	☐ Y ☒ N ☐ U ☐ NA	
2(f) Are you aware of any damage to gutters, flashing, fascia or soffits?	☐ Y ☒ N ☐ U ☐ NA	

Seller's Initials / Date _____ / _____ PAR Form SPD Page 1 of 5 Buyer's Initials / Date _____ / _____

SECTION 3 — BASEMENTS AND CRAWL SPACES

Question	Y / N / U / NA	Comments/Explanation
3(a) Is there a basement or crawl space?	☒ Y ☐ N ☐ U ☐ NA	Full, unfinished basement
3(b) Is the basement water-proofed?	☐ Y ☒ N ☐ U ☐ NA	No interior/exterior system
3(c) Are you aware of any water seepage, leakage, dampness, or standing water in the basement?	☐ Y ☒ N ☐ U ☐ NA	
3(d) Are there any sump pumps?	☒ Y ☐ N ☐ U ☐ NA	1 sump pump (submersible, Zoeller M53) — functioning
3(e) Have there ever been floods or water intrusion in the basement?	☐ Y ☒ N ☐ U ☐ NA	
3(f) Are you aware of any mold or mildew in basement or crawl space?	☐ Y ☒ N ☐ U ☐ NA	
3(g) Is there a radon mitigation system installed?	☒ Y ☐ N ☐ U ☐ NA	Active sub-slab depressurization; installed 2022

SECTION 4 — WATER DRAINAGE AND FLOODING

Question	Y / N / U / NA	Comments/Explanation
4(a) Is the property in a FEMA flood zone (Special Flood Hazard Area)?	☐ Y ☒ N ☐ U ☐ NA	FEMA Zone X (minimal flood hazard)
4(b) Has any portion of the property ever flooded?	☐ Y ☒ N ☐ U ☐ NA	
4(c) Are you aware of any drainage problems on or adjacent to the property?	☐ Y ☒ N ☐ U ☐ NA	
4(d) Are there any drainage easements or rights-of-way on the property?	☐ Y ☒ N ☐ U ☐ NA	
4(e) Have any drainage improvements been made to the property?	☐ Y ☒ N ☐ U ☐ NA	

SECTION 5 — PLUMBING

Question	Y / N / U / NA	Comments/Explanation
5(a) Are you aware of any current problems with the plumbing system?	☐ Y ☒ N ☐ U ☐ NA	
5(b) Are you aware of any leaks in water supply or drain lines?	☐ Y ☒ N ☐ U ☐ NA	
5(c) Are you aware of any polybutylene (PB) pipe in the property?	☐ Y ☒ N ☐ U ☐ NA	Copper and CPVC
5(d) Has there been any replacement of major plumbing in the past 5 years?	☒ Y ☐ N ☐ U ☐ NA	Master bath shower valve replaced 2023
5(e) Is there a whole-house water shut-off and is its location known?	☒ Y ☐ N ☐ U ☐ NA	Basement utility room, east wall

SECTION 6 — ELECTRICAL

Question	Y / N / U / NA	Comments/Explanation
6(a) Are you aware of any current problems with the electrical system?	☐ Y ☒ N ☐ U ☐ NA	
6(b) Is there knob-and-tube or aluminum wiring?	☐ Y ☒ N ☐ U ☐ NA	Copper wiring throughout
6(c) Is the electrical panel(s) currently functioning without known issues?	☒ Y ☐ N ☐ U ☐ NA	200-amp panel (Square D), installed 1987
6(d) Have any additions, alterations or repairs been made to the electrical system?	☒ Y ☐ N ☐ U ☐ NA	GFCI outlets added kitchen/baths 2016
6(e) Are there any problems with outlets, switches, or circuit breakers?	☐ Y ☒ N ☐ U ☐ NA	

Seller's Initials / Date _____ / _____ PAR Form SPD Page 2 of 5 Buyer's Initials / Date _____ / _____

SECTION 7 — HEATING

Question	Y / N / U / NA	Comments/Explanation
7(a) What is the type of heating system?	☒ Y ☐ N ☐ U ☐ NA	Forced air gas furnace (Carrier 96%)
7(b) Is the heating system in good working order?	☒ Y ☐ N ☐ U ☐ NA	Serviced November 2025
7(c) Age of heating system?	☒ Y ☐ N ☐ U ☐ NA	Replaced 2014 (approximately 12 years old)
7(d) Are you aware of any problems with the heating system?	☐ Y ☒ N ☐ U ☐ NA	
7(e) Is there a fireplace or wood-burning stove?	☒ Y ☐ N ☐ U ☐ NA	Wood-burning fireplace in living room; last cleaned 2024
7(f) Is there a gas line to the property?	☒ Y ☐ N ☐ U ☐ NA	PECO Energy — natural gas

SECTION 8 — COOLING / AIR CONDITIONING

Question	Y / N / U / NA	Comments/Explanation
8(a) Is there a central air conditioning system?	☒ Y ☐ N ☐ U ☐ NA	Central A/C (Carrier, 3-ton)
8(b) Is the cooling system in good working order?	☒ Y ☐ N ☐ U ☐ NA	Serviced May 2025
8(c) Age of cooling system?	☒ Y ☐ N ☐ U ☐ NA	Replaced 2014 — same age as furnace
8(d) Are you aware of any problems with the cooling system?	☐ Y ☒ N ☐ U ☐ NA	

SECTION 9 — WATER SUPPLY

Question	Y / N / U / NA	Comments/Explanation
9(a) What is the source of water?	☒ Y ☐ N ☐ U ☐ NA	Public — North Penn Water Authority
9(b) Do you have a water treatment or softening system?	☒ Y ☐ N ☐ U ☐ NA	GE whole-house water softener (owned, not leased)
9(c) Are you aware of any problems with water pressure or water quality?	☐ Y ☒ N ☐ U ☐ NA	
9(d) Is the water heater in good working order?	☒ Y ☐ N ☐ U ☐ NA	50-gal electric (Rheem), installed 2019
9(e) Are you aware of any current or proposed increases to water/sewer rates?	☐ Y ☒ N ☐ U ☐ NA	

SECTION 10 — SEWAGE DISPOSAL

Question	Y / N / U / NA	Comments/Explanation
10(a) What is the type of sewage disposal?	☒ Y ☐ N ☐ U ☐ NA	Public — Montgomery County Sewer Authority
10(b) Is there an on-lot septic system (present or former)?	☐ Y ☒ N ☐ U ☐ NA	
10(c) Are you aware of any problems with the sewer system?	☐ Y ☒ N ☐ U ☐ NA	

Seller's Initials / Date _____ / _____ PAR Form SPD Page 3 of 5 Buyer's Initials / Date _____ / _____

SECTION 11 — STRUCTURAL / FOUNDATION

Question	Y / N / U / NA	Comments/Explanation
11(a) Are you aware of any structural defects in the foundation, walls, or roof framing?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
11(b) Are you aware of any movement, shifting, settling, or cracking in foundation or walls?	☐ Y ☒ X ☐ N ☐ U ☐ NA	Minor hairline cracks in basement wall; cosmetic only
11(c) Are you aware of any problems with floors, walls, or ceilings inside the home?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
11(d) Have there been any additions, structural modifications, or major renovations?	☒ X ☐ Y ☐ N ☐ U ☐ NA	Deck addition (2008); permitted
11(e) Were all additions/renovations done with required permits?	☒ X ☐ Y ☐ N ☐ U ☐ NA	Deck permit: Montgomery Co. #08-2347

SECTION 12 — HAZARDOUS CONDITIONS AND ENVIRONMENTAL

Question	Y / N / U / NA	Comments/Explanation
12(a) Are you aware of any lead-based paint on the property?	☐ Y ☒ X ☐ N ☐ U ☐ NA	Built 1987 (post-1978); see LBP Disclosure
12(b) Are you aware of any asbestos on the property?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
12(c) Are you aware of any radon gas?	☒ X ☐ Y ☐ N ☐ U ☐ NA	Tested 2022 — 4.1 pCi/L; mitigation system installed
12(d) Are you aware of any mold or mildew problems?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
12(e) Are you aware of any underground storage tanks (UST) on the property?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
12(f) Are you aware of any urea formaldehyde insulation in the property?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
12(g) Is the property near any landfill, hazardous waste site, or brownfield?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
12(h) Are you aware of any pest infestations (termites, wood-boring insects, rodents)?	☐ Y ☒ X ☐ N ☐ U ☐ NA	Pest inspection completed annually; no activity

SECTION 13 — HOMEOWNER ASSOCIATION (HOA)

Question	Y / N / U / NA	Comments/Explanation
13(a) Is the property subject to any homeowner or condominium association?	☐ Y ☒ X ☐ N ☐ U ☐ NA	No HOA — Lansdale Borough single-family
13(b) Are there any pending or known assessments, liens, or violations?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
13(c) Are there deed restrictions, covenants, or easements affecting the property?	☐ Y ☒ X ☐ N ☐ U ☐ NA	

SECTION 14 — LEGAL AND ZONING

Question	Y / N / U / NA	Comments/Explanation
14(a) Are you aware of any zoning violations, citations, or non-conforming uses?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
14(b) Are you aware of any current or pending litigation involving the property?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
14(c) Are you aware of any outstanding code violations or municipal liens?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
14(d) Are there any judgments or liens against the property?	☐ Y ☒ X ☐ N ☐ U ☐ NA	
14(e) Is the property currently subject to any lease or rental agreement?	☐ Y ☒ X ☐ N ☐ U ☐ NA	

Seller's Initials / Date _____ / _____ PAR Form SPD Page 4 of 5 Buyer's Initials / Date _____ / _____

SECTION 15 — OTHER CONDITIONS KNOWN TO SELLER

Question	Y / N / U / NA	Comments/Explanation
15(a) Are there any neighborhood nuisances or conditions known to you affecting the property?	☐ Y ☒ N ☐ U ☐ NA	
15(b) Are you aware of any boundary line disputes?	☐ Y ☒ N ☐ U ☐ NA	
15(c) Is there a security system?	☒ Y ☐ N ☐ U ☐ NA	ADT monitored system (leased equipment); active subscription
15(d) Are there any irrigation or sprinkler systems?	☐ Y ☒ N ☐ U ☐ NA	
15(e) Are there any working smoke detectors?	☒ Y ☐ N ☐ U ☐ NA	4 smoke detectors, 2 CO detectors — all functioning
15(f) Any other conditions not previously disclosed that could materially affect the value or desirability of the property?	☐ Y ☒ N ☐ U ☐ NA	

ADDITIONAL SELLER COMMENTS:

Seller discloses that the radon mitigation system (sub-slab depressurization) was installed in June 2022 by Lansdale Radon Services LLC (permit on file). Post-mitigation test reading was 0.8 pCi/L (well below EPA action level of 4.0 pCi/L). Deck addition (2008) was inspected and approved by Montgomery County Building Inspection. All records available for Buyer review. ADT security system equipment is leased — Buyer to assume or cancel contract at settlement.

SELLER CERTIFICATION

Seller(s) certify that the information contained in this Disclosure Statement is accurate and complete to the best of Seller's knowledge as of the date signed below. Seller acknowledges the duty to supplement this disclosure if any information becomes inaccurate prior to settlement.

**SELLER
SIGNATURE**

Patricia Thornton

**SELLER PRINTED
NAME**

Patricia Thornton

DATE

April 18, 2026

BUYER ACKNOWLEDGMENT OF RECEIPT

By signing below, Buyer(s) acknowledge receipt of this Seller's Property Disclosure Statement prior to or upon execution of an Agreement of Sale. Buyer's receipt of this form does not constitute a warranty of any kind and does not relieve Buyer of the duty to conduct due diligence inspections.

**BUYER
SIGNATURE**

Daniel Rivera

**BUYER PRINTED
NAME**

Daniel Rivera

DATE

April 20, 2026