

# Extract, Transform, and Load Data using Python



## Introduction

Extract, Transform and Load (ETL) operations are of extreme importance in the role of a Data engineer. A data engineer extracts data from multiple sources and different file formats, transforms the extracted data to predefined settings and then loads the data to a database for further processing. In this lab, you will get hands-on practice of performing these operations.

## Objectives



After completing this lab, you will be able to:


- Read CSV, JSON, and XML file types.
- Extract the required data from the different file types.
- Transform data to the required format.
- Save the transformed data in a ready-to-load format, which can be loaded into an RDBMS.

## Initial steps


The first step in this process is to create a new file in the default project folder in the IDE. To create the new file, you can navigate to the `File` tab in the menu bar and click `New File`. Save this file in the path `\home\project` as `etl_code.py`. These steps are shown in the following images.

1. Create New File






The file is now ready in the project folder and further steps will be done in the file.



## Gather the data files

Before you start the extraction of data, you need the files containing the data to be available in the project folder. For the purpose of this lab, perform the following steps to gather the required data:

1. Open a new terminal window



2. Run the following commands in the terminal shell:

- a. Download the zip file containing the required data in multiple formats.

1. 1
1. `wget https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0221EN-SkillsNetwork/labs/module%206/Lab%20-`


Copied! Executed!

- b. Unzip the downloaded file.

1. 1
1. `unzip source.zip`

Copied! Executed!

After you complete the above steps, the folder structure should appear as shown in the following image.



## Importing Libraries and setting paths

The required files are now available in the project folder.

In this lab, you will extract data from CSV, JSON, and XML formats. First, you need to import the appropriate Python libraries to use the relevant functions.

The `xml` library can be used to parse the information from an `.xml` file format. The `.csv` and `.json` file formats can be read using the `pandas` library. You will use the `pandas` library to create a data frame format that will store the extracted data from any file.

To call the correct function for data extraction, you need to access the file format information. For this access, you can use the `glob` library.

To log the information correctly, you need the date and time information at the point of logging. For this information, you require the `datetime` package.

While `glob`, `xml`, and `datetime` are inbuilt features of Python, you need to install the `pandas` library to your IDE.

Run the following command in a terminal shell to install `pandas` for `python3.11`.

```
1. 1
1. python3.11 -m pip install pandas
```

Copied! Executed!

After the installation is complete, you can import all the libraries in `etl_code.py` using the following commands.

```
1. 1
2. 2
3. 3
4. 4

1. import glob
2. import pandas as pd
3. import xml.etree.ElementTree as ET
4. from datetime import datetime
```

Copied!

Note that you import only the `ElementTree` function from the `xml.etree` library because you require that function to parse the data from an `XML` file format.

You also require two file paths that will be available globally in the code for all functions. These are `transformed_data.csv`, to store the final output data that you can load to a database, and `log_file.txt`, that stores all the logs.

Introduce these paths in the code by adding the following statements:

```
1. 1
2. 2

1. log_file = "log_file.txt"
2. target_file = "transformed_data.csv"
```

Copied!

Remember to save your file! You may use `Ctrl+S` to save the file or click `Save` in the `File` tab.

## Task 1: Extraction

Next, you will develop the functions to extract the data from different file formats. As there will be different functions for the file formats, you'll have to write one function each for the `.csv`, `.json`, and the `.xml` filetypes.

You can name these three functions as `extract_from_csv()`, `extract_from_json()`, and `extract_from_xml()`. You need to pass the data file as an argument, `file_to_process`, to each function.

To extract from a csv file, you can define the function `extract_from_csv()` as follows using the pandas function `read_csv`:

```
1. 1
2. 2
3. 3

1. def extract_from_csv(file_to_process):
2.     dataframe = pd.read_csv(file_to_process)
3.     return dataframe
```

Copied!

To extract from a JSON file, you can define the function `extract_from_json()` using the pandas function `read_json`. It requires an extra argument `lines=True` to enable the function to read the file as a JSON object on line to line basis as follows.

```
1. 1
2. 2
3. 3

1. def extract_from_json(file_to_process):
2.     dataframe = pd.read_json(file_to_process, lines=True)
3.     return dataframe
```

Copied!

To extract from an XML file, you need first to parse the data from the file using the `ElementTree` function. You can then extract relevant information from this data and append it to a pandas dataframe as follows.

**Note:** You must know the headers of the extracted data to write this function. In this data, you extract "name", "height", and "weight" headers for different persons.

This function can be written as follows:

```
1. 1
2. 2
3. 3
4. 4
5. 5
6. 6
7. 7
8. 8
9. 9
10. 10

1. def extract_from_xml(file_to_process):
2.     dataframe = pd.DataFrame(columns=["name", "height", "weight"])
3.     tree = ET.parse(file_to_process)
4.     root = tree.getroot()
5.     for person in root:
6.         name = person.find("name").text
7.         height = float(person.find("height").text)
8.         weight = float(person.find("weight").text)
9.         dataframe = pd.concat([dataframe, pd.DataFrame([{"name":name, "height":height, "weight":weight}])], ignore_index=True)
10.    return dataframe
```

Copied!

Now you need a function to identify which function to call on basis of the filetype of the data file. To call the relevant function, write a function `extract`, which uses the `glob` library to identify the filetype. This can be done as follows:

```
1. 1
2. 2
3. 3
4. 4
5. 5
6. 6
7. 7
8. 8
9. 9
10. 10
11. 11
12. 12
13. 13
14. 14
15. 15
16. 16

1. def extract():
2.     extracted_data = pd.DataFrame(columns=['name', 'height', 'weight']) # create an empty data frame to hold extracted data
3.
4.     # process all csv files
5.     for csvfile in glob.glob("*.csv"):
6.         extracted_data = pd.concat([extracted_data, pd.DataFrame(extract_from_csv(csvfile))], ignore_index=True)
7.
8.     # process all json files
9.     for jsonfile in glob.glob("*.json"):
10.        extracted_data = pd.concat([extracted_data, pd.DataFrame(extract_from_json(jsonfile))], ignore_index=True)
11.
12.    # process all xml files
13.    for xmlfile in glob.glob("*.xml"):
14.        extracted_data = pd.concat([extracted_data, pd.DataFrame(extract_from_xml(xmlfile))], ignore_index=True)
15.
16.    return extracted_data
```

Copied!

After adding these functions to `et1_code.py` you complete the implementation of the extraction part.

Remember to save your file using `Ctrl+S`.

## Task 2 - Transformation

The height in the extracted data is in inches, and the weight is in pounds. However, for your application, the height is required to be in meters, and the weight is required to be in kilograms, rounded to two decimal places. Therefore, you need to write the function to perform the unit conversion for the two parameters.

The name of this function will be `transform()`, and it will receive the extracted dataframe as the input. Since the dataframe is in the form of a dictionary with three keys, "name", "height", and "weight", each of them having a list of values, you can apply the transform function on the entire list at one go.

The function can be written as follows:

```
1. 1
2. 2
3. 3
4. 4
5. 5
6. 6
7. 7
8. 8
9. 9
10. 10

1. def transform(data):
2.     '''Convert inches to meters and round off to two decimals
3.     1 inch is 0.0254 meters '''
4.     data['height'] = round(data.height * 0.0254,2)
5.
6.     '''Convert pounds to kilograms and round off to two decimals
7.     1 pound is 0.45359237 kilograms '''
8.     data['weight'] = round(data.weight * 0.45359237,2)
9.
10.    return data
```

Copied!

The output of this function will now be a dataframe where the "height" and "weight" parameters will be modified to the required format.

You can add the `transform()` function to the `etl_code.py` file, thus completing the transform operation.

Remember to save your file using `Ctrl+S`.

## Task 3 - Loading and Logging

You need to load the transformed data to a csv file that you can use to load to a database as per requirement.

To load the data, you need a function `load_data()` that accepts the transformed data as a dataframe and the `target_file` path. You need to use the `to_csv` attribute of the dataframe in the function as follows:

```
1. 1
2. 2

1. def load_data(target_file, transformed_data):
2.     transformed_data.to_csv(target_file)
```

Copied!

Finally, you need to implement the logging operation to record the progress of the different operations. For this operation, you need to record a message, along with its timestamp, in the `log_file`.

To record the message, you need to implement a function `log_progress()` that accepts the log message as the argument. The function captures the current date and time using the `datetime` function from the `datetime` library. The use of this function requires the definition of a date-time format, and you need to convert the timestamp to a string format using the `strftime` attribute. The following code creates the log operation:

```
1. 1
2. 2
3. 3
4. 4
5. 5
6. 6

1. def log_progress(message):
2.     timestamp_format = '%Y-%h-%d-%H:%M:%S' # Year-Monthname-Day-Hour-Minute-Second
3.     now = datetime.now() # get current timestamp
4.     timestamp = now.strftime(timestamp_format)
5.     with open(log_file,"a") as f:
6.         f.write(timestamp + ',' + message + '\n')
```

Copied!

After you add these functions to `etl_code.py`, you will complete the implementation of the loading and logging operations. With this, all the functions for Extract, Transform, and Load (ETL) are ready for testing.

Remember to save your file using `Ctrl+S`.

## Testing ETL operations and log progress

Now, test the functions you have developed so far and log your progress along the way. Insert the following lines into your code to complete the process. Note the comments on every step of the code.

```
1. 1
2. 2
3. 3
4. 4
```

```
5. 5
6. 6
7. 7
8. 8
9. 9
10. 10
11. 11
12. 12
13. 13
14. 14
15. 15
16. 16
17. 17
18. 18
19. 19
20. 20
21. 21
22. 22
23. 23
24. 24
25. 25
26. 26
27. 27
28. 28

1. # Log the initialization of the ETL process
2. log_progress("ETL Job Started")
3.
4. # Log the beginning of the Extraction process
5. log_progress("Extract phase Started")
6. extracted_data = extract()
7.
8. # Log the completion of the Extraction process
9. log_progress("Extract phase Ended")
10.
11. # Log the beginning of the Transformation process
12. log_progress("Transform phase Started")
13. transformed_data = transform(extracted_data)
14. print("Transformed Data")
15. print(transformed_data)
16.
17. # Log the completion of the Transformation process
18. log_progress("Transform phase Ended")
19.
20. # Log the beginning of the Loading process
21. log_progress("Load phase Started")
22. load_data(target_file,transformed_data)
23.
24. # Log the completion of the Loading process
25. log_progress("Load phase Ended")
26.
27. # Log the completion of the ETL process
28. log_progress("ETL Job Ended")
```

Copied!

Remember to save your file using Ctrl+S.

## Execution of code

Execute etl\_code.py from a terminal shell using the command

```
1. 1
1. python3.11 etl_code.py
```

Copied!

Executed!

Upon execution, you can view the output of the print command on the terminal as shown in the image below.

```
theia@theia-abhishek1:/home/project$ python3.11 etl_code.py
Transformed Data
  name  height  weight
0  alex    1.67    51.25
1  ajay    1.82    61.91
2  alice   1.76    69.41
3  ravi    1.73    64.56
4  joe     1.72    65.45
5  alex    1.67    51.25
6  ajay    1.82    61.91
7  alice   1.76    69.41
8  ravi    1.73    64.56
9  joe     1.72    65.45
10 alex    1.67    51.25
11 ajay    1.82    61.91
12 alice   1.76    69.41
13 ravi    1.73    64.56
14 joe     1.72    65.45
15 jack    1.74    55.93
16 tom     1.77    64.18
17 tracy    1.78    61.90
18 john    1.72    50.97
19 jack    1.74    55.93
20 tom     1.77    64.18
21 tracy    1.78    61.90
22 john    1.72    50.97
23 jack    1.74    55.93
24 tom     1.77    64.18
25 tracy    1.78    61.90
26 john    1.72    50.97
27 simon   1.72    50.97
28 jacob   1.70    54.73
29 cindy   1.69    57.81
30 ivan    1.72    51.77
31 simon   1.72    50.97
32 jacob   1.70    54.73
33 cindy   1.69    57.81
34 ivan    1.72    51.77
35 simon   1.72    50.97
36 jacob   1.70    54.73
37 cindy   1.69    57.81
38 ivan    1.72    51.77
theia@theia-abhishek1:/home/project$
```

The contents of the log file will appear as shown in the image below.

```
> OPEN EDITORS  log_file.txt
✓ PROJECT      1  2023-Aug-01-13:03:22,ETL Job Started
  etl_code.py  2  2023-Aug-01-13:03:22,Extract phase Started
  log_file.txt 3  2023-Aug-01-13:20:24,ETL Job Started
  source.zip   4  2023-Aug-01-13:20:24,Extract phase Started
  source1.csv  5  2023-Aug-01-13:20:24,Extract phase Ended
  source1.json 6  2023-Aug-01-13:20:24,Transform phase Started
  source1.xml  7  2023-Aug-01-13:20:24,Transform phase Ended
  source2.csv  8  2023-Aug-01-13:20:24,Load phase Started
  source2.json 9  2023-Aug-01-13:20:58,ETL Job Started
  source2.xml 10 2023-Aug-01-13:20:58,Extract phase Started
  source3.csv 11 2023-Aug-01-13:20:58,Extract phase Ended
  source3.json12 2023-Aug-01-13:20:58,Transform phase Started
  source3.xml 13 2023-Aug-01-13:20:58,Transform phase Ended
  transforme...14 2023-Aug-01-13:20:58,Load phase Started
  15 2023-Aug-01-13:20:58,Load phase Ended
  16 2023-Aug-01-13:20:58,ETL Job Ended
  17
```

## Lab Solution

In case you face some issue while you execute the created code, it might be because of missing a step in the process somewhere. The complete code of all the steps is given below to help you resolve the issue. Please note that you should refer to this only if you are unable to achieve the desired results yourself or get an error during the execution in the next step.

► [Click here for the code](#)

## Practice Exercises

Follow the process learned in this lab to perform ETL operations on the data available in the link below.

1. 1
1. <https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0221EN-SkillsNetwork/labs/module%206/Lab%20-%20Ex1>

Copied!

Complete the following practice exercises:

1. Create a folder data\_source and use the terminal shell to change the current directory to \home\project\data\_source. Create a file etl\_practice.py in this folder.
2. Download and unzip the data available in the link shared above.

- 3. The data available has four headers: 'car\_model', 'year\_of\_manufacture', 'price', 'fuel'. Implement the extraction process for the csv, json, and xml files.
- 4. Transform the values under the 'price' header such that they are rounded to 2 decimal places.
- 5. Implement the loading function for the transformed data to a target file, transformed\_data.csv.
- 6. Implement the logging function for the entire process and save it in log\_file.txt.
- 7. Test the implemented functions and log the events as done in the lab.

Please note that the solutions for this practice exercise are not provided to motivate you to try them yourself. However, feel free to share your opinions on the solutions as well as your questions in the discussion forums.

## Conclusion

In this lab, you practiced the implementation of:

- Extraction of data from csv, json, and xml file formats.
- Transformation of data as per requirement.
- Loading the transformed data to a csv file.
- Logging the progress of the said operations.

## Author(s)

[Abhishek Gagneja](#)  
Ramesh Sannareddy  
Joseph Santarcangelo  
Azim Hirjani

## Changelog

Date	Version	Changed by	Change Description
2023-09-01	3.0	Steve Hord	QA pass with edits
2023-08-28	2.0	Anita Narain	ID Review of the lab
2023-08-01	1.0	Abhishek Gagneja	Forked and converted lab from Jupyter notebook to Python script
2020-11-25	0.1	Ramesh Sannareddy	Created initial version of the lab

© IBM Corporation 2023. All rights reserved.