

Calculator code
Alli-Balogun Oluwatishe

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
  <title>Simple Calculator</title>
  <style>
    * {
      box-sizing: border-box;
      margin: 0;
      padding: 0;
    }

    body {
      display: flex;
      justify-content: center;
      align-items: center;
      min-height: 100vh;
      background-color: #f0ede8;
      font-family: Arial, sans-serif;
    }

    .calculator {
      background-color: #ffffff;
      border-radius: 16px;
      padding: 30px;
      width: 320px;
      box-shadow: 0 8px 32px rgba(0,0,0,0.10);
    }

    h2 {
      text-align: center;
      margin-bottom: 24px;
      font-size: 20px;
      color: #1a1714;
    }

    label {
      display: block;
      font-size: 13px;
      color: #888;
      margin-bottom: 6px;
    }

    input {
      width: 100%;
      padding: 12px;
      font-size: 18px;
      border: 2px solid #ede9e3;
      border-radius: 10px;
      margin-bottom: 16px;
      outline: none;
    }
```

```

    color: #1a1714;
}

input:focus {
    border-color: #1a1714;
}

input[readonly] {
    background-color: #f0ede8;
    color: #1a1714;
    font-weight: bold;
}

.buttons {
    display: grid;
    grid-template-columns: repeat(2, 1fr);
    gap: 10px;
    margin-bottom: 16px;
}

button {
    padding: 14px;
    font-size: 15px;
    border: none;
    border-radius: 10px;
    cursor: pointer;
    background-color: #1a1714;
    color: #ffffff;
    transition: opacity 0.1s;
}

button:active {
    opacity: 0.7;
}

.btn-clear {
    grid-column: span 2;
    background-color: #f5e6e0;
    color: #c0614a;
}
</style>
</head>
<body>

<div class="calculator">
    <h2>Simple Calculator</h2>

    <label>First Number</label>
    <input type="number" id="num1" placeholder="Enter first number" />

    <label>Second Number</label>
    <input type="number" id="num2" placeholder="Enter second number" />

    <div class="buttons">
        <button onclick="runCalc('addition')">Addition</button>

```

```

    <button onclick="runCalc('subtraction')">Subtraction</button>
    <button onclick="runCalc('multiplication')">Multiplication</button>
    <button onclick="runCalc('division')">Division</button>
    <button class="btn-clear" onclick="clearAll()">Clear</button>
</div>

<label>Result</label>
<input type="text" id="result" placeholder="Result will appear here" readonly />
</div>

<script src="calculator.js"></script>

</body>
</html>

```

The js part

```

function runCalc(operation) {
    var num1 = parseFloat(document.getElementById('num1').value);
    var num2 = parseFloat(document.getElementById('num2').value);
    var result;

    if (isNaN(num1) || isNaN(num2)) {
        document.getElementById('result').value = 'Please enter both numbers';
        return;
    }

    if (operation === 'addition') {
        result = num1 + num2;
    } else if (operation === 'subtraction') {
        result = num1 - num2;
    } else if (operation === 'multiplication') {
        result = num1 * num2;
    } else if (operation === 'division') {
        if (num2 === 0) {
            document.getElementById('result').value = 'Cannot divide by zero';
            return;
        }
        result = num1 / num2;
    }

    document.getElementById('result').value = result;
}

function clearAll() {
    document.getElementById('num1').value = "";
    document.getElementById('num2').value = "";
    document.getElementById('result').value = "";
}

```