

## **Data Manipulation**

Hex 2551

Tables: MY EMPLOYEES

1.Describe the structure of the MY\_EMPLOYEE table to identify the column names.

Name	<b>Null?</b> Not	Туре
ID	NULL	NUMBER(4)
15	NOLL	VARCHAR2(25)
LAST_NAME		` ,
FIRST_NAME		VARCHAR2(25)
USERID		VARCHAR2(8)
SALARY		NUMBER(9,2)

2 Add the data to the MY\_EMPLOYEE table from the following sample data. Do not list the columns in the

INSERT clause.

ID	LAST_NAME	FIRST_NAME	USERID	SALARY
1	Patel	Ralph	rpatel	895

3. Populate the MY\_EMPLOYEE table with the following sample data . This time, list the columns explicitly in the INSERT clause.

ID	LAST_NAME	FIRST_NAME	USERID	SALARY
2	Dancs	Betty	bdancs	860

- 4. Confirm your addition to the table.
- 5. Write an insert statement using placeholder & to insert values into MY\_EMPLOYEE table. Concatenate the

first letter of the first name and the first seven characters of the last name to produce the userid.

- 6. Change the last name of employee 3 to Drexler.
- 7. Change the salary to 1000 for all employees with a salary less than 900.
- 8. Delete Betty Dancs from the MY\_EMPLOYEE table.
- 9. Empty the entire table.

PRIME

For Internal Use Only

Version 4.2