New TO-DO screen - data is saved and user is redirected to the main screen after entering valid data

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	open App TO-DO-MVP
Input data	
Expected result	The App TO-DO-MVP is opened

Step	2
Action	Tape a Fab "+" on the lower right corner of the main screen
Input data	
Expected result	New TO-DO screen is opened

Step	3
Action	Enter the data from the test data to the "Title" field
Input data	call Tom at 9
Expected result	data is displayed without error message

Step	4
Action	Enter the data from the test data to the "Enter your To-Do here" field
Input data	ask to check bills
Expected result	data is displayed without error message

Step	5
Action	Tape FAB "✔"
Input data	

Expected result   User is redirected to the main screen with displayed just created task

New TO-DO screen - user is redirected to the main screen and new task is created with empty "Enter your To-Do here" field

Severity	Priority	Behavior	Type
O Normal	O Medium	Negative	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Open the App TO-DO-MVP
Input data	
Expected result	The App TO-DO-MVP is opened

Step	2
Action	Tape the fab "+"
Input data	
Expected result	New TO-DO screen is opened

Step	3
Action	Enter the data from the test data to the "Title" field
Input data	buy present for Ann
Expected result	data is displayed without error message

Step	4
Action	The field "Enter your To-Do here" left blank and tape fab "✔"
Input data	
Expected result	User is redirected to the main screen, new task is created

New TO-DO screen - error message is displayed after entering space to the field "Title"

Severity	Priority	Behavior	Type
O Normal	O Medium	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Open the App TO-DO-MVP
Input data	
Expected result	The App TO-DO-MVP is opened

Step	2
Action	Tape the fab "+"
Input data	
Expected result	New TO-DO screen is opened

Step	3
Action	Enter space to the "Title" field
Input data	
Expected result	The "Title" field has no data

Step	4
Action	Tape the fab "✔"
Input data	
Expected result	The error message is displayed

New TO-DO screen - error message is displayed after the field "Title" and the field "Enter your To-Do here" left empty.

Severity	Priority	Behavior	Type
O Normal	↑ High	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Tape the fab "+"
Input data	
Expected result	New TO-DO screen is opened

Step	2
Action	Fields "Title" and "Enter your To-Do here" left blank
Input data	
Expected result	no data is displayed

Step	3
Action	Tape the fab "✔"
Input data	
Expected result	Error message is displayed "TO DO cannot be empty"

Step	4
Action	Open the App TO-DO-MVP
Input data	
Expected result	The App TO-DO-MVP is opened

New TO-DO screen - error message is displayed after try to enter GIF to the field "Title"

Severity	Priority	Behavior	Type
O Normal	O Medium	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Open the App TO-DO-MVP
Input data	
Expected result	The App TO-DO-MVP is opened

Step	2
Action	Tape the fab "+"
Input data	
Expected result	New TO-DO screen is opened

Step	3
Action	Enter GIF to the "Title" field
Input data	
Expected result	Error message is displayed "TO-DO-MVP does not support images insertion here"

New TO-DO screen - data is saved and user is redirected to the main screen after entering numbers to the field "Title" .

Severity	Priority	Behavior	Type
O Normal	O Medium	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Tape the fab "+"
Input data	
Expected result	New TO-DO screen is opened

Step	2
Action	Enter numbers from the test data to the "Title" field
Input data	to do 100 squats
Expected result	data displayed in the field

Step	3
Action	Tape the fab "✔"
Input data	
Expected result	data saved and user redirected to the main screen

Step	4
Action	Open the App TO-DO-MVP
Input data	
Expected result	The App TO-DO-MVP is opened

New TO-DO screen - error message is displayed after entering special characters to the field "Title"

Severity	Priority	Behavior	Type
O Normal	O Medium	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Tape the fab "+"
Input data	
Expected result	New TO-DO screen is opened

Step	2
Action	Enter special characters to the "Title" field
Input data	
Expected result	special characters are displayed in the field

Step	3
Action	Tape the fab "✔"
Input data	
Expected result	Error message is displayed "Special characters are not allowed"

Step	4
Action	Open the App TO-DO-MVP
Input data	
Expected result	The App TO-DO-MVP is opened

New TO-DO screen - data is saved and user is redirected to the main screen after entering data using Cyrillic.

Severity	Priority	Behavior	Type
O Normal	↑ High	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Tape the fab "+"
Input data	
Expected result	New TO-DO screen is opened

Step	2
Action	Enter Cyrillic data from the test data to the "Title" field and "Enter your To-Do here" field
Input data	купить бумагу и карандаши
Expected result	Data is displayed

Step	3
Action	Tape the fab "✔"
Input data	
Expected result	data saved and user redirected to the main screen

Step	4
Action	Open the App TO-DO-MVP
Input data	
Expected result	The App TO-DO-MVP is opened

New TO-DO screen - error message is displayed after entering data in Spanish to the field "Title" and the field "Enter your To-Do here"

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Open the App TO-DO-MVP
Input data	
Expected result	The App TO-DO-MVP is opened

Step	2
Action	Tape the fab "+"
Input data	
Expected result	New TO-DO screen is opened

Step	3
Action	Enter data from test data in Spanish to the "Title" field and "Enter your To-Do here" field
Input data	comprar plátanos y manzanas
Expected result	error message is displayed

New TO-DO screen - Tapping back on title bar is redirecting to the previous (main) screen

Severity	Priority	Behavior	Type
O Normal	O Medium	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Open the App TO-DO-MVP
Input data	
Expected result	The App TO-DO-MVP is opened

Step	2
Action	Tape the fab "+"
Input data	
Expected result	New TO-DO screen is opened

Step	3
Action	Tape back on title bar
Input data	
Expected result	user is redirected to the previous (main) screen

New TO-DO screen - Incoming call (SMS) popup is displayed without interruption of the APP

Severity	Priority	Behavior	Type
O Normal	↑ High	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Open the App TO-DO-MVP
Input data	
Expected result	The App TO-DO-MVP is opened

Step	2
Action	Tape the fab "+"
Input data	
Expected result	New TO-DO screen is opened

Step	3
Action	make incoming call (SMS) on the device
Input data	
Expected result	Incoming call (SMS) popup is displayed

Step	4
Action	enter data from the test data to the "Title" field
Input data	count ducks
Expected result	data is displayed

Step	5
Action	Tape the fab "✔"
Input data	

Expected result   data saved and user redirected to the main screen without interruption

The APP function without interruption while changing phone position to landscape

Severity	Priority	Behavior	Type
O Normal	O Medium	Not set	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Tape the fab "+"
Input data	
Expected result	New TO-DO screen is opened

Step	2
Action	change phone position to landscape
Input data	
Expected result	Screen rotates

Step	3
Action	Enter data from test data to the "Title" field
Input data	call Tom
Expected result	data is displayed

Step	4
Action	Tape the fab "✔"
Input data	
Expected result	user is redirected to the main screen, data is saved, the APP function without interruption.

Step	5
Action	Open the App TO-DO-MVP
Input data	

Expected result   The App TO-DO-MVP is opened